

US00D937187S

(12) **United States Design Patent** (10) **Patent No.:** **US D937,187 S**
Digman et al. (45) **Date of Patent:** **** Nov. 30, 2021**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Brian David Digman**, Sagamore Hills, OH (US); **Jillian Grace Roth**, Akron, OH (US); **Christopher John Lane**, Medina, OH (US); **Bart Wakefield Kimble**, Stow, OH (US); **Travis Lynn Hollabaugh**, Salem, OH (US); **Brett Alan Bogner**, Clinton, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/715,681**

(22) Filed: **Dec. 4, 2019**

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/594**

(58) **Field of Classification Search**
USPC D12/568–605, 900
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D350,102 S	8/1994	Evraet et al.		D12/147
D365,060 S	12/1995	McKisson		D12/146
D399,461 S *	10/1998	Lurois		D12/601
D400,138 S	10/1998	Blankenship		D12/147
D400,831 S	11/1998	Blankenship et al.		D12/147
D402,242 S	12/1998	Guspodin et al.		D12/147
D403,275 S *	12/1998	Gillard		D12/587

D422,246 S	4/2000	Fierro et al.		D12/146
D429,479 S	8/2000	Fierro et al.		D12/147
D445,380 S	7/2001	Fantanzo et al.		D12/147

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/673,156, filed Dec. 12, 2018, Digman, et al.
(Continued)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Robert N. Lipcsik

(57)

CLAIM

The ornamental Design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;


FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D455,394 S 4/2002 Lassan et al. D12/586
D498,208 S 11/2004 Cazin-Bourguignon et al.
D12/600
D504,657 S 5/2005 Allen et al. D12/579
D516,012 S 2/2006 Miller et al. D12/579
D516,013 S 2/2006 Miller et al. D12/579
D516,999 S 3/2006 Miller et al. D12/579
D517,000 S 3/2006 Allen et al. D12/579
D520,939 S 5/2006 Allen et al. D12/600
D531,111 S 10/2006 Fukunaga D12/586
D548,173 S 8/2007 Herbeuval et al. D12/579
D558,664 S 1/2008 Herbeuval et al. D12/579
D591,225 S 4/2009 Ashton et al. D12/600
D591,226 S 4/2009 Shondel et al. D12/600
D611,890 S * 3/2010 Lessmann D12/527
D614,119 S 4/2010 Umstot et al. D12/587
D628,958 S 12/2010 Fleckner D12/600
D629,351 S 12/2010 Jacobs D12/600
D643,804 S 8/2011 Dixon et al. D12/594
D661,641 S * 6/2012 Oki D12/600
D662,464 S 6/2012 Dixon et al. D12/602
D667,362 S 9/2012 Hughes et al. D12/579
D667,367 S 9/2012 Bonko et al. D12/600
D667,368 S 9/2012 Bonko et al. D12/600
D682,190 S 5/2013 Uphouse et al. D12/600
D713,328 S 9/2014 Umstot et al. D12/579

D713,329 S 9/2014 Dixon et al. D12/579
D715,216 S * 10/2014 Dixon D12/600
D732,467 S 6/2015 Schimmoeller et al. D12/600
D733,642 S 7/2015 Oberlin et al. D12/601
D734,710 S 7/2015 Jacobs D12/580
D735,120 S * 7/2015 Oberlin D12/594
D748,044 S 1/2016 Schuessler D12/580
D763,781 S 8/2016 Ashton et al. D12/579
D763,782 S 8/2016 Dixon et al. D12/579
D784,251 S * 4/2017 Cerny D12/600
D821,966 S 7/2018 Ninomiya D12/600
D823,235 S 7/2018 Lamb D12/587
D828,289 S 9/2018 Fox et al. D12/588
D843,927 S 3/2019 Canankamp et al. D12/600
D844,549 S 4/2019 Zimmerman et al. D12/600
D848,938 S * 5/2019 Fujioka D12/600
D882,498 S * 4/2020 Davis D12/579
D886,036 S * 6/2020 Jones D12/588
D894,103 S * 8/2020 Davis D12/579

OTHER PUBLICATIONS

U.S. Appl. No. 29/676,523, filed Jan. 11, 2019, Davis, et al.
U.S. Appl. No. 29/676,534, filed Jan. 11, 2019, Davis, et al.
U.S. Appl. No. 29/685,676, filed Mar. 29, 2019, Davis, et al.
U.S. Appl. No. 29/701,051, filed Aug. 8, 2019, Davis, et al.
U.S. Appl. No. 29/707,623, filed Sep. 30, 2019, Davis.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6