



US00D937202S

(12) **United States Design Patent** (10) **Patent No.:** **US D937,202 S**
Sorias (45) **Date of Patent:** **** Nov. 30, 2021**

(54) **BATTERY CHARGER FOR MOBILE DEVICES**
(71) Applicant: **Yeoshua Sorias**, Brooklyn, NY (US)
(72) Inventor: **Yeoshua Sorias**, Brooklyn, NY (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/653,242**
(22) Filed: **Jun. 13, 2018**
(51) **LOC (13) Cl.** **13-02**
(52) **U.S. Cl.**
USPC **D13/108**
(58) **Field of Classification Search**
USPC D13/103, 107-110, 118-119, 184, 199,
D13/137.1-137.4, 138.1-138.2; D14/433
CPC H02J 7/025; H02J 7/005; H02J 7/0026;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0013; H02J 7/0003; H01R 13/00;
H01R 13/03; H01R 13/05; H01R 13/08;
H01R 13/62933; H01R 24/66
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D292,700 S * 11/1987 Rauch D13/137.1
D378,291 S * 3/1997 Hahn D13/138.2
5,613,863 A * 3/1997 Klaus H01R 27/00
439/131
6,109,977 A * 8/2000 Baxter H01R 13/04
439/693
D498,462 S * 11/2004 Andre D13/138.2
D562,766 S * 2/2008 Yang D13/110
D617,277 S * 6/2010 Fahrendorff D13/138.1
D620,889 S * 8/2010 Smith D13/138.2

8,142,228 B1 * 3/2012 Wu H01R 31/065
439/628
D734,260 S * 7/2015 Cypress D13/110
D763,794 S * 8/2016 Akana D13/137.1
D860,952 S * 9/2019 Akana D13/147
D899,371 S * 10/2020 Kusano D13/137.1
D899,378 S * 10/2020 Akana D13/147
2006/0197495 A1 * 9/2006 Bumiller H01R 24/20
320/111
2017/0338580 A1 * 11/2017 Ma H01R 13/502
2020/0106214 A1 * 4/2020 Du H01R 13/62933

OTHER PUBLICATIONS

“The Mu Folding UK Plug Now Available—Modern Design Icon”,
by Jay Garrett, Dated Feb. 20, 2012. Retrieved from the internet on
Jun. 8, 2021 <<https://gadgetynews.com/mu-folding-uk-plug-now-available-modern-design-icon/>> (Year: 2012).*

* cited by examiner

Primary Examiner — Rosemary K Tarcza
(74) *Attorney, Agent, or Firm* — Ostrolenk Faber LLP


(57) **CLAIM**

The ornamental design for a battery charger for mobile devices, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery charger for mobile devices, showing my new design.
FIG. 2 is a right side view thereof, the left side view, the top side view and the bottom side view being symmetrical.
FIG. 3 is a rear view thereof; and,
FIG. 4 is a front view of FIG. 1, shown with the electrical prongs folded inward.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4