



US00D937636S

(12) **United States Design Patent**
Boukai et al.

(10) **Patent No.:** **US D937,636 S**
(45) **Date of Patent:** **** Dec. 7, 2021**

(54) **THERMOELECTRIC BEVERAGE COOLER**

5,970,719 A 10/1999 Merritt
6,330,808 B1 * 12/2001 Kouwenberg F25D 31/007
62/372
6,397,624 B1 * 6/2002 Horwell F25D 3/06
62/372

(71) Applicant: **Matrix Industries, Inc.**, Menlo Park,
CA (US)

(Continued)

(72) Inventors: **Akram I. Boukai**, Menlo Park, CA
(US); **Douglas W. Tham**, Menlo Park,
CA (US); **Tristan Day**, Menlo Park,
CA (US); **Haifan Liang**, Menlo Park,
CA (US)

FOREIGN PATENT DOCUMENTS

KR 200285179 Y1 8/2002
WO WO-2020142747 A1 7/2020

(73) Assignee: **MATRIX INDUSTRIES, INC.**, Menlo
Park, CA (US)

OTHER PUBLICATIONS

Co-pending U.S. Appl. No. 29/719,425, filed Jan. 3, 2020.

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/719,440**

Primary Examiner — Terry A Wallace

(22) Filed: **Jan. 3, 2020**

(74) *Attorney, Agent, or Firm* — Wilson Sonsini Goodrich
& Rosati

(51) **LOC (13) Cl.** **31-00**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D7/603; D15/79**

The ornamental design for a thermoelectric beverage cooler,
as shown and described.

(58) **Field of Classification Search**
USPC D7/603, 605; D15/79, 81, 89, 90
CPC F25B 21/02; F25D 31/00; F25D 31/003;
F25D 31/008; F25D 31/007; F25D
31/002; F25D 31/006; F25D 2331/803;
F25D 2331/809; F24D 3/00; F24D 3/08;
F24D 3/14; F24D 3/107; F24D 3/06
See application file for complete search history.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

2,736,174 A 2/1956 Tice
2,959,925 A 11/1960 Frantti et al.
4,164,851 A 8/1979 Bryant
4,711,099 A * 12/1987 Polan F25D 15/00
62/457.4
5,060,479 A * 10/1991 Carmi F25B 21/02
62/3.62

FIG. 1 is a top perspective view of a thermoelectric beverage cooler in accordance with the present design;
FIG. 2 is a front view of the thermoelectric beverage cooler;
FIG. 3 is a back view of the thermoelectric beverage cooler;
FIG. 4 is a right-side view of the thermoelectric beverage cooler;
FIG. 5 is a left-side view of the thermoelectric beverage cooler;
FIG. 6 is a top view of the thermoelectric beverage cooler;
and,
FIG. 7 is a bottom view of the thermoelectric beverage cooler.
The broken lines shown in FIGS. 1-7 form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D463,218 S * 9/2002 Wu D7/605
D463,717 S * 10/2002 Krieger D7/605
D500,639 S * 1/2005 Cauchy D7/608
D501,763 S * 2/2005 Davenport D7/603
2008/0302126 A1 12/2008 Falkenberg
2012/0312030 A1 12/2012 Lu
2015/0233631 A1 8/2015 Shuntich
2016/0018138 A1 1/2016 Liptak et al.
2016/0209111 A1 7/2016 Jafa et al.
2017/0176059 A1 6/2017 Lundberg et al.
2017/0186079 A1 6/2017 Kim et al.
2017/0288118 A1 10/2017 Berwanger Brochier
2018/0051918 A1 2/2018 Vantubergen, Jr.
2018/0252446 A1 9/2018 Place
2020/0217565 A1 7/2020 Boukai et al.

OTHER PUBLICATIONS

PCT/US2020/012266 Search Report & Written Opinion dated Apr. 24, 2020.

U.S. Appl. No. 16/460,784 Office Action dated Dec. 26, 2019.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7