



US00D937656S

(12) **United States Design Patent** (10) **Patent No.:** **US D937,656 S**
He (45) **Date of Patent:** **** Dec. 7, 2021**

(54) **LOCK**

(56) **References Cited**

(71) Applicant: **YUNDING NETWORK TECHNOLOGY (BEIJING) CO., LTD.**, Beijing (CN)

U.S. PATENT DOCUMENTS

D682,656 S * 5/2013 Cramer D8/331
9,140,035 B2 * 9/2015 McKibben E05B 47/026
D766,067 S * 9/2016 Hyde D8/331
D768,463 S * 10/2016 Kraus D8/331
10,087,656 B1 * 10/2018 Cannella E05B 63/0004

(72) Inventor: **Yu He**, Beijing (CN)

(73) Assignee: **YUNDING NETWORK TECHNOLOGY (BEIJING) CO., LTD.**, Beijing (CN)

FOREIGN PATENT DOCUMENTS

CN 108193952 A 6/2018
CN 108756471 A 11/2018
CN 208040041 U 11/2018

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/723,348**

Primary Examiner — Doris Clark

(22) Filed: **Feb. 6, 2020**

(74) *Attorney, Agent, or Firm* — Metis IP LLC

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Aug. 6, 2019 (CN) 201930425245.2

The ornamental design for a lock, as shown and described.

(51) **LOC (13) Cl.** **08-07**

DESCRIPTION

(52) **U.S. Cl.**
USPC **D8/331**


FIG. 1 is a perspective view of a lock showing my new design;

(58) **Field of Classification Search**
USPC D8/331
CPC . E05C 1/002; E05C 1/004; E05C 1/008; E05C 1/006; E05C 1/00; E05C 3/002; E05C 3/004; E05C 3/006; E05C 3/008; E05C 3/12; E05B 47/00; E05B 47/0001; E05B 13/103; E05B 13/105; E05B 17/147; E05B 17/145; E05B 37/00; E05B 37/0031

FIG. 2 is a front view of the lock thereof;
FIG. 3 is a rear view of the lock thereof;
FIG. 4 is a right view of the lock thereof;
FIG. 5 is a left view of the lock thereof;
FIG. 6 is a top view of the lock thereof; and,
FIG. 7 is a bottom view of the lock thereof.
The shade lines in the Figures show contour and not surface ornamentation.

See application file for complete search history.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7