



US00D938086S

(12) **United States Design Patent** (10) **Patent No.:** **US D938,086 S**  
**Yang** (45) **Date of Patent:** **\*\* Dec. 7, 2021**

(54) **SENSOR LIGHT**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Yi Yang**, Suizhou (CN)

WO WO-2019104530 A1 \* 6/2019 ..... F21S 9/03

(72) Inventor: **Yi Yang**, Suizhou (CN)

OTHER PUBLICATIONS

(\*\*) Term: **15 Years**

Coutlet 14 LED Motion Sensor Under Cabinet Lights Rechargeable, Item No. 37358627, available from overstock.com as early as May 11, 2021. (Year: 2021).\*

(21) Appl. No.: **29/773,877**

Kirazi Motion Sensor Light ASIN: B097SGV1JF available from amazon.com Jun. 24, 2021. (Year: 2021).\*

(22) Filed: **Mar. 12, 2021**

Goodland Under Cabinet Lighting 80 LED Closet Light, ASIN: B08G4BYHX5 available from amazon.com Aug. 19, 2020. (Year: 2020).\*

(51) **LOC (13) Cl.** ..... **26-05**

(52) **U.S. Cl.**

USPC ..... **D26/72; D26/85**

(58) **Field of Classification Search**

USPC ..... D26/72, 80, 85, 76

CPC .... F21S 8/03; F21S 8/033; F21S 8/036; F21S

8/037; F21S 9/022; F21S 9/024; F21S

9/03; F21S 9/035; F21S 9/037; F21W

2131/107; G08B 13/193

See application file for complete search history.

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(57) **CLAIM**

The ornamental design for a sensor light, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D374,736 S \* 10/1996 DeWinter ..... D26/72

D397,818 S \* 9/1998 Herst ..... D26/119

D629,554 S \* 12/2010 Gielen ..... D26/76

8,545,045 B2 \* 10/2013 Tress ..... F21V 21/005

362/217.17

D774,679 S \* 12/2016 Huyghe ..... D26/80

D775,395 S \* 12/2016 Huyghe ..... D26/80

D873,468 S \* 1/2020 Ma ..... D26/85

D891,675 S 7/2020 Liu

D906,569 S 12/2020 Wu

D910,225 S \* 2/2021 Bernard ..... D26/76

D912,879 S \* 3/2021 Hu ..... D26/85

D930,217 S \* 9/2021 Johnson ..... D26/85

2017/0198888 A1 \* 7/2017 Seifert ..... F21V 21/025

2019/0113215 A1 \* 4/2019 Coleman ..... F21V 23/0471

**DESCRIPTION**

FIG. 1 is a perspective view of a sensor light showing my new design;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;


FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines in the drawings depict portions of the sensor light that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8