



US00D938128S

(12) **United States Design Patent**
Morris et al.

(10) **Patent No.:** **US D938,128 S**
(45) **Date of Patent:** **** Dec. 7, 2021**


- (54) **NESTABLE DRUM**
- (71) Applicant: **GEO Plastics**, Los Angeles, CA (US)
- (72) Inventors: **Michael Abraham Morris**, Rancho Palos Verdes, CA (US); **William Michael Palleva**, Cerritos, CA (US)
- (73) Assignee: **GEO Plastics**, Los Angeles, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/719,545**
- (22) Filed: **Jan. 6, 2020**
- (51) **LOC (13) Cl.** **09-02**
- (52) **U.S. Cl.**
USPC **D34/39**
- (58) **Field of Classification Search**
USPC D23/202, 205, 206, 207, 209, 210, 259,
D23/260, 261, 262, 266; D8/71;
D3/273, 276, 302, 316; D32/53; D34/7,
D34/39
CPC B01D 35/00; B65D 7/045; B65D 21/0202;
C02F 1/002
See application file for complete search history.

5,160,031	A *	11/1992	Palisin, Jr.	B21D 1/08 206/519
D332,049	S	12/1992	Burgdorf	
5,190,157	A *	3/1993	Przytulla	B65D 21/0233 206/519
5,222,620	A	6/1993	Lima et al.	
D344,385	S *	2/1994	Przytulla	D34/39
5,284,998	A	2/1994	Lima et al.	
5,328,104	A	7/1994	Lima et al.	
D354,602	S *	1/1995	Goubaud	D34/1
5,413,240	A	5/1995	Hunter et al.	
D359,150	S *	6/1995	Malik	D34/39
D359,830	S	6/1995	Mikula	
5,425,454	A	6/1995	Przytulla et al.	
5,449,087	A *	9/1995	Mikula	B65D 1/16 220/606
5,480,056	A	1/1996	Lima et al.	
5,573,118	A *	11/1996	Cramer	B65D 21/0217 206/505
D388,154	S *	12/1997	Pesa	D23/209
D388,933	S	1/1998	Hunter et al.	
5,735,427	A	4/1998	Hunter et al.	
5,755,353	A	5/1998	Zampella et al.	
D395,118	S *	6/1998	Cramer	D17/22
D408,113	S *	4/1999	Hunter	D34/39
5,918,757	A	7/1999	Przytulla et al.	
5,964,367	A	10/1999	Przytulla	
6,024,245	A	2/2000	Malik et al.	
6,026,980	A	2/2000	Malik et al.	
D422,394	S	4/2000	Scott	
D425,683	S	5/2000	Nichols et al.	
D426,044	S *	5/2000	Cramer	D34/39
6,116,453	A	9/2000	Przytulla	
6,126,033	A	10/2000	Suttoni	
6,230,892	B1 *	5/2001	Przytulla	B65D 71/02 206/509
6,244,459	B1	6/2001	Bouc et al.	
6,318,577	B1	11/2001	Suttoni et al.	
6,325,212	B2	12/2001	Przytulla et al.	
D458,724	S *	6/2002	Delmerico	D34/7
6,401,957	B1	6/2002	Przytulla	
6,419,109	B1	7/2002	Julien et al.	
6,551,089	B1	4/2003	Langos et al.	
6,571,972	B1	6/2003	Bouc et al.	
6,913,729	B2	7/2005	Pfirrmann et al.	
D510,252	S	10/2005	Larson	
6,971,540	B1	12/2005	Przytulla et al.	
7,040,501	B1	5/2006	Przytulla	
7,042,695	B2	5/2006	Przytulla et al.	
7,044,325	B2	5/2006	Przytulla et al.	
D526,110	S	8/2006	Wentzel	
7,174,673	B2	2/2007	Sanke et al.	
7,331,778	B2	2/2008	Uphoff et al.	

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,818,084	A *	12/1957	Tennison, Jr.	F16L 17/035 285/5
3,064,983	A *	11/1962	Halterman	F16L 17/035 277/604
3,949,877	A *	4/1976	Santoni	B65D 7/02 206/519
4,088,239	A	5/1978	Uhlig	
D260,569	S	9/1981	Zilbert	
4,294,237	A	10/1981	Frazier	
4,385,709	A	5/1983	Ames	
4,489,847	A *	12/1984	Ames	B65D 1/46 220/630
D293,954	S *	1/1988	Moore	D34/39
D295,108	S	4/1988	Przytulla	
D319,134	S	8/1991	Przytulla	
5,044,502	A	9/1991	Hale	



D564,855	S	3/2008	Hidding et al.	
D568,025	S	4/2008	Schutz	
7,427,649	B2	9/2008	Berthold et al.	
7,568,585	B2	8/2009	Baughman et al.	
7,690,525	B2	4/2010	Schutz	
7,897,223	B2	3/2011	Schubbach et al.	
7,997,905	B2	8/2011	Denk et al.	
8,129,472	B2	3/2012	Turner et al.	
8,268,425	B2	9/2012	Vogt et al.	
8,383,219	B2	2/2013	Schmidt et al.	
D678,650	S *	3/2013	Giles	D34/39
D685,451	S *	7/2013	Patera	D23/209
8,501,056	B2	8/2013	Schutz et al.	
8,609,792	B2	12/2013	Vantomme et al.	
8,673,437	B2	3/2014	Berthold et al.	
8,722,833	B2	5/2014	Kipke et al.	
8,727,175	B2	5/2014	Schutz	
8,813,988	B2	8/2014	Ledemeney	
9,033,375	B1	5/2015	Moon	
D752,177	S *	3/2016	Enomoto	D23/207
D768,809	S *	10/2016	Krotz	D23/200
D782,771	S	3/2017	Morris	
D798,423	S *	9/2017	Aubin	D23/266
D825,129	S *	8/2018	Donnelly	D34/7
D826,512	S *	8/2018	Ching	D34/39
2006/0138140	A1	6/2006	Schutz	
2008/0193582	A1	8/2008	Langos	
2009/0145839	A1 *	6/2009	Miga, Jr.	C02F 1/002 210/466
2009/0269530	A1	10/2009	Schmidt et al.	
2009/0279826	A1	11/2009	Ieda et al.	
2010/0117381	A1	5/2010	Sung	
2011/0174026	A1	7/2011	Salvatore et al.	
2012/0214926	A1	8/2012	Berthold et al.	
2013/0014743	A1	1/2013	Glanville et al.	
2013/0060023	A1	3/2013	Bronk et al.	
2013/0213981	A1	8/2013	Schutz	
2014/0103559	A1	4/2014	Keusch et al.	
2014/0125071	A1	5/2014	McWilliams	
2014/0265371	A1	9/2014	Weinerman et al.	
2015/0337571	A1	11/2015	Henderson	
2016/0288562	A1	10/2016	Martella	

OTHER PUBLICATIONS

Eagle 1655MBBG Nestable Drum, Feb. 27, 2015, Amazon, site visited Jul. 19, 2021: <https://www.amazon.com/dp/B00U2N8N4U> (Year: 2015).*

Eagle 1601MB, Nov. 9, 2004, Amazon, site visited Jul. 19, 2021: <https://www.amazon.com/dp/B0025QI4XC/> (Year: 2004).*

BayTec FR1114, Mar. 2, 2018, Amazon, site visited Jul. 19, 2021: <https://www.amazon.com/dp/B07B69PQ57/> (Year: 2018).*

Rubbermaid Brute RCP2610GRA, Oct. 24, 2008, Amazon, site visited Jul. 19, 2021: <https://www.amazon.com/dp/B001J85L9M/> (Year: 2008).*

* cited by examiner

Primary Examiner — Jack Reickel
Assistant Examiner — Bobby W Jones, II
(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP

(57) **CLAIM**

The ornamental design for a nestable drum, as shown and described.

DESCRIPTION

FIG. 1 is a left, front, and top perspective view of an embodiment of a nestable drum;
FIG. 2 is a right, back, and bottom perspective view of the nestable drum of FIG. 1;

FIG. 3 is a back elevational view of the nestable drum of FIG. 1;
FIG. 4 is a front elevational view of the nestable drum of FIG. 1;
FIG. 5 is a left elevational view of the nestable drum of FIG. 1;
FIG. 6 is a right elevational view of the nestable drum of FIG. 1;
FIG. 7 is a top plan view of the nestable drum of FIG. 1; and
FIG. 8 is a bottom plan view of the nestable drum of FIG. 1.
FIG. 9 is a left, front, and top perspective view of an embodiment of a nestable drum;
FIG. 10 is a right, back, and bottom perspective view of the nestable drum of FIG. 9;
FIG. 11 is a back elevational view of the nestable drum of FIG. 9;
FIG. 12 is a front elevational view of the nestable drum of FIG. 9;
FIG. 13 is a left elevational view of the nestable drum of FIG. 9;
FIG. 14 is a right elevational view of the nestable drum of FIG. 9;
FIG. 15 is a top plan view of the nestable drum of FIG. 9; and
FIG. 16 is a bottom plan view of the nestable drum of FIG. 9.
FIG. 17 is a left, front, and top perspective view of an embodiment of a nestable drum;
FIG. 18 is a right, back, and bottom perspective view of the nestable drum of FIG. 17;
FIG. 19 is a back elevational view of the nestable drum of FIG. 17;
FIG. 20 is a front elevational view of the nestable drum of FIG. 17;
FIG. 21 is a left elevational view of the nestable drum of FIG. 17;
FIG. 22 is a right elevational view of the nestable drum of FIG. 17;
FIG. 23 is a top plan view of the nestable drum of FIG. 17; and
FIG. 24 is a bottom plan view of the nestable drum of FIG. 17.
FIG. 25 is a left, front, and top perspective view of an embodiment of a nestable drum;
FIG. 26 is a right, back, and bottom perspective view of the nestable drum of FIG. 25;
FIG. 27 is a back elevational view of the nestable drum of FIG. 25;
FIG. 28 is a front elevational view of the nestable drum of FIG. 25;
FIG. 29 is a left elevational view of the nestable drum of FIG. 25;
FIG. 30 is a right elevational view of the nestable drum of FIG. 25;
FIG. 31 is a top plan view of the nestable drum of FIG. 25; and
FIG. 32 is a bottom plan view of the nestable drum of FIG. 25.
FIG. 33 is a left, front, and top perspective view of an embodiment of a nestable drum;
FIG. 34 is a right, back, and bottom perspective view of the nestable drum of FIG. 33;
FIG. 35 is a back elevational view of the nestable drum of FIG. 33;

FIG. **36** is a front elevational view of the nestable drum of FIG. **33**;
FIG. **37** is a left elevational view of the nestable drum of FIG. **33**;
FIG. **38** is a right elevational view of the nestable drum of FIG. **33**;
FIG. **39** is a top plan view of the nestable drum of FIG. **33**;
and,
FIG. **40** is a bottom plan view of the nestable drum of FIG. **33**.

The broken line portions show unclaimed subject matter only and form no part of the claimed design.

1 Claim, 35 Drawing Sheets



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32



FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40