



US00D938341S

(12) **United States Design Patent**
Seidler

(10) **Patent No.:** **US D938,341 S**

(45) **Date of Patent:** **** Dec. 14, 2021**

(54) **DUCTED VEHICLE SEAT INSERT**

DESCRIPTION

- (71) Applicant: **Joel Arnold Seidler**, Milwaukee, WI (US)
- (72) Inventor: **Joel Arnold Seidler**, Milwaukee, WI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/731,983**
- (22) Filed: **Apr. 20, 2020**
- (51) **LOC (13) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/416**
- (58) **Field of Classification Search**
USPC D6/334-336, 338-339, 491, 333, 716, D6/716.1-716.7; D12/129; D21/412, D21/419; 280/30-31; 5/94, 98.1, 99.1, 5/101, 105, 655; 297/183.1-183.4, 297/184.13, 184.15, 184.17, 250.1, 256.1, 297/255, 256.15, 256.16, 174 R, 174 CS, 297/170-173, 136, 148, 27, 61, 68; 4/572.1
CPC B60N 2/2821; B60N 2/02; B60N 2/10; B60N 2/16; B60N 2/22; B60N 2/26; B60N 2002/0212; B60N 2002/0216; B60N

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D417,062 S 11/1999 Williams
- D432,075 S 10/2000 Hassett et al.

(Continued)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Jansson Munger McKinley & Kirby Ltd.

(57) **CLAIM**

The ornamental design of a ducted vehicle seat insert, as shown and described.

FIG. 1 is a front perspective view of a first embodiment of a ducted vehicle seat insert;

FIG. 2 is a front elevation view of the ducted vehicle seat insert of FIG. 1;

FIG. 3 is a rear elevation view of the ducted vehicle seat insert of FIG. 1;

FIG. 4 is a left side elevation view of the ducted vehicle seat insert of FIG. 1;

FIG. 5 is a right side elevation view of the ducted vehicle seat insert of FIG. 1;

FIG. 6 is a top view of the ducted vehicle seat insert of FIG. 1;

FIG. 7 is a bottom view of the ducted vehicle seat insert of FIG. 1;

FIG. 8 is a perspective view of the ducted vehicle seat insert of FIG. 1 mounted on a vehicle seat;

FIG. 9 is a front perspective view of a second embodiment of a ducted vehicle seat insert;

FIG. 10 is a front elevation view of the ducted vehicle seat insert of FIG. 9;

FIG. 11 is a rear elevation view of the ducted vehicle seat insert of FIG. 9;

FIG. 12 is a left side elevation view of the ducted vehicle seat insert of FIG. 9;

FIG. 13 is a right side elevation view of the ducted vehicle seat insert of FIG. 9;


FIG. 14 is a top view of the ducted vehicle seat insert of FIG. 9;

FIG. 15 is a bottom view of the ducted vehicle seat insert of FIG. 9; and,

FIG. 16 is a perspective view of the ducted vehicle seat insert of FIG. 9 mounted on a vehicle seat.

The broken lines shown represent or bound unclaimed subject matter and form no part of the claimed design. The lengthwise and widthwise separations and brackets indicate that the precise length and width of the ducted seat insert are not claimed.

1 Claim, 12 Drawing Sheets



(58) **Field of Classification Search**

CPC 2002/022; A47D 13/02; A47D 13/083;
A47D 1/00; A47D 1/002; A47D 1/004;
A47D 1/008; A47D 1/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D447,999	S	9/2001	Thomson	
D497,874	S	11/2004	Fialla-Dori	
D502,809	S	3/2005	Davis	
D601,484	S	10/2009	Alfonso	
7,677,662	B2	3/2010	Thompson	
D632,242	S	2/2011	Currie	
D632,510	S	2/2011	Johnson	
9,428,115	B2	8/2016	Seifert	
D807,278	S *	1/2018	Seidler	D12/416
D818,422	S *	5/2018	Seidler	D12/416
D845,200	S *	4/2019	Tomasson	D12/195
D848,332	S *	5/2019	Tomasson	D12/195
2009/0039128	A1	2/2009	Damico	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16