



US00D938530S

(12) **United States Design Patent** (10) **Patent No.:** **US D938,530 S**
Gong (45) **Date of Patent:** **** Dec. 14, 2021**

(54) **RACKET**

(71) Applicant: **Dongguan Mingxuan Tanxianwei Technology Co., Ltd, Dongguan (CN)**

(72) Inventor: **Minchong Gong, Dongguan (CN)**

(**) Term: **15 Years**

(21) Appl. No.: **29/731,116**

(22) Filed: **Apr. 13, 2020**

(51) **LOC (13) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/729**

(58) **Field of Classification Search**
USPC D21/729-732, 753
CPC A63B 49/00-49/14; A63B 2049/0201-2049/103; A63B 59/80; A63B 59/00; A63B 59/40; A63B 59/42; A63B 59/45; A63B 60/00; A63B 60/46; A63B 51/00; A63B 2102/00; A63B 2102/10; A63B 2102/12; A63B 2102/16; A63B 2102/26; A63B 2102/28; A63B 2102/30; A63B 2102/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,291,464	A *	1/1919	Folliard	A63B 59/40 473/527
1,536,255	A *	5/1925	Frank	A63B 60/06 473/530
D259,800	S *	7/1981	Gearhart, II	D21/731
4,566,695	A *	1/1986	Melby	A63B 49/022 473/534
D283,240	S *	4/1986	Melby	D21/730
D285,682	S *	9/1986	Lee	D14/143
D294,639	S *	3/1988	Croll	D21/731
4,750,742	A *	6/1988	Coupar	A63B 49/025 473/540

D307,930	S *	5/1990	Sokol	D21/731
D316,125	S *	4/1991	Poulakis	D21/731
D339,394	S *	9/1993	Richards	D21/729
5,386,991	A *	2/1995	Rochette	A63B 60/08 473/540
D359,780	S *	6/1995	Sokol	D21/731
D620,245	S *	7/2010	Harris	D3/1
D846,674	S *	4/2019	Yan	D21/756
D847,283	S *	4/2019	Yan	D21/753
D910,787	S *	2/2021	Gong	D21/729
D910,788	S *	2/2021	Gong	D21/729
D917,641	S *	4/2021	Zheng	D21/729
2016/0107053	A1 *	4/2016	Pree	A63B 59/42 473/529
2016/0250533	A1 *	9/2016	O'Rourke	A63B 59/42 473/527
2017/0021247	A1 *	1/2017	Marvin	A63B 59/42
2017/0021248	A1 *	1/2017	Marvin	A63B 59/42
2017/0136325	A1 *	5/2017	Fox	A63B 60/54
2018/0104555	A1 *	4/2018	Taylor	A63B 59/45
2020/0360778	A1 *	11/2020	Lee	A63B 60/04
2020/0398130	A1 *	12/2020	Lee	A63B 60/54

* cited by examiner

Primary Examiner — Mitchell I. Siegel


(57) **CLAIM**

The ornamental design for the racket is, as shown and described.

DESCRIPTION

FIG.1 is a perspective view of a racket showing my new design;
FIG. 2 is a front elevation view hereof;
FIG. 3 is a back elevation view thereof;
FIG.4 is a left side elevation view thereof;
FIG.5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG.7 is a bottom plan view thereof.
The broken lines illustrate portions of the racket that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6



Fig.7