



US00D938628S

(12) **United States Design Patent**
Qu

(10) **Patent No.:** **US D938,628 S**

(45) **Date of Patent:** **** Dec. 14, 2021**

(54) **STRING LIGHTS ASSEMBLY**

(71) Applicant: **Jiguang Qu**, Zhejiang (CN)

(72) Inventor: **Jiguang Qu**, Zhejiang (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/775,682**

(22) Filed: **Mar. 24, 2021**

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/25**

(58) **Field of Classification Search**
USPC D26/1, 24, 25, 37, 40-45, 48-50, 60, 61,
D26/63, 93, 106, 107, 108, 113, 119
CPC F21S 4/00; F21S 4/15; F21S 2/00; F21V
21/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------------|---------|-----------|-------|-------------------------|
| D351,915 S * | 10/1994 | Hermanson | | D26/25 |
| D352,562 S * | 11/1994 | Horton | | D26/25 |
| D398,408 S * | 9/1998 | Lin | | D26/25 |
| D439,991 S * | 4/2001 | Wong | | D11/117 |
| 6,309,087 B1 * | 10/2001 | Huang | | F21S 4/10 362/249.15 |
| D582,582 S * | 12/2008 | Ferrigno | | D26/25 |
| 9,506,610 B2 * | 11/2016 | Han | | F21S 4/10 |
| D816,874 S * | 5/2018 | Lentz | | D26/25 |
| 10,344,956 B2 * | 7/2019 | Hess | | F21V 21/096 |
| D880,022 S * | 3/2020 | Gong | | D26/25 |
| D889,696 S * | 7/2020 | Cao | | D26/25 |
| D908,933 S | 2/2021 | Wu | | |
| D909,630 S | 2/2021 | Liu | | |
| D915,643 S * | 4/2021 | Liang | | D26/25 |

| | | | | |
|--------------|--------|-------|-------|--------|
| D917,741 S * | 4/2021 | Kuang | | D26/25 |
| D919,131 S * | 5/2021 | Yang | | D26/25 |
| D924,449 S * | 7/2021 | Zhang | | D26/25 |

* cited by examiner

Primary Examiner — Mark A Goodwin
Assistant Examiner — Benjamin M Weeks
(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.


(57) **CLAIM**

The ornamental design for a string lights assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front, right, and top perspective view of string lights assembly, showing my design.
FIG. 2 is a front elevation view thereof.
FIG. 3 is a rear elevation view thereof.
FIG. 4 is a left side elevation view thereof.
FIG. 5 is a right side elevation view thereof.
FIG. 6 is a top plan view thereof.
FIG. 7 is a bottom plan view thereof.
FIG. 8 is a partial enlarged view of an area labeled 8 in FIG. 1 comprising a hook.
FIG. 9 is a partial enlarged view of an area labeled 9 in FIG. 2 comprising lights; and,
FIG. 10 is a front, right, and top perspective view and exploded view of a head part of the string lights assembly. The broken lines shown in the drawings are included for the purpose of illustrating portions of the string lights assembly that form no part of the claimed design.
The cable string is shown broken away in the middle to indicate that it has no specific length other than the one shown.

1 Claim, 10 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10