



US00D938740S

(12) **United States Design Patent**
Chen(10) **Patent No.:** US D938,740 S
(45) **Date of Patent:** ** Dec. 21, 2021(54) **HANGING SHOE RACK**(71) Applicant: **Shenzhen Youlixin Electronic Technology Co. Ltd.**, Shenzhen (CN)(72) Inventor: **LiAn Chen**, Shenzhen (CN)(73) Assignee: **Shenzhen Youlixin Electronic Technology Co. Ltd.**, Shenzhen (CN)(**) Term: **15 Years**(21) Appl. No.: **29/776,098**(22) Filed: **Mar. 27, 2021**(51) LOC (13) Cl. **06-08**

(52) U.S. Cl.

USPC **D6/320; D6/567**(58) **Field of Classification Search**USPC D6/315–328, 553, 567, 569, 570, 572,
D6/574, 683, 702, 703.1, 705, 705.1,
D6/705.2, 705.5, 706, 707, 707.2;
D8/380, 381CPC A47G 25/28; A47G 25/746; A47G 25/26;
A47G 25/0664; A47F 7/163; A47F
5/0846; A47F 5/0892; A47F 5/0006;
A47F 5/0018; A47F 7/19; A47F 7/24;
A47F 5/0093; A47F 7/281; A47F 5/0043;
A47F 1/04; A47F 7/0007; A47F 5/06;
A47B 81/00; A47B 57/42; A47B 96/027;
A47B 87/02; A47B 81/007; A47B 57/30;
A47B 96/02; A47B 47/021

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,909,942 A * 5/1933 Fingerman A47G 25/005

206/278

3,002,629 A * 10/1961 Gersin A47F 5/0823

211/35

D287,550 S 1/1987 Tocci
4,967,913 A * 11/1990 Bayer A47F 5/0006
211/118
5,333,745 A * 8/1994 Lehmann A47F 5/08
211/184
D377,728 S 2/1997 Klein et al.
D532,235 S * 11/2006 Snell D6/567
D636,198 S * 4/2011 Gibbs D6/513
D701,390 S 3/2014 Brindise
10,202,786 B1 * 2/2019 Keegan A01G 20/30
D844,336 S * 4/2019 Tran D6/320
10,791,850 B1 * 10/2020 Manuel A47F 7/0057
11,071,379 B1 * 7/2021 Clontz A47B 61/04
2007/0023370 A1 * 2/2007 Emery A47G 25/005
211/72
2010/0044328 A1 * 2/2010 Barkdoll A47F 5/0838
211/88.01
2014/0263888 A1 * 9/2014 Robelli A47F 7/08
248/205.1

(Continued)

Primary Examiner — Lauren R Calve(74) *Attorney, Agent, or Firm* — Zhihua Han; Wen IP LLC(57) **CLAIM**

The ornamental design for a hanging shoe rack, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a hanging shoe rack, showing my new design;

FIG. 2 is a bottom view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side elevation view thereof;


FIG. 6 is a left side view thereof;

FIG. 7 is a top, left, front perspective view thereof;

FIG. 8 is an explosive view thereof, for clarity of illustration;

FIG. 9 is a bottom, right, rear perspective view thereof; and,

FIG. 10 is a top, left, front perspective view thereof.

1 Claim, 10 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0136719 A1* 5/2015 Bally A61B 50/33
211/126.1

2020/0187645 A1* 6/2020 Felsenhal A47B 61/04

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10