US00D938951S

(12) United States Design Patent

Wakata

(10) Patent No.: US D938,951 S
(45) Date of Patent: ** Dec. 21, 2021

(54) **VIDEO DISPLAY**

(71) Applicant: **SHARP KABUSHIKI KAISHA**, Sakai (JP)

(72) Inventor: **Kuniharu Wakata**, Sakai (JP)

(73) Assignee: **Sharp Kabushiki Kaisha**, Sakai (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/653,991**

(22) Filed: **Jun. 20, 2018**

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/374**

(58) **Field of Classification Search**
USPC D14/371, 374, 501–502, 126, 183, 203.1, D14/203.7, 204, 214, 216–217, 250, 289, D14/305, 424, 434, 464; D6/405, 574, D6/579, 691.9, 705; 359/443, 450, 359/460–461, 391, 656, 811; D25/126, D25/118–119; D7/553.2, 553.6–553.7, D7/698; D11/132, 140, 164; D19/75–76; 345/204
CPC G03B 21/58; G03B 21/56; G09G 3/3258; G09G 3/3266; G09G 3/3291; G09G 2380/02; G09F 9/301
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D250,884	S	*	1/1979	Price	D11/140
D286,759	S	*	11/1986	Lundgren	D11/164
D335,400	S	*	5/1993	Reich	D11/157
D337,113	S		7/1993	Saito	
D342,497	S		12/1993	Saito et al.	
D342,501	S		12/1993	Saeki et al.	
D346,965	S	*	5/1994	Wolff	D10/1
D351,155	S		10/1994	Usami et al.	
D351,156	S		10/1994	Usami et al.	
D357,244	S		4/1995	Usami et al.	
D357,245	S		4/1995	Usami et al.	
D357,472	S		4/1995	Usami et al.	
D369,596	S		5/1996	Akiyama et al.	
D372,026	S		7/1996	Akiyama et al.	
D373,583	S		9/1996	Akiyama et al.	
D386,007	S	*	11/1997	Eckhardt	D11/131
D392,628	S		3/1998	Hayashi	
D395,453	S		6/1998	Kawasaki et al.	
D402,048	S	*	12/1998	Goodchild	D25/119
D405,545	S	*	2/1999	Forbis	D25/126
D427,169	S		6/2000	Saeki et al.	
D429,227	S		8/2000	Shimizu	
D431,537	S		10/2000	Saeki et al.	
D432,101	S		10/2000	Oba	
D438,848	S		3/2001	Kita	
D439,224	S		3/2001	Kita	
D439,225	S		3/2001	Kita	
D453,747	S		2/2002	Kita	
D453,748	S		2/2002	Kita	
D454,963	S	*	3/2002	Forbis	D25/126
D454,964	S	*	3/2002	Forbis	D25/126
D454,965	S	*	3/2002	Forbis	D25/126
D455,220	S	*	4/2002	Forbis	D25/126
D455,502	S	*	4/2002	Forbis	D25/126
D456,370	S		4/2002	Kita	
D458,910	S		6/2002	Kita	
D462,353	S		9/2002	Kita	
D492,269	S		6/2004	Kita	
D496,361	S		9/2004	Hotta	
D496,915	S		10/2004	Kita	
D497,351	S		10/2004	Kita	
D497,485	S	*	10/2004	Resultan	D6/300
D497,599	S		10/2004	Kita	
D499,076	S		11/2004	Kita	
D501,186	S		1/2005	Kita	
D501,654	S		2/2005	Kita	
D502,451	S		3/2005	Kita	
D502,931	S		3/2005	Kita	
D505,123	S		5/2005	Wang	
D505,403	S		5/2005	Kita	
D510,731	S		5/2005	Wang	
D512,385	S		12/2005	Kita	
D512,386	S		12/2005	Kita	
D512,387	S		12/2005	Kita	
D536,678	S		2/2007	Kita	
D538,242	S		3/2007	Kita	
D538,762	S		3/2007	Fuji et al.	
D538,763	S		3/2007	Fuji et al.	
D539,766	S		4/2007	Kita	
D540,281	S		4/2007	Kita	
D540,282	S		4/2007	Kita	
D540,284	S		4/2007	Kita	
D540,285	S		4/2007	Kita	
D541,240	S		4/2007	Kita	
D541,772	S		5/2007	Kita	
D541,774	S		5/2007	Kita	
D541,775	S		5/2007	Kita	
D543,208	S		5/2007	Kita	



D543,519	S		5/2007	Kita	
D544,850	S		6/2007	Kita	
D545,282	S		7/2007	Kita	
D545,779	S		7/2007	Kita	
D545,780	S		7/2007	Kita	
D546,301	S		7/2007	Kita	
D546,302	S		7/2007	Kita	
D546,303	S		7/2007	Kita	
D551,187	S		9/2007	Kita	
D551,663	S		9/2007	Kita	
D552,050	S		10/2007	Kita	
D552,090	S		10/2007	Kita	
D552,569	S		10/2007	Kita	
D552,571	S		10/2007	Fujii et al.	
D554,085	S		10/2007	Kita	
D558,736	S		1/2008	Kita	
D562,275	S		2/2008	Iinuma et al.	
D565,747	S	*	4/2008	Forbis	D25/126
D566,067	S		4/2008	Kita	
D567,197	S		4/2008	Fujii et al.	
D564,989	S		5/2008	Kita	
D568,264	S		5/2008	Fujii et al.	
D568,265	S		5/2008	Kita	
D568,266	S		5/2008	Shimamoto	
D568,844	S		5/2008	Fujii et al.	
D570,311	S		6/2008	Fujii et al.	
D570,312	S		6/2008	Kita	
D571,320	S		6/2008	Kita	
D572,056	S	*	7/2008	McConnell	D6/574
D575,248	S		8/2008	Fujii et al.	
D584,255	S		1/2009	Kita	
D584,256	S		1/2009	Kita	
D584,257	S		1/2009	Kita	
D584,702	S		1/2009	Iinuma et al.	
D584,705	S		1/2009	Shimamoto	
D585,396	S		1/2009	Kita	
D586,769	S		2/2009	Kita	
7,619,814	B2	*	11/2009	Liang	G03B 21/58 359/443
D621,815	S	*	8/2010	Sakai	D14/214
D622,262	S	*	8/2010	Ou	D14/214
D624,049	S	*	9/2010	Liu	D14/217
D624,528	S	*	9/2010	Hoehn	D14/214
D628,199	S		11/2010	Yukikado et al.	
D635,976	S		4/2011	Lee et al.	
D644,201	S	*	8/2011	Park	D14/214
D644,623	S	*	9/2011	Behringer	D14/188
D658,632	S	*	5/2012	Kroyer	D14/214
D663,987	S	*	7/2012	Fritz	D6/574
D681,576	S		5/2013	Lee et al.	
D693,329	S	*	11/2013	Lee	D14/216
D699,696	S		2/2014	Kim et al.	
D714,389	S		9/2014	Lee et al.	
D715,259	S	*	10/2014	Han	D14/214
D715,768	S	*	10/2014	Ryu	D14/214
D717,753	S		11/2014	Totsuka et al.	
D718,731	S		12/2014	Lee et al.	
D718,738	S	*	12/2014	Michael	D14/214
D722,988	S		2/2015	Kim et al.	
D733,082	S		6/2015	Hwangbo et al.	
D733,094	S	*	6/2015	Lee	D14/214
D734,283	S		7/2015	Mitsui et al.	
D746,242	S		12/2015	Matsumoto et al.	
D748,070	S		1/2016	Hotta	
D752,533	S		3/2016	Yamaguchi	
D756,968	S	*	5/2016	Huang	D14/214
D764,440	S	*	8/2016	Xin	D14/214
D766,873	S	*	9/2016	Washio	D14/214
D768,603	S	*	10/2016	Kim	D14/214
D774,491	S	*	12/2016	Kim	D14/214
D776,072	S	*	1/2017	Kim	D14/126
D782,478	S		3/2017	Matsumoto et al.	
D817,308	S	*	5/2018	Sugiura	D14/214
D819,602	S	*	6/2018	Won	D14/216
D821,342	S	*	6/2018	Kim	D14/126
D822,001	S	*	7/2018	Won	D14/214
D826,216	S	*	8/2018	Schoolmeester	D14/214
D826,891	S	*	8/2018	Kim	D14/204
D826,892	S	*	8/2018	Kim	D14/204
D827,610	S	*	9/2018	Kim	D14/214
D835,605	S	*	12/2018	Schoolmeester	D14/214
D839,229	S	*	1/2019	Kim	D14/126
D839,239	S	*	1/2019	Kim	D14/214
10,264,687	B2	*	4/2019	Choi	G06F 1/1652
D852,774	S	*	7/2019	Sugiura	D14/204
10,410,549	B1	*	9/2019	Kim	G06F 1/1601
D864,966	S	*	10/2019	Sang	D14/434
10,444,613	B2	*	10/2019	Seo	G09F 9/301
D872,489	S	*	1/2020	Ruiter	D6/332
10,564,676	B2	*	2/2020	Kwon	G06F 1/1652
D878,114	S	*	3/2020	Xu	D6/672
10,582,622	B2	*	3/2020	Kim	H05K 5/0217
D886,196	S	*	6/2020	Lee	D20/39
D887,413	S	*	6/2020	Lou	D14/434
D887,711	S	*	6/2020	Kukucka	D3/312
10,748,456	B2	*	8/2020	Pyo	F16M 11/38
D895,563	S	*	9/2020	Cha	D14/126
D896,193	S	*	9/2020	Cha	D14/126
10,769,971	B2	*	9/2020	Kim	G06F 1/1601
10,777,102	B2	*	9/2020	Cho	H05K 5/0017
10,783,809	B2	*	9/2020	Kim	G09F 9/301
10,789,863	B2	*	9/2020	Song	H05K 1/189
D898,700	S	*	10/2020	Gomi	D14/204
D900,785	S	*	11/2020	Kim	D14/214
D901,409	S	*	11/2020	Kim	D14/126
D901,410	S	*	11/2020	Kim	D14/126
D901,411	S	*	11/2020	Kim	D14/126
D912,637	S	*	3/2021	Lee	D14/126
D915,316	S	*	4/2021	Cha	D14/126
D918,869	S	*	5/2021	Choi	D14/214
2007/0121206	A1	*	5/2007	Liang	G03B 21/56 359/443
2007/0121209	A1	*	5/2007	Liang	G03B 21/58 359/461
2009/0052712	A1	*	2/2009	Trelohan	H04R 1/026 381/333
2012/0162760	A1	*	6/2012	Chen	G03B 21/58 359/461
2013/0235455	A1	*	9/2013	Qingjun	G03B 21/58 359/461
2016/0353588	A1	*	12/2016	Kim	G09F 15/0025
2016/0363960	A1	*	12/2016	Park	G09F 9/301
2016/0374228	A1	*	12/2016	Park	H05K 7/16
2017/0079149	A1	*	3/2017	Lee	G02F 1/133308
2017/0103735	A1	*	4/2017	Oh	G09G 5/006
2017/0318689	A1	*	11/2017	Kim	G03B 21/58
2019/0324501	A1	*	10/2019	Kim	H05K 5/0017
2020/0004296	A1	*	1/2020	Lee	G06F 1/1652
2020/0008308	A1	*	1/2020	Shin	G02F 1/133305
2020/0008309	A1	*	1/2020	Kim	H01L 51/5253
2020/0013317	A1	*	1/2020	Cho	H05K 5/0217
2020/0043386	A1	*	2/2020	Kim	G09F 9/301
2020/0077194	A1	*	3/2020	Kim	H04R 7/26
2020/0084897	A1	*	3/2020	Shin	H05K 1/147
2020/0103741	A1	*	4/2020	Song	G06F 1/1601
2020/0159288	A1	*	5/2020	Song	G06F 1/1652
2020/0168153	A1	*	5/2020	Wakata	G09G 3/3258

FOREIGN PATENT DOCUMENTS

CN	302994084	*	11/2014
CN	304400841	*	12/2017
CN	304927196	*	12/2018
CN	305160613	*	5/2019
CN	306093527	*	10/2020
CN	306106696	*	10/2020

OTHER PUBLICATIONS

Roll-Up Television Screen, LG, interestingengineering.com, published by Kashyap Vyas on Jan. 8, 2019 © 2020 Interesting Engineering, Inc., online, site visited Nov. 12, 2020. Available from Internet, URL: https://interestingengineering.com/lg-reveals-its-roll-up-television-screen-and-it-is . . . (Year: 2019).*

Office Action dated Dec. 15, 2020 for U.S. Appl. No. 29/653,995.
Office Action dated Dec. 15, 2020 for U.S. Appl. No. 29/653,998.

* cited by examiner

Primary Examiner — Holly E Thurman
Assistant Examiner — Altaira J Swangin
(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57) **CLAIM**

The ornamental design for a video display, as shown and described.

DESCRIPTION

FIG. **1** is a front, left, top perspective view of a video display in accordance with a first embodiment of my new design, wherein an internally-housed extendable screen is in an internally retracted configuration;
FIG. **2** is a front elevation view of the video display of FIG. **1**;
FIG. **3** is a rear elevation view of the video display of FIG. **1**;
FIG. **4** is a top plan view of the video display of FIG. **1**;
FIG. **5** is a bottom plan view of the video display of FIG. **1**;
FIG. **6** is a right side elevation view of the video display of FIG. **1**;
FIG. **7** is a left side elevation view of the video display of FIG. **1**;
FIG. **8** is a bottom, rear, left perspective view of the video display of FIG. **1**;
FIG. **9** is a front, left, top perspective view of the video display of FIG. **1** wherein the internally-housed extendable screen is in an externally extracted configuration;
FIG. **10** is a front elevation view of the video display oF FIG. **9**.
FIG. **11** is a rear elevation view of the video display of FIG. **9**;
FIG. **12** is a top plan view of the video display of FIG. **9**;
FIG. **13** is a bottom plan view of the video display of FIG. **9**;
FIG. **14** is a right side elevation view of the video display of FIG. **9**;
FIG. **15** is a left side elevation view of the video display of FIG. **9**;
FIG. **16** is a rear, right, top perspective view of the video display of FIG. **9**.
FIG. **17** is a front, left, top perspective view of a video display in accordance with a second embodiment of my new design, wherein an internally-housed extendable screen is in an internally retracted configuration;
FIG. **18** is a front elevation view of the video display of FIG. **17**;
FIG. **19** is a rear elevation view of the video display of FIG. **17**;
FIG. **20** is a top plan view of the video display of FIG. **17**;
FIG. **21** is a bottom plan view of the video display of FIG. **17**;
FIG. **22** is a right side elevation view of the video display of FIG. **17**;
FIG. **23** is a left side elevation view of the video display of FIG. **17**;
FIG. **24** is a bottom, rear, left perspective view of the video display of FIG. **17**;
FIG. **25** is a front, left, top perspective view of the video display of FIG. **17** wherein the internally-housed extendable screen is in an externally extracted configuration;
FIG. **26** is a front elevation view of the video display oF FIG. **25**.
FIG. **27** is a rear elevation view of the video display of FIG. **25**;
FIG. **28** is a top plan view of the video display of FIG. **25**;
FIG. **29** is a bottom plan view of the video display of FIG. **25**;
FIG. **30** is a right side elevation view of the video display of FIG. **25**;
FIG. **31** is a left side elevation view of the video display of FIG. **25**; and,
FIG. **32** is a rear, right, top perspective view of the video display of FIG. **25**.
The broken lines shown in the drawings represent portions of the video display and form no part of the claimed design.

1 Claim, 22 Drawing Sheets



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8



Fig. 6



Fig. 10



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16



Fig. 17



Fig. 18



Fig. 19



Fig. 20



Fig. 21



Fig. 22



Fig. 23



Fig. 24



Fig. 25



Fig. 26



Fig. 27



Fig. 28



Fig. 29



Fig. 30



Fig. 31



Fig. 32