US00D938953S

(12) United States Design Patent

Nedelea et al.

(10) Patent No.: US D938,953 S
(45) Date of Patent: ** Dec. 21, 2021

(54) **PERIPHERAL CORD LOCK**

(71) Applicant: **New Concept Development Corporation**, Woodstock, IL (US)

(72) Inventors: **Linley Nedelea**, Woodstock, IL (US); **Matt Lee**, Woodstock, IL (US)

(73) Assignee: **New Concept Development Corporation**, Woodstock, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/661,512**

(22) Filed: **Aug. 28, 2018**

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/433**; D8/331

(58) **Field of Classification Search**
USPC D8/330, 331, 339, 343, 349, 354, 356, D8/382, 394; D14/356, 357, 358, 433
CPC H01R 13/621; H01R 13/6215
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,841,118	A	*	10/1974	Stone	E05B 67/003 70/33
4,075,878	A	*	2/1978	Best	E05B 67/003 70/369
4,183,603	A	*	1/1980	Donarummo	H01R 13/6392 439/369
D259,380	S	*	6/1981	Welsch	D8/349
4,361,937	A	*	12/1982	Davis	E21B 17/1035 174/47
D303,755	S	*	10/1989	McCarthy	D8/349
5,208,950	A	*	5/1993	Merritt	F16G 11/14 24/115 H
D346,787	S	*	5/1994	Cullen	D13/154
5,342,216	A		8/1994	Davis	
D356,244	S	*	3/1995	Merritt	D8/394
D356,245	S	*	3/1995	Merritt	D8/394
5,538,300	A	*	7/1996	Brown	G09F 3/0352 24/136 A
D372,420	S	*	8/1996	Mendez	D8/356
D383,050	S	*	9/1997	Palmer	D8/354
5,788,534	A		8/1998	Koegel	

(Continued)

OTHER PUBLICATIONS

Sonnet Technologies, Inc. TEMPO eSATA DATA CABLES, 1 page [retrieved from https://www.sonnettech.com/product/esata_cables.html].

(Continued)

Primary Examiner — Steven J Czyz

(74) *Attorney, Agent, or Firm* — Jeffrey F. Yee; Lewis Brisbois Bisgaard & Smith LLP

(57) **CLAIM**

The ornamental design for a peripheral cord lock, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a peripheral cord lock showing the new design;
FIG. **2** is another perspective view of the peripheral cord lock shown with some of the environment removed;
FIG. **3** is a left elevation view thereof;
FIG. **4** is a right elevation view thereof;
FIG. **5** is a front elevation view thereof;
FIG. **6** is a rear elevation view thereof;
FIG. **7** is a top plan view thereof; and,
FIG. **8** is a bottom plan view thereof.

The peripheral cord lock is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design. The broken lines depict portions of the article and environment that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

6,003,348	A *	12/1999	McCrea	E05B 73/0005 70/18
6,131,969	A *	10/2000	Natkins	B65D 63/06 24/136 R
D447,045	S *	8/2001	Hundley	D25/114
6,457,754	B1 *	10/2002	Bystry	G09F 3/0352 292/307 R
D483,373	S *	12/2003	Huang	D13/146
6,939,161	B1	9/2005	Yi	
7,094,099	B2	8/2006	Daggett	
7,214,087	B2 *	5/2007	Kuo	H01R 13/6215 439/364
D561,004	S *	2/2008	Bolton	D8/343
D578,861	S *	10/2008	Littrell	D8/330
7,470,141	B2 *	12/2008	Yoest	H01R 13/6392 439/369
7,559,788	B2	7/2009	Legg	
7,563,123	B2	7/2009	Cave	
7,641,501	B2 *	1/2010	Uchikawa	H01R 13/6395 439/362
7,648,384	B2	1/2010	Desissard	
D628,046	S *	11/2010	Schutte	D8/353
D628,050	S *	11/2010	Petersen	D8/356
7,909,651	B2 *	3/2011	Kim	H01R 27/02 439/638
7,927,126	B1	4/2011	Bender	
D651,889	S *	1/2012	Mahaffey	D8/330
D654,784	S *	2/2012	Paik	D8/383
D659,524	S *	5/2012	Kawaguchi	D8/383
D660,689	S *	5/2012	Kawaguchi	D8/383
8,205,316	B2 *	6/2012	Chu	F16G 11/101 29/453
8,297,086	B2 *	10/2012	Yu	E05B 67/003 70/14
D680,419	S *	4/2013	Green	B07B 1/15 D8/354
8,506,320	B1	8/2013	Fu	
8,584,323	B2 *	11/2013	Pang	A61M 5/1418 24/132 R
D704,578	S *	5/2014	Chen	D10/70
8,904,605	B2 *	12/2014	Kawaguchi	F16G 11/101 24/115 G
8,926,358	B2	1/2015	Kuo	
9,295,306	B2 *	3/2016	Chu	A44B 11/06
D752,955	S *	4/2016	Rowan	D8/356
9,391,402	B2	7/2016	Lin	
9,425,540	B2 *	8/2016	Schnurpfeil	H01R 13/582
D765,494	S *	9/2016	Chan	D8/356
D773,923	S *	12/2016	Ishii	D8/383
D775,937	S *	1/2017	Davis	D8/356
9,627,811	B2	4/2017	Lutz	
10,021,944	B2 *	7/2018	Kawaguchi	F16G 11/00
D824,751	S *	8/2018	Tisbo	D8/356
D831,461	S *	10/2018	Jarrett	D8/333
10,125,845	B2 *	11/2018	Ishii	F16G 11/101
D836,421	S *	12/2018	Luscombe	D8/354
10,398,197	B2 *	9/2019	Shimizu	F16G 11/101
10,441,035	B1 *	10/2019	Dee	A44B 11/16
10,508,713	B2 *	12/2019	Shimizu	F16G 11/044
D879,785	S *	3/2020	Bell	D14/433
10,584,768	B2 *	3/2020	Ishii	A43C 1/00
D884,706	S *	5/2020	Verschoor	D14/433
D886,571	S *	6/2020	Twitchell	D8/356
D886,993	S *	6/2020	Dwyer	D24/128
10,704,646	B2 *	7/2020	Dershem	F16G 11/046
10,718,404	B2 *	7/2020	Shimizu	A44B 99/00
D900,596	S *	11/2020	Renner	D8/356
D909,187	S *	2/2021	Hanke	D8/356
D910,567	S *	2/2021	Eckstein	D13/133
D913,081	S *	3/2021	Cuddy	D8/354
D923,465	S *	6/2021	Davis	D8/394
2008/0093105	A1 *	4/2008	Furusawa	H01R 13/502 174/110 SR
2008/0254681	A1 *	10/2008	O'Hanlan	H01R 13/6215 439/607.01
2009/0280674	A1 *	11/2009	Eppright	H01R 13/6395 439/373
2011/0053407	A1 *	3/2011	D'Addario	H01R 13/621 439/362
2013/0109222	A1	5/2013	Chang	
2019/0296494	A1 *	9/2019	Kitagawa	H01R 13/621

OTHER PUBLICATIONS

Sonnet Technologies, Inc. ThunderLok, 2 pages [retrieved from https://sonnettech.com/product/thunderlok.html].

Sonnet Technologies, Inc. ThunderLok 3, 7 pages [retrieved from https://www.sonnetstore.com/collections/thunderbolt-cables/products/thunderlok3-2pack].

* cited by examiner



FIG.1



FIG.2



FIG.3



FIG.4



FIG.5



FIG.6



FIG.7



FIG.8