



US00D939362S

(12) **United States Design Patent** (10) **Patent No.:** **US D939,362 S**
Lion (45) **Date of Patent:** **** Dec. 28, 2021**

(54) **TEMPERATURE PROBE DOCK**

(71) Applicant: **Mastrad**, Paris (FR)

(72) Inventor: **Mathieu Lion**, Paris (FR)

(73) Assignee: **Mastrad**, Paris (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/703,951**

(22) Filed: **Aug. 30, 2019**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/60**

(58) **Field of Classification Search**
USPC D3/273, 274, 294; D9/501, 517, 715,
D9/718; D10/52, 53, 57, 60; D13/108
CPC G01K 1/024; H02J 7/0027
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,645,334 A * 7/1953 Aldridge B65D 85/38
206/306
- D218,850 S * 9/1970 Sato D10/60
- D218,851 S * 9/1970 Sato D10/60
- D240,400 S * 7/1976 Marino D9/756
- D675,157 S * 1/2013 Lacotta D13/108
- D795,101 S * 8/2017 Alla D10/57

(Continued)

FOREIGN PATENT DOCUMENTS

EM 004246577-0001 * 9/2017

OTHER PUBLICATIONS

Mastrad meat ° it price, test, reviews and news Les Numériques
<https://www.lesnumeriques.com/objet-connecte/mastrad-meat-it-p49713.html> Posted Nov. 24, 2018 (Year: 2018).*

(Continued)

Primary Examiner — Leanne Was-Englehart

(74) *Attorney, Agent, or Firm* — Workman Nydegger


(57) **CLAIM**

The ornamental design for a temperature probe dock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a temperature probe dock in a closed configuration showing the new design;
 FIG. 2 is a perspective view of the temperature probe dock in an open configuration;
 FIG. 3 is a left side elevational view thereof in the closed configuration;
 FIG. 4 is a left side elevational view thereof in the open configuration;
 FIG. 5 is a right side elevational view thereof in the closed configuration;
 FIG. 6 is a right side elevational view thereof in the open configuration;
 FIG. 7 is a rear elevational view thereof in the closed configuration;
 FIG. 8 is a rear elevational view thereof in the open configuration;
 FIG. 9 is a front elevational view thereof in the closed configuration;
 FIG. 10 is a front elevational view thereof in the open configuration;
 FIG. 11 is a top plan view thereof in the closed configuration;
 FIG. 12 is a top plan view thereof in the open configuration;
 FIG. 13 is a bottom plan view thereof in the closed configuration; and,
 FIG. 14 is a bottom plan view thereof in the open configuration.
 The broken lines illustrate environment or portions of the temperature probe dock that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D807,208 S * 1/2018 Cruz D10/57
D829,168 S * 9/2018 Massee D13/108
10,180,360 B1 * 1/2019 Naranjo G01K 1/024
D911,274 S * 2/2021 Ding D13/108
2015/0180246 A1 * 6/2015 Roth H02J 7/0044
320/115
2020/0096393 A1 * 3/2020 Lion G01K 1/024

OTHER PUBLICATIONS

Mastrad Meat It YouTube <https://www.youtube.com/watch?v=X0GvL7TgQR0> Posted Jan. 17, 2019 (Year: 2019).*

Meat It Bluetooth Thermometer Williams Sonoma <https://www.williams-sonoma.com/products/mastrad-bluetooth-thermometer/> Available Aug. 19, 2019 (Year: 2019).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14