



US00D939367S

(12) **United States Design Patent** (10) **Patent No.:** **US D939,367 S**  
**Ruhland et al.** (45) **Date of Patent:** **\*\* Dec. 28, 2021**

(54) **MEASUREMENT DEVICE**

(71) Applicant: **FARO Technologies, Inc.**, Lake Mary, FL (US)

(72) Inventors: **Axel Ruhland**, Stuttgart (DE); **Jonas Bader**, Stuttgart (DE); **Benjamin Müller**, Stuttgart (DE); **Matthias Gramenz**, Murr (DE)

(73) Assignee: **FARO TECHNOLOGIES, INC.**, Lake Mary, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/698,144**

(22) Filed: **Jul. 15, 2019**

(51) **LOC (13) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/78**; D10/70; D14/426

(58) **Field of Classification Search**  
USPC .... D10/63, 70, 78; D14/420, 426, 427, 428, D14/453; D15/122, 199; D18/36, 40  
CPC ..... G01B 11/005; G01B 11/00; G01B 11/002; G01B 11/24; G01B 11/14; G01B 21/047; G01B 21/042; G01B 21/145; G01B 5/012; G01B 5/016; G01B 5/008; G01B 11/03; G01B 5/004; G01B 11/2504; G01B 3/30; G06T 7/60; G06T 11/00; G06T 11/60; G06T 7/73; G06T 7/85; G06T 7/521; G06T 7/593; G06T 2200/04; H04N 13/02; H04N 13/0246; H04N 13/0257; H04N 13/0459; H04N 13/0239; H04N 13/246; H04N 13/257; G05B 19/00; G05B 19/407; G05B 2219/36452; G05B 2219/36479; G05B 2219/37193; G05B 2219/3744

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D733,141 S \* 6/2015 Ruhland ..... D14/426  
D741,864 S \* 10/2015 Ruhland ..... D14/426  
2016/0069620 A1\* 3/2016 Kennedy ..... F16J 15/0887  
165/148  
2017/0188015 A1 6/2017 Heidemann et al.  
2020/0014909 A1\* 1/2020 Doring ..... H04N 13/254  
(Continued)

*Primary Examiner* — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP



(57) **CLAIM**

We claim, the ornamental design for a measurement device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front top perspective view is accordance with an embodiment;  
FIG. 2 is a rear bottom perspective view of the measurement device of FIG. 1;  
FIG. 3 is a rear top perspective view of the measurement device of FIG. 1;  
FIG. 4 is a front view of the measurement device of FIG. 1;  
FIG. 5 is a rear view of the measurement device of FIG. 1;  
FIG. 6 is a first side view of the measurement device of FIG. 1;  
FIG. 7 is a second side view of the measurement device of FIG. 1;  
FIG. 8 is a top view of the measurement device FIG. 1; and,  
FIG. 9 is a bottom view of the measurement device of FIG. 1.  
The broken lines shown in FIG. 1-FIG. 9 are not part of the claimed design.  
References to “side”, “top”, “front”, “rear” and “bottom” in the figure descriptions are not meant to require certain in-use orientation; a measurement device according to the claimed design may be used in any orientation.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2020/0292297 A1\* 9/2020 Atala ..... G01K 13/00  
2020/0318955 A1\* 10/2020 Sharapov ..... G01B 11/2518

\* cited by examiner






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5






FIG. 6






FIG. 7




FIG. 8




FIG. 9