



US00D939784S

(12) **United States Design Patent**
Ren

(10) **Patent No.:** **US D939,784 S**
(45) **Date of Patent:** **** Dec. 28, 2021**

(54) **PET FEEDER**

(71) Applicant: **SHENZHEN KEEKOONVISION TECHNOLOGY CO., LTD**, Shenzhen (CN)

(72) Inventor: **Zeming Ren**, Shenzhen (CN)

(73) Assignee: **SHENZHEN KEEKOONVISION TECHNOLOGY CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/739,850**

(22) Filed: **Jun. 30, 2020**

(51) **LOC (13) Cl.** **30-07**

(52) **U.S. Cl.**
USPC **D30/122**

(58) **Field of Classification Search**
USPC D30/121, 122, 129-133, 120; 119/61.5, 119/51.01, 61.56, 51.03, 59, 62, 63, 51.5, 119/57.8, 74, 61.54, 61.55, 53, 53.5, 75, 119/56.2, 51.02, 51.11, 51.12, 57.1, 52.1, 119/515; 312/204; 248/151, 188; 108/156, 153.1-157; 220/23.87, 630, 220/737, 743, 9.4, 495.01, 574, 212, 255, 220/23.83; 206/515; D7/586, 543, D7/550.1, 587, 505, 584, 545, 500, D7/553.1-553.8, 546, 555, 556, 504, 565, D7/562, 602, 605, 312, 313, 320, 307, D7/306, 309, 354, 311, 399, 397, 323, D7/332, 331, 347, 346, 322, 318, 317, D7/316, 619.1; D9/429; 43/109; D22/122; 99/430, DIG. 15, 280, 285, 99/312; 222/209, 131, 363, 349, 517, 222/153.13, 401, 1, 146.5, 23, 54, 64, 51, 222/156, 399, 400.8; 219/438, 439, 441, 219/385, 386, 402, 407; 210/94, 184, 210/474, 477

CPC A01K 5/02; A01K 5/0225; A01K 5/0114; A01K 5/025; A01K 5/0266; A01K 5/0275; A01K 5/0283; A01K 5/0291;

A01K 5/0258; A01K 5/0142; A01K 5/0233; A01K 29/00; A01K 7/00; G01F 11/24; G01F 23/02; B67D 1/0425; B67D 1/04; B67D 1/00; B67D 1/02; B67D 1/0871; B67D 1/0802; A47J 41/0033; A47J 41/005; A47J 41/0088; A47J 41/0094; A47J 31/04; A47J 31/053; B05B 11/00; B05B 11/0002; B05B 11/0005; B05B 11/001; C02F 1/003; C02F 1/283; C02F 2307/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,720,184 A * 3/1973 Pearce A01K 5/0225
119/51.5
6,880,484 B1 * 4/2005 Lee A01G 27/02
119/74

(Continued)

Primary Examiner — Susan Moon Lee


(57) **CLAIM**

The ornamental design for a pet feeder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pet feeder showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof; and,
FIG. 9 is an enlarged view of portion 9 shown in FIG. 2.
The broken lines in the drawings depict portions of the pet feeder that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,198,398 B2 * 12/2015 Rogers A01K 7/06
D751,774 S * 3/2016 Allen D30/122
D822,292 S * 7/2018 Hua D30/122
D846,814 S * 4/2019 Tao D30/122
10,609,899 B2 * 4/2020 Veness A01K 5/0225
D907,305 S * 1/2021 Wang D30/122
2002/0096120 A1 * 7/2002 Busha A01K 5/0291
119/51.5
2014/0083364 A1 * 3/2014 Anderson A01K 5/01
119/51.01
2018/0027763 A1 * 2/2018 Veness A01K 5/0114
2019/0059322 A1 * 2/2019 Xu A01K 5/0225
2021/0000069 A1 * 1/2021 Veness A01K 5/0291

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9