



US00D939982S

(12) **United States Design Patent** (10) **Patent No.:** **US D939,982 S**
Aver et al. (45) **Date of Patent:** **** Jan. 4, 2022**

(54) **MAT SENSOR**(71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)(72) Inventors: **Mark Aver**, Portland, OR (US); **David Bleicher**, Tel-Aviv (IL); **Tamir Lousky**, Bat-Yam (IL); **Shachar Ilan**, Givatayim (IL); **Junichi Otake**, Portland, OR (US)(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)(**) Term: **15 Years**(21) Appl. No.: **29/704,634**(22) Filed: **Sep. 5, 2019**(51) LOC (13) Cl. **10-04**

(52) U.S. Cl.

USPC **D10/71; D10/83; D10/92**(58) **Field of Classification Search**

USPC D10/87, 88, 92, 70, 71, 83, 84, 85, 89,

D10/91, 94

CPC G06T 19/006; G06Q 30/0643; G06Q 30/0621; G06Q 30/0631; A43D 1/00; A43D 1/02; A43D 1/022; A43D 1/025; A43D 1/027; A43D 1/04; A43D 1/06; A43D 1/08; A61B 5/107; A61B 5/1071; A61B 5/1072; A61B 5/10713; A61B 5/1074; A61B 5/1075; A61B 5/1076; A61B 5/1077; A61B 5/1078; A61B 5/1079

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,621,013 * 9/2003 Tanida A61B 5/1171

177/4

D689,389 * 9/2013 Berme A43D 1/02

D10/83

| | | | | |
|--------------|---|---------|------------------|-------------|
| D696,971 | * | 1/2014 | Ammon | A61B 5/1079 |
| 9,019,359 | * | 4/2015 | Leedy | A43D 1/02 |
| | | | | 348/77 |
| 9,402,567 | * | 8/2016 | Danenberg | A61B 5/1079 |
| D804,336 | * | 12/2017 | Papakostas | D10/70 |
| D842,729 | * | 3/2019 | Sato | D10/88 |
| D842,730 | * | 3/2019 | Sato | D10/88 |
| 11,138,650 | * | 10/2021 | Hayes | A43D 1/08 |
| 2019/0228448 | | 7/2019 | Bleicher et al. | |

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) Attorney, Agent, or Firm — Banner & Witcoff, Ltd.

(57)

CLAIM

The ornamental design for a mat sensor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a mat sensor showing our new design;

FIG. 2 is a front view thereof;


FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof; and,

FIG. 6 is a top view thereof.

The uneven-length broken lines define the bounds of the claimed design and forms no part thereof. The even-length broken lines depicting the remainder of the mat sensor form no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

**FIG. 6**