



US00D940062S

(12) **United States Design Patent**
Kamada

(10) **Patent No.:** **US D940,062 S**
(45) **Date of Patent:** **** Jan. 4, 2022**

(54) **TIRE SIDEWALL**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

JP 1547639 S 4/2016
JP 1547640 S 4/2016

(Continued)

(72) Inventor: **Shiho Kamada**, Tokyo (JP)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

(21) Appl. No.: **29/745,916**

DESCRIPTION

(22) Filed: **Aug. 11, 2020**

FIG. 1 is a perspective view of a tire sidewall showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof, the left side view being identical;

FIG. 5 is a top view thereof, the bottom view being identical;

FIG. 6 is a fragmentary enlarged front view of the part defined by lines 6-6 of FIG. 2;

FIG. 7 is a fragmentary enlarged front view of the part defined by lines 7-7 of FIG. 2;

FIG. 8 is a fragmentary enlarged front view of the part defined by lines 8-8 of FIG. 2;

FIG. 9 is a fragmentary enlarged cross-section view taken along line 9-9 of FIG. 6;

FIG. 10 is a fragmentary enlarged cross-section view taken along line 10-10 of FIG. 6;

FIG. 11 is a fragmentary enlarged cross-section view taken along line 11-11 of FIG. 7;

FIG. 12 is a fragmentary enlarged cross-section view taken along line 12-12 of FIG. 8; and,

FIG. 13 is a fragmentary enlarged cross-section view taken along line 13-13 of FIG. 8.

Broken lines show environmental portions of a tire sidewall that are not being claimed, and form no part of the claimed design.

(30) **Foreign Application Priority Data**

Jun. 12, 2020 (JP) 2020-011740 D

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

- D569,336 S * 5/2008 Onoe D12/605
- D590,332 S * 4/2009 Sato D12/605
- D593,939 S * 6/2009 Maxwell D12/605
- D618,165 S * 6/2010 Sato D12/605
- D676,805 S * 2/2013 Iwabuchi D12/605
- D677,217 S * 3/2013 Iwabuchi D12/605
- D684,109 S * 6/2013 Iwabuchi D12/605
- D709,025 S * 7/2014 Takahashi D12/605
- D750,555 S * 3/2016 Iwabuchi D12/605

(Continued)

1 Claim, 13 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D769,182 S * 10/2016 Iwabuchi D12/605
 D769,807 S * 10/2016 Ishikawa D12/605
 D791,067 S 7/2017 Iwabuchi
 D791,693 S * 7/2017 Iwabuchi D12/605
 D792,336 S 7/2017 Iwabuchi
 D795,798 S 8/2017 Kamada et al.
 D800,643 S * 10/2017 Scheifele D12/605
 D803,149 S * 11/2017 Ishikawa D12/605
 D804,402 S * 12/2017 Kamada D12/605
 D807,284 S 1/2018 Iwabuchi
 D808,333 S 1/2018 Iwabuchi
 D813,799 S * 3/2018 Maxwell D12/605
 D814,395 S * 4/2018 Sano D12/605
 D843,929 S * 3/2019 Maxwell D12/605
 D843,930 S 3/2019 Itoi
 D848,358 S 5/2019 Kamada
 D851,030 S * 6/2019 Nagase D12/605
 D856,915 S * 8/2019 Nagase D12/605
 D858,431 S * 9/2019 Yamaoka D12/605

D865,658 S 11/2019 Kuwano
 D867,982 S * 11/2019 Iwabuchi D12/605
 D876,333 S * 2/2020 Fontaine D12/605
 D879,029 S * 3/2020 Tanaka D12/605
 D880,416 S * 4/2020 Ishikawa D12/605
 D885,325 S * 5/2020 Taniguchi D12/605

FOREIGN PATENT DOCUMENTS

JP 1547810 S 4/2016
 JP 1613396 S 9/2018
 JP 1588236 S 10/2018
 JP 1547941 S 4/2019
 JP 1601296 S 4/2019
 JP 1560010 S 9/2019
 JP 1560304 S 9/2019
 JP 1560307 S 9/2019
 WO DM096522 12/2017
 WO DM090217 4/2018
 WO DM099720 8/2018
 WO DM092804 10/2018

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

