



US00D940249S

(12) **United States Design Patent**
Heine et al.

(10) **Patent No.:** **US D940,249 S**

(45) **Date of Patent:** **** Jan. 4, 2022**

- (54) **TOY**
- (71) Applicant: **Streitmonster GmbH**, Berlin (DE)
- (72) Inventors: **Marcus Heine**, Berlin (DE); **Michael Grande**, Tenerife (ES)
- (73) Assignee: **Streitmonster GmbH**, Berlin (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/699,900**
- (22) Filed: **Jul. 30, 2019**
- (30) **Foreign Application Priority Data**
- Jan. 30, 2019 (EM) 006116000
- (51) **LOC (13) Cl.** **21-01**
- (52) **U.S. Cl.**
- USPC **D21/398; D21/371; D21/455; D21/468;**
D21/595; D21/622
- (58) **Field of Classification Search**
- USPC **D21/398, 455-464, 468, 300, 313,**
D21/371-375, 385, 386, 390, 576, 577,
(Continued)

- (56) **References Cited**
- U.S. PATENT DOCUMENTS**
- 250,695 A * 12/1881 Wetherill A63B 67/06
273/338
- 468,338 A * 2/1892 Goodson A63F 9/181
273/161
- (Continued)

- FOREIGN PATENT DOCUMENTS**
- CN 304665734 * 6/2018
- DE 488334 C * 12/1929 A63F 9/0415
- (Continued)

OTHER PUBLICATIONS

CritSuccess d20 Dice Ring with 20 Sided Die Spinner featured on webpage: <<https://www.amazon.co.uk/CritSuccess-Dice-Ring->

Sided-Spinner/dp/B01CB9VSDA>. Date First Available: Feb. 9, 2018 [Accessed Jun. 15, 2021] (Year: 2021).*

Primary Examiner — Catherine A Tuttle
(74) *Attorney, Agent, or Firm* — Amin, Turocy & Watson, LLP

(57) **CLAIM**

The ornamental design for a toy, as shown and described.

DESCRIPTION

Design 1: 7 views
 FIG. 1 is a lower front view of a toy showing our new design at the rotation indicated by bracket 1 in FIG. 3;
 FIG. 2 is a lower rear view thereof, seen at the rotation indicated by bracket 2 in FIG. 3;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a left, top and front perspective view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is an upper rear view thereof, seen at the rotation indicated by bracket 6 in FIG. 3; and,
 FIG. 7 is an upper front view thereof, seen at the rotation indicated by bracket 7 in FIG. 3.

Design 2: 7 views
 FIG. 8 is an upper front view of the toy showing a second embodiment of our new design at the rotation indicated by bracket 8 in FIG. 10;
 FIG. 9 is a lower front view thereof, seen at the rotation indicated by bracket 9 in FIG. 10;
 FIG. 10 is a left side view thereof;
 FIG. 11 is a left, top and front perspective view thereof;
 FIG. 12 is a right side view thereof;
 FIG. 13 is a lower rear view thereof, seen at the rotation indicated by bracket 13 in FIG. 10; and
 FIG. 14 is an upper rear view thereof, seen at the rotation indicated by bracket 14 in FIG. 10.

Design 3: 7 views
 FIG. 15 is a rear view showing a third embodiment of our new design at the rotation indicated by bracket 15 in FIG. 17;
 FIG. 16 is a top view thereof, seen at the rotation indicated by bracket 16 in FIG. 17;

(Continued)




FIG. 17 is a left side view thereof;
 FIG. 18 is a left, top and front perspective view thereof;
 FIG. 19 is a right side view thereof;
 FIG. 20 is a front view thereof, seen at the rotation indicated by bracket 20 in FIG. 17; and,
 FIG. 21 is a bottom view thereof, seen at the rotation indicated by bracket 21 in FIG. 17.
 The appearance within the spaces between the outer and central components of the toy in FIGS. 1, 2, 6-9, 13-16, 20, and 21 forms no part of the claimed design.

1 Claim, 21 Drawing Sheets

(58) **Field of Classification Search**

USPC D21/585, 590, 592, 593, 594, 621, 622,
 D21/630, 633, 639, 641, 649, 563, 710;
 D11/160; 446/268, 269, 270, 297, 318,
 446/333, 334, 384, 390, 391, 431, 499;
 273/126 R, 142 R, 143 A, 146, 161, 288
 CPC . A63H 3/00; A63H 3/003; A63H 3/28; A63H
 7/00; A63H 11/00; A63H 33/00; A63H
 33/005; A63H 33/007; A63H 33/18;
 A63H 33/22; A63H 33/30; A63H 33/42;
 A63F 5/00; A63F 5/0094; A63F 5/02;
 A63F 5/04; A63F 5/041; A63F 7/40;
 A63F 2007/4031; A63F 2009/001; A63F
 2009/0033; A63F 2009/0049; A63F
 9/0415; A63F 9/16; A63F 2009/0417;
 A63F 2009/0484; A63F 2009/165; A63B
 65/10; A63B 43/002; A63B 67/062

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

760,642 A * 5/1904 Nardi A63H 33/22
 446/149
 1,466,596 A * 8/1923 Miller A63F 5/04
 273/143 A
 D158,836 S * 6/1950 Brennan D21/371
 2,977,714 A * 4/1961 Gibson A63H 33/005
 446/458
 3,060,634 A * 10/1962 Fisher A63H 33/005
 446/458
 3,087,258 A * 4/1963 Anderson G09B 19/02
 434/190
 D317,581 S * 6/1991 Yeu D11/160
 5,131,882 A * 7/1992 Kiyokane A63H 17/00
 446/431
 5,421,588 A * 6/1995 Browne A63B 67/06
 473/588
 D368,120 S * 3/1996 Hamlin D21/468
 D379,378 S * 5/1997 Hamlin D21/595
 6,129,355 A * 10/2000 Hahn G07F 17/3213
 273/142 R
 6,652,351 B1 * 11/2003 Rehkemper A63H 13/02
 446/312
 6,997,458 B1 * 2/2006 Yokomi A63F 9/0415
 273/146
 2005/0110216 A1 * 5/2005 Norman A63F 9/0415
 273/447

FOREIGN PATENT DOCUMENTS

DE 202019002098 U1 * 6/2019 A63F 7/0088
 EM 005307139-0001 * 6/2018
 FR 2447212 A1 * 8/1980 A63F 9/0415
 GB 427667 A * 4/1935 A63F 7/40
 GB 535104 A * 3/1941 A63F 9/16
 WO WO-2011056427 A2 * 5/2011 A63F 5/048

* cited by examiner



FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16




FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21