



US00D940558S

(12) **United States Design Patent** (10) **Patent No.:** **US D940,558 S**
Jüngst (45) **Date of Patent:** **** Jan. 11, 2022**

(54) **BOTTLE**

- (71) Applicant: **AIR UP GROUP GMBH**, Munich (DE)
- (72) Inventor: **Magdalena Jüngst**, Munich (DE)
- (73) Assignee: **air up group GmbH**, Munich (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/737,755**
- (22) Filed: **Jun. 11, 2020**

Related U.S. Application Data

(62) Division of application No. 35/506,540, filed on Jan. 10, 2019 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Jan. 10, 2019, now Pat. No. Des. 905,558.

(51) **LOC (13) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/447; D9/452**

(58) **Field of Classification Search**

USPC D9/414, 415, 420, 426, 428, 429, 434, D9/435-453, 503, 505, 516, 520, 529, D9/544-545, 549, 558, 715, 719, 722; D7/391, 392, 392.1, 396.1, 396.2, 507, D7/509-511, 538, 629, 900; D3/202, D3/203.2, 294, 318

CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 5/46; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2251/00; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D456,256 S	*	4/2002	Paczosa	D9/435
D469,664 S		2/2003	Marks et al.		
D668,150 S		10/2012	Crapser et al.		
D724,894 S		3/2015	Brosius		
D752,391 S		3/2016	Hatherell		
D758,800 S	*	6/2016	Hayslett	D7/510
D799,967 S		10/2017	Wade		
D803,064 S		11/2017	Marina et al.		
D812,428 S		3/2018	Wu		
D813,679 S		3/2018	Bos et al.		
D814,930 S		4/2018	Tremayne et al.		
D820,677 S		6/2018	D'Anglade		
D821,137 S		6/2018	Boroski		
D821,197 S		6/2018	Cook et al.		
D829,101 S		9/2018	Spivey et al.		
D831,482 S		10/2018	Meyers		
D833,874 S		11/2018	Harrison et al.		

(Continued)

Primary Examiner — Bao-Yen T Nguyen

(74) *Attorney, Agent, or Firm* — McAndrews, Held & Malloy, Ltd.

(57) **CLAIM**


The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a bottle showing my new design in an assembled configuration;
 FIG. 2 is a front perspective view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is an exploded front view thereof showing my new design in a disassembled configuration;
 FIG. 5 is a front perspective view thereof; and,
 FIG. 6 is a top view thereof.

The broken lines in the figures illustrate portions of the bottle that form no part of the claimed design.
 Views of the bottle not shown form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D838,167	S	1/2019	Lopynski	
D838,589	S	1/2019	Bruining	
D850,189	S *	6/2019	Burton	D7/392
D851,446	S	6/2019	Lindsay et al.	
10,464,712	B2	11/2019	Campbell	
D869,909	S	12/2019	Campbell et al.	
D871,836	S	1/2020	Campbell et al.	
D883,736	S *	5/2020	Jacobsen	D7/392.1
D885,825	S *	6/2020	Meyers	D7/392.1
D895,352	S *	9/2020	Yao	D7/392.1
D895,737	S *	9/2020	Russell	D21/573
D909,868	S *	2/2021	Jensen	B05C 17/00503
				D9/447
D912,462	S *	3/2021	Waggoner	D7/392.1
D920,111	S *	5/2021	Bennitt	D9/449
D920,788	S *	6/2021	Jeans	D9/447
D920,789	S *	6/2021	Evans	D9/447
2006/0180585	A1 *	8/2006	Cunningham	A47G 19/2266
				220/203.06
2007/0199914	A1 *	8/2007	Hung	B65D 47/243
				215/311
2013/0256310	A1	10/2013	Hojo	
2015/0097007	A1 *	4/2015	Garneau	B65D 47/2031
				222/544
2016/0200486	A1 *	7/2016	Meyers	B65D 47/247
				215/229
2016/0376061	A1	12/2016	Shirley et al.	
2017/0029156	A1	2/2017	Eguchi et al.	
2018/0050844	A1 *	2/2018	Hirst	B65D 47/06

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6