



US00D940628S

(12) **United States Design Patent**  
**Rosello Visa**

(10) **Patent No.:** **US D940,628 S**

(45) **Date of Patent:** **\*\* Jan. 11, 2022**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Albert Rosello Visa**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/755,047**

(22) Filed: **Oct. 16, 2020**

(30) **Foreign Application Priority Data**

May 20, 2020 (EM) ..... 007955513

(51) **LOC (13) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/209**

(58) **Field of Classification Search**  
USPC ..... D12/204-213; D21/563  
CPC .... B60B 7/00; B60B 7/02; B60B 7/04; B60B  
7/01; B60B 7/06; B60B 3/02; B60B 3/04;  
B60B 3/06; B60B 3/10; B60B 1/00;  
B60B 1/08; B60B 1/10; B60B 1/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D669,833 S \* 10/2012 Pollmann ..... D12/209  
D858,411 S \* 9/2019 Rosello Visa ..... D12/209

D877,025 S \* 3/2020 Rosello Visa ..... D12/209  
D880,392 S \* 4/2020 Meng ..... D12/209  
D881,779 S \* 4/2020 Tomasson ..... D12/209  
D897,261 S \* 9/2020 Valencia Pollex ..... D12/209  
D899,992 S \* 10/2020 Melikian ..... D12/209  
D906,217 S \* 12/2020 Rosello Visa ..... D12/209  
D908,575 S \* 1/2021 Wheel ..... D12/209  
D908,581 S \* 1/2021 Valencia Pollex ..... D12/209  
D909,273 S \* 2/2021 Rosello Visa ..... D12/209  
D909,274 S \* 2/2021 Rosello Visa ..... D12/209  
D911,909 S \* 3/2021 Rosello Visa ..... D12/209  
D912,590 S \* 3/2021 Rosello Visa ..... D12/209  
D918,115 S \* 5/2021 Chung ..... D12/209  
D919,541 S \* 5/2021 Bjerke ..... D12/209  
D922,296 S \* 6/2021 Andoh ..... D12/209  
D934,770 S \* 11/2021 Schell ..... D12/209

\* cited by examiner

*Primary Examiner* — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;  
Klaus P. Stoffel

(57) **CLAIM**


The ornamental design for a vehicle wheel rim, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,

FIG. 2 is a front, side perspective view thereof.

**1 Claim, 2 Drawing Sheets**







**Fig. 1**





**Fig. 2**