

US00D940653S

(12) **United States Design Patent** (10) **Patent No.:** **US D940,653 S**
Imsand et al. (45) **Date of Patent:** **** Jan. 11, 2022**

(54) **BATTERY CHARGER**

(71) Applicant: **APEX BRANDS, INC.**, Apex, NC
(US)

(72) Inventors: **Nicholas Ryan Imsand**, Huntersville,
NC (US); **Minglin Shi**, Shanghai (CN);
Wanli Wu, Shanghai (CN); **Gael Prat**,
Etoiles (FR)

(73) Assignee: **Apex Brands, Inc.**, Apex, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/691,594**

(22) Filed: **May 17, 2019**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**

USPC D13/107–110, 118–119, 184; D14/251,
D14/253, 432, 434

CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
Y02T 90/128; Y02T 90/163; H02J 7/025;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0013; H02J 7/0003; H01F 38/14;
H01R 13/6675; H01M 2/1022; H01M
2/1055; H01M 10/44; H01M 10/46;
H01M 10/425; B60L 11/182

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D456,353 S * 4/2002 Shown D13/110
D539,216 S * 3/2007 Hamaguchi D13/103

D546,279 S * 7/2007 Shimizu D13/103
D547,264 S * 7/2007 Kondo D13/103
D562,226 S * 2/2008 Uehlein-Proctor D13/103
D562,763 S * 2/2008 Kingston D13/108
D563,314 S * 3/2008 Kingston D13/108
D563,315 S * 3/2008 Kingston D13/108
D686,155 S * 7/2013 Nguyen D13/103
D788,697 S * 6/2017 Verleur D13/103
D820,197 S * 6/2018 Luke D13/103
D836,066 S * 12/2018 Lim D13/103
2020/0014226 A1 * 1/2020 Hemesath H02J 7/0045

* cited by examiner

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Burr & Forman, LLP


(57) **CLAIM**

The ornamental design for the battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery charger in accordance with the present invention;
FIG. 2 is a front view of the battery charger of FIG. 1;
FIG. 3 is a rear view of the battery charger of FIG. 1;
FIG. 4 is a left side view of the battery charger of FIG. 1;
FIG. 5 is a right side view of the battery charger of FIG. 1;
FIG. 6 is a top view of the battery charger of FIG. 1; and,
FIG. 7 is a bottom view of the battery charger of FIG. 1.
The broken lines of the battery charger in FIGS. 1-7 are illustrative of portions of the battery charger that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7