



US00D940865S

(12) **United States Design Patent**
Khan et al.

(10) **Patent No.:** **US D940,865 S**
(45) **Date of Patent:** **** Jan. 11, 2022**

(54) **ALLOGRAFT INSERTION DEVICE**
(71) Applicant: **BOARD OF REGENTS, THE UNIVERSITY OF TEXAS SYSTEM,**
Austin, TX (US)
(72) Inventors: **Salman N. Khan,** Bellflower, CA (US);
Panayiotis S. Shiakolas, Irving, TX (US)

D493,526 S * 7/2004 Hwang A61M 5/3134
D24/130
7,025,782 B2 * 4/2006 Kobayashi A61F 2/1667
606/107
D581,529 S * 11/2008 Moehle D24/130
7,458,976 B2 * 12/2008 Peterson A61F 2/1678
606/107

(Continued)

(73) Assignee: **Board of Regents, the University of Texas System,** Austin, TX (US)

Price, Jr., et al., "DSEK: What You Need to Know About Endothelial Keratoplasty," Copyright 2009, SLACK Incorporated, Chapter 8, pp. 97-107 (16 pages).

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/574,341**

Primary Examiner — Wan Laymon

(22) Filed: **Aug. 15, 2016**

(74) *Attorney, Agent, or Firm* — Nexsen Pruet, PLLC

(51) **LOC (13) Cl.** **24-02**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D24/150; D12/133**

The ornamental design for an allograft insertion device, as shown and described.

(58) **Field of Classification Search**
USPC D24/150, 112, 127, 129, 130, 133, 147;
606/146
CPC A61F 2/14; A61F 2/167; A61F 2/1662;
A61F 2/1664; B65D 83/10

DESCRIPTION

See application file for complete search history.

(56) **References Cited**


FIG. 1 is a front perspective view of an allograft insertion device according to our design;
FIG. 2 is a rear perspective view thereof, opposite the view of FIG. 1;
FIG. 3 is an enlarged bottom plan view thereof;
FIG. 4 is an enlarged top plan view thereof, opposite the view of FIG. 1;
FIG. 5 is a first side view thereof;
FIG. 6 is a second side view thereof, opposite the view of FIG. 5;
FIG. 7 a third side view thereof; and,
FIG. 8 is a fourth side view thereof, opposite the view of FIG. 7.

U.S. PATENT DOCUMENTS

D263,331 S * 3/1982 Parker D23/213
D309,205 S * 7/1990 Schuster D32/32
5,190,552 A * 3/1993 Kelman A61F 2/167
606/107
D381,079 S * 7/1997 Koepnick D24/146
D399,314 S * 10/1998 Wells D24/112
D403,068 S * 12/1998 England D24/150
6,056,757 A * 5/2000 Feingold A61F 2/1664
606/107
D434,149 S * 11/2000 Mirhashemi D24/133
D441,447 S * 5/2001 Hjertman D24/133
D491,268 S * 6/2004 Hickingbotham D24/133

The dashed broken lines are included for the purpose of illustrating environment of the design only, and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D590,942	S *	4/2009	Petersen	D24/130
D592,748	S *	5/2009	Boulton	A61F 11/006 D24/108
7,645,300	B2 *	1/2010	Tsai	A61F 2/1648 623/6.12
D609,810	S *	2/2010	Cote	D24/133
D612,052	S *	3/2010	McCollam	D24/133
D612,939	S *	3/2010	Boone, III	D24/133
D615,651	S *	5/2010	Hoffmann	D24/147
7,901,421	B2	3/2011	Shiuey et al.		
8,029,515	B2	10/2011	Shiuey		
8,273,122	B2 *	9/2012	Anderson	A61F 2/1664 623/6.12
D669,582	S *	10/2012	Weston	D24/147
D681,808	S *	5/2013	Holaschke	D24/114
8,523,941	B2 *	9/2013	Ichinohe	A61F 9/0017 606/107
D691,268	S *	10/2013	Marsteller	D24/150
8,636,795	B2 *	1/2014	Torres	A61F 2/0095 623/5.11
8,894,664	B2 *	11/2014	Downer	A61F 2/1664 606/107
D747,806	S *	1/2016	Wargner	D24/150
D752,749	S *	3/2016	Van Dalen	D24/150
9,522,061	B2 *	12/2016	Downer	A61F 2/1678
D789,536	S *	6/2017	Korenfeld	D24/150
D814,025	S *	3/2018	Zumbrum	D24/129
D815,944	S *	4/2018	Lind	D9/447
D832,443	S *	10/2018	Berkely	D24/176
D835,269	S *	12/2018	Di Ubaldi	D24/130
10,172,706	B2 *	1/2019	Auld	A61F 2/167
2005/0034200	A1 *	2/2005	Montemagno	A61M 37/0015 427/2.28
2007/0050023	A1 *	3/2007	Bessiere	A61F 2/1678 623/6.12
2007/0150055	A1 *	6/2007	Pynson	A61F 2/1664 623/6.12
2008/0255578	A1	10/2008	Neusidl		
2008/0269769	A1 *	10/2008	Dybbs	A61F 2/14 606/107
2008/0281341	A1 *	11/2008	Miller	A61F 2/14 606/166
2012/0221102	A1 *	8/2012	Tanaka	A61F 2/167 623/6.12
2013/0085567	A1	4/2013	Tan et al.		
2015/0005753	A1	1/2015	Walter et al.		
2015/0223930	A1	8/2015	Shiuey		
2015/0257873	A1	9/2015	Shiuey et al.		
2020/0261214	A1 *	8/2020	Oba	A61F 2/167
2021/0113327	A1 *	4/2021	Auld	A61F 2/167
2021/0186682	A1 *	6/2021	Chini	A61F 2/167

OTHER PUBLICATIONS

Abyaneh, "A Hybrid Approach to Determining Cornea Mechanical Properties Using a Combination of Inverse Finite Element Analysis and Experimental Techniques," Doctoral Thesis, Loughborough University Institutional Repository, Copyright Nov. 2013, pp. 1-180 (182 pages).

Alkatan et al., "Histopathological Findings of Failed Grafts Following Descemet's Stripping Automated Endothelial Keratoplasty (DSAEK)," Saudi Journal of Ophthalmology, Copyright 2012, vol. 26, pp. 79-85 (7 pages).

Bhardwaj et al., "Axial Length, Anterior Chamber Depth—A Study in Different Age Groups and Refractive Errors," Journal of Clinical and Diagnostic Research, Copyright Oct. 2013, vol. 7, No. 10, pp. 2211-2212 (2 pages).

Boschetti et al., "Mechanical Characterization of Porcine Corneas," Journal of Biomechanical Engineering, Copyright Mar. 2012, vol. 134, pp. 031003-1-031003-9 (9 pages).

Boyce et al., "Stress-Controlled Viscoelastic Tensile Response of Bovine Cornea," Journal of Biomechanics, Copyright 2007, vol. 40, pp. 2367-2376 (10 pages).

Carnell et al., "A Model for Estimating Corneal Stiffness Using an Indenter," Copyright Nov. 1992, Journal of Biomechanical Engineering, vol. 114, pp. 549-552 (4 pages).

Danielsen, Tensile Mechanical and Creep Properties of Descemet's Membrane and Lens Capsule, Experimental Eye Research, Copyright 2004, vol. 79, pp. 343-350 (8 pages).

Dias et al., "Anterior and Posterior Corneal Stroma Elasticity After Corneal Collagen Crosslinking Treatment," Experimental Eye Research, Copyright 2013, vol. 116, pp. 58-62 (5 pages).

Elsheikh et al., "Assessment of the Epithelium's Contribution to Corneal Biomechanics," Experimental Eye Research, Copyright 2008, vol. 86, pp. 445-451 (7 pages).

Elsheikh et al., "Experimental Assessment of Human Corneal Hysteresis," Current Eye Research, Copyright 2008, vol. 33, pp. 205-213 (9 pages).

Elsheikh et al., "Finite Element Modeling of Corneal Biomechanical Behavior," Journal of Refractive Surgery, Copyright 2010, vol. 26, No. 4, pp. 289-300 (12 pages).

Elsheikh et al., "Mechanical Anisotropy of Porcine Cornea and Correlation With Stromal Microstructure," Experimental Eye Research, Copyright 2009, vol. 88, pp. 1084-1091 (8 pages).

Elsheikh et al., "Numerical Modelling of Corneal Biomechanical Behaviour," Computer Methods in Biomechanics and Biomechanical Engineering, Copyright Apr. 2007, vol. 10, No. 2, pp. 85-95 (11 pages).

Eye Bank Association of America, 2013 Eye Banking Statistical Report, Copyright 2014, pp. 1-114 (114 pages).

Fontana et al., "Volume and Depth of the Anterior Chamber in the Normal Aging Human Eye," Copyright Oct. 1980, Archives of Ophthalmology, vol. 98, Issue 10, pp. 1803-1808 (8 pages).

Hatami-Marbini et al., "Hydration Dependent Biomechanical Properties of the Corneal Stroma," Experimental Eye Research, Copyright 2013, vol. 116, pp. 47-54 (8 pages).

Hatami-Marbini, "Hydration Dependent Viscoelastic Tensile Behavior of Cornea," Annals of Biomedical Engineering, Copyright Aug. 2014, vol. 42, No. 8, pp. 1740-1748 (9 pages).

Ide et al., "Descemet-Stripping Automated Endothelial Keratoplasty: Effect of Inserting Forceps on DSAEK Donor Tissue Viability by Using an In Vitro Delivery Model and Vital Dye Assay," Copyright Nov. 2007, Cornea, vol. 26, No. 9, pp. 1079-1081 (3 pages).

Ide, "Descemet's Stripping Automated Endothelial Keratoplasty Injecting Device," Expert Rev. Ophthalmol., Editorial, Copyright 2009, vol. 4, No. 1, pp. 5-9 (5 pages).

Khan et al., "An Overview on Performance Characteristics of Laser In-Situ Keratomileusis Using Lasers and Identification of Challenges," Micro and Nanosystems, Copyright Nov. 2012, vol. 4, pp. 1-12 (13 pages).

Khan et al., "Descemet's Stripping Automated Endothelial Keratoplasty Tissue Insertion Devices," Journal of Ophthalmic and Vision Research, Copyright 2015, vol. 10, No. 4, pp. 461-468 (8 pages).

Khan et al., "Finite Element Analysis of Descemet's Stripping Automated Endothelial Keratoplasty (DSAEK) Surgery Allograft to Predict Endothelial Cell Loss," Copyright 2016, Current Eye Research, DOI: 10.3109/02713683.2016.1151052, <http://dx.doi.org/10.3109/02713683.2016.1151052>, pp. 1-9 (10 pages).

Kling et al., "Finite-Element Modeling of Intrastromal Ring Segment Implantation Into a Hyperelastic Cornea," Investigative Ophthalmology & Visual Science, Copyright Jan. 2013, vol. 54, No. 1, pp. 881-889 (9 pages).

Lago et al., "A New Methodology for the In Vivo Estimation of the Elastic Constants That Characterize the Patient-Specific Biomechanical Behavior of the Human Cornea," Journal of Biomechanics, Copyright 2015, vol. 48, pp. 38-43 (6 pages).

Lombardo et al., "Adaptive Optics Photoreceptor Imaging," Ophthalmology, Copyright Jul. 2012, vol. 119, No. 7, pp. 1498-1499 (2 pages).

Mehta et al., "Glide Insertion Technique for Donor Cornea Lenticule During Descemet's Stripping Automated Endothelial Keratoplasty," J. Cataract Refract. Surg., Copyright Nov. 2007, vol. 33, pp. 1846-1850 (5 pages).

(56)

References Cited

OTHER PUBLICATIONS

Nejad et al., "Finite Element Modelling of Cornea Mechanics: A Review," *Arq. Bras. Oftalmol.*, Copyright 2014, vol. 77, No. 1, pp. 60-65 (6 pages).

Nguyen et al., "A Nonlinear Anisotropic Viscoelastic Model for the Tensile Behavior of the Corneal Stroma," *Journal of Biomechanical Engineering*, Copyright Aug. 2008, vol. 130, pp. 041020-1-041020-10 (10 pages).

Nguyen et al., "An Inverse Finite Element Method for Determining the Anisotropic Properties of the Cornea," *Biotech. Model Mechanobiol.*, Copyright 2011, vol. 10, pp. 323-337 (15 pages).

Prince, Jr., et al., "Descemet's Stripping With Endothelial Keratoplasty in 200 Eyes—Early Challenges and Techniques to Enhance Donor Adherence," *J. Cataract Refract. Surg.*, Copyright Mar. 2006, vol. 32, pp. 411-418 (8 pages).

Tan et al., "Corneal Transplantation," *Ophthalmology* 3, www.thelancet.com, Copyright May 2012, vol. 379, pp. 1749-1761 (13 pages).

Tonge et al., "Minimal Preconditioning Effects Observed for Inflation Tests of Planar Tissues," *Journal of Biomechanical Engineering*, Copyright Nov. 2013, vol. 135, pp. 114502-1-114502-14 (14 pages).

Vasiliev et al., "Mechanics and Analysis of Composite Materials," Copyright 2001 Elsevier, Chapter 3, pp. 55-120 (73 pages).

Villarino, "A Note on the Accuracy of Ramanujan's Approximative Formula for the Perimeter of an Ellipse," Copyright 2000, Victoria University, *Journal of Inequalities in Pure and Applied Mathematics*, vol. 7, Issue 1, Article 21, 2006, pp. 1-22 (22 pages).

Villarino, "Ramanujan's Perimeter of an Ellipse," Copyright Feb. 2008, *Escuela de Matemática, Universidad de Costa Rica*, pp. 1-12 (12 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8