



US00D941152S

(12) **United States Design Patent**
Meyer

(10) **Patent No.:** **US D941,152 S**

(45) **Date of Patent:** **** Jan. 18, 2022**

(54) **CONNECTABLE BEVERAGE BOTTLE**

(71) Applicant: **Jeffery Meyer**, Pomona, CA (US)

(72) Inventor: **Jeffery Meyer**, Pomona, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/649,763**

(22) Filed: **Jun. 1, 2018**

(51) **LOC (13) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/522**; D9/543; D9/575

(58) **Field of Classification Search**

USPC D9/434, 516, 520, 522-523, 530, 543,
D9/571, 575, 715, 719, 743; D3/202,
D3/215; D7/507, 509

CPC B65D 1/00; B65D 1/02; B65D 1/0223;
B65D 81/00; B65D 2501/00; B65D
2501/0009; B65D 2501/0081; B65D
21/0204; B65D 23/003; A45F 3/16

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D185,432	S	*	6/1959	Goldstein	D9/522
D201,470	S	*	6/1965	Plattner	D9/543
3,533,526	A		10/1970	Adell		
3,843,032	A	*	10/1974	Moran	A45F 3/16 224/148.7
4,366,922	A		1/1983	Levine et al.		
4,685,565	A		8/1987	Sparling		
D325,519	S	*	4/1992	Proctor	D9/522
5,105,958	A		4/1992	Patton		
D333,704	S	*	3/1993	Malcolm	D24/197
5,215,203	A	*	6/1993	Malcolm	A61J 9/00 215/11.1
5,251,777	A		10/1993	McMahon		
D394,607	S	*	5/1998	Monaghan	D9/520
D460,696	S	*	7/2002	Goettner	D9/539

D483,268	S	*	12/2003	Willows	D9/522
6,772,898	B1		8/2004	Florino et al.		
D586,225	S		2/2009	Devereaux		
7,516,860	B1		4/2009	Fenton et al.		

(Continued)

Primary Examiner — Dana Meyrow

(74) *Attorney, Agent, or Firm* — David Duckworth


(57) **CLAIM**

The ornamental design for a connectable beverage bottle, is shown and described.

DESCRIPTION

FIG. 1 is a top, left, front perspective view of the connectable beverage bottle of my design;
 FIG. 2 is a top, rear, right perspective view thereof;
 FIG. 3 is a front elevation view thereof;
 FIG. 4 is a rear elevation view thereof;
 FIG. 5 is a right elevation view thereof;
 FIG. 6 is a left elevation view thereof;
 FIG. 7 is a top plan view thereof;
 FIG. 8 is a bottom plan view thereof;
 FIG. 9 is an environmental top, rear, left perspective view of the connectable beverage bottle in a connected condition;
 FIG. 10 is an environmental right side elevation view of the connectable beverage bottle in cross-section taken along the line 10-10 in FIG. 7 and shown in a connected condition;
 FIG. 11 is an environmental top, rear, left side perspective view of the connectable beverage bottle adjacent to a mounting bracket;
 FIG. 12 is an environmental top, rear, left side perspective view of the connectable beverage bottle in a connected to a mounting bracket; and,
 FIG. 13 is an environmental top, rear, right perspective view of the connectable beverage bottle affixed to a human being using a mounting bracket.
 The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D602,365 S * 10/2009 Willows D9/522
D651,516 S * 1/2012 Schaeffer D9/522
D673,855 S * 1/2013 Burgeson D9/522
D675,530 S * 2/2013 Meisenheimer D9/522
D680,437 S * 4/2013 Bartolo D9/540
D721,970 S * 2/2015 Snyder D9/522
D726,013 S * 4/2015 Hirst D9/522
D727,064 S * 4/2015 DeChristofaro D6/542
9,392,862 B1 4/2016 Hajianpour
10,472,117 B1 * 11/2019 Meyer A45F 5/021
2009/0134111 A1 * 5/2009 Schroeder B65D 75/54
215/10
2011/0042399 A1 * 2/2011 Schroeder B65B 61/202
220/669
2016/0272368 A1 9/2016 Buck, III
2017/0079415 A1 3/2017 Willows et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5





Fig. 6

10 ←



10 ←

Fig. 7




Fig. 8




Fig. 10




Fig. 9

Fig. 11





Fig. 12






Fig. 13