



US00D941169S

(12) **United States Design Patent**  
**Cleveland**

(10) **Patent No.:** **US D941,169 S**

(45) **Date of Patent:** **\*\* Jan. 18, 2022**

(54) **MEASURING INSTRUMENT**

(71) Applicant: **Sauermann Industrie,**  
Chevry-Cossigny (FR)

(72) Inventor: **Didier Cleveland,** Gours (FR)

(73) Assignee: **SAUERMANN INDUSTRIE,**  
Chevry-Cossigny (FR)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/708,001**

(22) Filed: **Oct. 2, 2019**

(30) **Foreign Application Priority Data**

Apr. 4, 2019 (EM) ..... 006366027-0001

(51) **LOC (13) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/85**

(58) **Field of Classification Search**  
USPC ..... D10/83, 84, 85  
CPC .... G01L 7/084; G01L 19/14; A61M 16/0051;  
A61M 2016/0027; A61M 2205/583;  
A61M 2205/18; A61M 2205/3358; A61M  
2205/581; A61M 2205/8206

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D395,835 S \* 7/1998 Okuyama ..... D10/78

\* cited by examiner

*Primary Examiner* — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Hahn Loeser & Parks  
LLP

(57) **CLAIM**

The ornamental design for a measuring instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of a measuring instrument showing the new design; FIG. 2 is a rear view of the embodiment of FIG. 1; FIG. 3 is a top view of the embodiment of FIG. 1; FIG. 4 is a left side view of the embodiment of FIG. 1; FIG. 5 is a front view of the embodiment of FIG. 1; FIG. 6 is a bottom view of the embodiment of FIG. 1; and, FIG. 7 is a right side view of the embodiment of FIG. 1. The broken lines in the drawings depict portions of the measuring instrument that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1







**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**

