



US00D941173S

(12) **United States Design Patent** (10) **Patent No.:** **US D941,173 S**
Eckert et al. (45) **Date of Patent:** **** Jan. 18, 2022**

(54) **SURFACE MOUNT SENSING AND TRANSMITTING APPARATUS**
(71) Applicant: **Koko Home, Inc.**, Palo Alto, CA (US)
(72) Inventors: **Bradley Michael Eckert**, San Francisco, CA (US); **Eben James Bitonte**, San Francisco, CA (US); **George A. Zintak**, Campbell, CA (US); **Luca Rigazio**, Palo Alto, CA (US)
(73) Assignee: **Koko Home, Inc.**, Palo Alto, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/715,981**
(22) Filed: **Dec. 5, 2019**
(51) **LOC (13) Cl.** **10-05**
(52) **U.S. Cl.**
USPC **D10/104.1**
(58) **Field of Classification Search**
USPC D10/104.1, 106.1–106.9, 46, 49, 52, 53, D10/56, 75, 83; D14/230, 240, 242, 357, D14/358
CPC G08B 13/02; G08B 13/08; G08B 13/1463; G08B 13/2491; G08B 13/16; G08B 13/18; G08B 13/1609; G08B 13/2494; G01P 1/02; G01P 1/07; G01P 3/00; G01P 3/42
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D313,596 S * 1/1991 Tsuboi D14/163
D339,079 S * 9/1993 Behlke D10/106.6
D744,464 S * 12/2015 Snyder D14/240
D777,141 S * 1/2017 Lee D14/218
D782,430 S * 3/2017 Tam D14/125


D783,423 S * 4/2017 Srnec D10/52
D788,624 S * 6/2017 Iritani D10/106.5
D793,262 S * 8/2017 Geskin Zinovi D10/104.1
D795,109 S * 8/2017 Olodort D10/104.1
D821,375 S * 6/2018 Ramones D14/242
D829,120 S * 9/2018 Mitchell D10/104.1
D844,474 S * 4/2019 Atteberry D10/106.1
D851,075 S * 6/2019 Ramones D14/242
D853,262 S * 7/2019 Geskin Zinovi D10/104.1
D858,336 S * 9/2019 Kristensson D10/106.1
D883,965 S * 5/2020 Huang D14/240
D886,806 S * 6/2020 Ruhman D14/230
D892,659 S * 8/2020 Carlson D10/106.6
D902,189 S * 11/2020 Yang D14/230
D902,894 S * 11/2020 Yang D14/230
D919,607 S * 5/2021 Chen D14/230

* cited by examiner
Primary Examiner — Katherine Glennon
(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **CLAIM**
The ornamental design for a surface mount sensing and transmitting apparatus, as shown and described.

DESCRIPTION
FIG. 1 is a perspective top view of a surface mount sensing and transmitting apparatus showing our new design;
FIG. 2 is a perspective bottom view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a first side view thereof;
FIG. 6 is a second side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines show portions of the surface mount sensing and transmitting apparatus that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8