



US00D941200S

(12) **United States Design Patent** (10) **Patent No.:** **US D941,200 S**
Beckles (45) **Date of Patent:** **** Jan. 18, 2022**

(54) **VEHICLE REAR LOWER VALANCE**
(71) Applicant: **JAGUAR LAND ROVER LIMITED,**
Coventry (GB)
(72) Inventor: **Earl Beckles,** Coventry (GB)
(73) Assignee: **JAGUAR LAND ROVER LIMITED,**
Coventry (GB)
(**) Term: **15 Years**
(21) Appl. No.: **29/743,852**

(22) Filed: **Jul. 24, 2020**
(30) **Foreign Application Priority Data**
Jan. 24, 2020 (EM) 007551957-003

(51) **LOC (13) Cl.** **12-16**
(52) **U.S. Cl.**
USPC **D12/169**

(58) **Field of Classification Search**
USPC D12/82, 85, 86, 88, 89, 90, 91, 92, 93,
D12/96, 98, 99, 101, 102, 106, 163, 164,
D12/165, 166, 167, 169, 170, 171, 172,
D12/173, 181, 184, 185, 190, 192, 196,
D12/216, 223, 400; D21/533, 548, 552,
D21/561
CPC B60R 19/00; B60R 19/02; B60R 19/04;
B60R 19/16; B60R 19/18; B60R 19/24;
B60R 19/26; B60R 19/44; B60R 19/48;
B60R 19/52; B60R 19/56; B60R
2019/007; B60R 2019/026; B60R
2019/522; B60R 2019/525; B60R
2019/527; B60R 2019/1813; B60R
2019/1833; B60R 2019/1886; B62D
25/02; B62D 25/08; B62D 25/16; B60K
11/08; B60K 11/085

See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D600,606 S * 9/2009 Lamm D12/169
D638,760 S * 5/2011 Okada D12/169
D746,737 S * 1/2016 Wolff D12/169
D813,750 S * 3/2018 Bucher D12/169
D813,755 S * 3/2018 Loeb D12/169
D814,987 S * 4/2018 Murakami D12/169
D822,551 S * 7/2018 McMahan D12/169
D859,238 S * 9/2019 Smith D12/169
D863,149 S * 10/2019 Luke D12/169
D869,359 S * 12/2019 Betancourt D12/169
(Continued)

OTHER PUBLICATIONS
2021 Jaguar F-PACE, Published date unavailable [online], [retrieved on Aug. 24, 2021]. Retrieved from the Internet: <https://www.jaguarusa.com/all-models/f-pace/gallery-exterior.html> (Year: 2021).*
Primary Examiner — Cary M Robinson
Assistant Examiner — Adam C Mager
(74) *Attorney, Agent, or Firm* — Reising Ethington P.C.

(57) **CLAIM**
The ornamental design for a vehicle rear lower valance, as shown and described.

DESCRIPTION
FIG. 1 is a frontside perspective view of the vehicle rear lower valance;
FIG. 2 is another frontside perspective view thereof from an opposite side to that of FIG. 1;
FIG. 3 is a front view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a rearside perspective view thereof;
FIG. 9 is another rearside perspective view thereof from an opposite side to that of FIG. 8; and,
FIG. 10 is a rear view thereof.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D881,087 S * 4/2020 Luke D12/169
D891,324 S * 7/2020 Betancourt D12/169
D918,801 S * 5/2021 Becker D12/169

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10