



US00D941685S

(12) **United States Design Patent** (10) **Patent No.:** **US D941,685 S**
Carpenter et al. (45) **Date of Patent:** **** Jan. 25, 2022**

(54) **MEAT PROBE HOUSING**(71) Applicant: **WHIRLPOOL CORPORATION**,
Benton Harbor, MI (US)(72) Inventors: **Christopher Carpenter**, San Carlos,
CA (US); **Andrew Grose**, San Carlos,
CA (US); **Mark Schulz**, San Carlos,
CA (US); **Brian Witlin**, San Carlos,
CA (US)(73) Assignee: **Whirlpool Corporation**, Benton
Harbor, MI (US)(**) Term: **15 Years**(21) Appl. No.: **29/708,163**(22) Filed: **Oct. 3, 2019**(51) LOC (13) Cl. **10-04**
(52) U.S. Cl.
USPC **D10/57; D9/430**(58) **Field of Classification Search**USPC D9/501, 517, 715, 718, 430; D10/52, 53,
D10/57, 60
CPC .. G01K 1/024; G01K 1/08; G01K 1/14; H02J
7/0027; B65D 85/38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | |
|---------------|------------------|---------------------------|
| 1,246,932 A * | 11/1917 Jones | B65D 5/6697
229/125.08 |
| 1,563,056 A * | 11/1925 Williams | A24F 15/12
221/64 |
| 2,256,637 A * | 9/1941 Anderson | H01R 43/058
439/877 |
| 2,594,012 A * | 4/1952 Griffin | G01F 15/14
220/323 |
| 2,645,334 A * | 7/1953 Aldridge | B65D 85/38
206/306 |
| D218,850 S * | 9/1970 Sato | D10/60 |

D218,851 S *	9/1970 Sato D10/60
D301,771 S *	6/1989 Bakic D28/76
6,309,717 B1 *	10/2001 Qiu B32B 29/00 138/141
D560,810 S *	1/2008 Hennessy D24/214
D630,941 S *	1/2011 Paredes D9/430
D795,101 S *	8/2017 Alla D10/57
D800,720 S *	10/2017 Kim D14/344
D807,208 S *	1/2018 Cruz D10/57

(Continued)

FOREIGN PATENT DOCUMENTS

CN	3625758	*	3/2007
EM	004246577-0001	*	9/2017

(Continued)

OTHER PUBLICATIONS

Wireless Digital Meat Thermometer Yummly <https://www.yummly.com/thermometer> May 8, 2020 (Year: 2020).*

Primary Examiner — Leanne Was-Englehart

(74) Attorney, Agent, or Firm — McGarry Bair PC

(57) **CLAIM**

The ornamental design for a meat probe housing, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a meat probe housing with the cover shown in a closed position, showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;


FIG. 4. is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a rear view thereof; and,

FIG. 7 is a front view thereof.

The broken lines depict portions of the meat probe housing that form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D808,192 S * 1/2018 Adam D6/552
D853,264 S * 7/2019 Laurans D10/118.2
D879,640 S * 3/2020 Jacob D10/118.2
D896,106 S * 9/2020 Gong D10/56
10,801,898 B2 * 10/2020 Pastore G01K 1/08
D900,658 S * 11/2020 Yu D10/118.2
2017/0254706 A1 * 9/2017 Ganrude G01K 1/08

FOREIGN PATENT DOCUMENTS

GB 2083107 * 7/1999
JP D1625902 * 3/2019

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7