US00D941693S

(12) United States Design Patent

Walliser et al.

(10) Patent No.: US D941,693 S
(45) Date of Patent: ** Jan. 25, 2022

(54) **SENSOR DEVICE**

(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)

(72) Inventors: **Marc Rene Walliser**, San Francisco, CA (US); **Marinus Jan de Putter**, Eindhoven (NL)

(73) Assignee: **Amazon Technologies, Inc.**

(**) Term: **15 Years**

(21) Appl. No.: **29/716,682**

(22) Filed: **Dec. 11, 2019**

(51) **LOC (13) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.6**; D10/52; D10/83

(58) **Field of Classification Search**
USPC D10/104.1, 106.1–106.6, 118, 46, 49, 52, D10/53, 56, 75, 83; D14/240, 358
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D217,037 S * 3/1970 Weinstock D10/106.6
D304,018 S * 10/1989 Nomizu D10/2
(Continued)

OTHER PUBLICATIONS

Fluke 3561 3502 FC Vibration Sensor Starter Kit | amazon.com; date first available Jul. 2018 [online], © 1996-2021, Amazon.com, Inc [retrieved Jun. 16, 2021] from Internet: <https://www.amazon.com/Fluke-FC-Vibration-3502-Gateway/dp/B07FXLQCSB?ref_=ast_sto_dp&th=1> (Year: 2018).*
(Continued)

Primary Examiner — Katherine Glennon

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(57) **CLAIM**

The ornamental design for a sensor device, as shown and described.

DESCRIPTION

FIG. **1** is a top, front, right-side perspective view of a first embodiment of a sensor device;
FIG. **2** is a bottom, front, left-side perspective view thereof;
FIG. **3** is a front view thereof;
FIG. **4** is a back view thereof;
FIG. **5** is a left-side view thereof;
FIG. **6** is a right-side view thereof;
FIG. **7** is a top view thereof;
FIG. **8** is a bottom view thereof;
FIG. **9** is a top, front, right-side perspective view of a second embodiment of a sensor device;
FIG. **10** is a bottom, front, left-side perspective view thereof;
FIG. **11** is a front view thereof;
FIG. **12** is a back view thereof;
FIG. **13** is a left-side view thereof;
FIG. **14** is a right-side view thereof;
FIG. **15** is a top view thereof;
FIG. **16** is a bottom view thereof;
FIG. **17** is a top, front, right-side perspective view of a third embodiment of a sensor device;
FIG. **18** is a bottom, front, left-side perspective view thereof;
FIG. **19** is a front view thereof;
FIG. **20** is a back view thereof;
FIG. **21** is a left-side view thereof;
FIG. **22** is a right-side view thereof;
FIG. **23** is a top view thereof; and,
FIG. **24** is a bottom view thereof.

The dashed broken lines depict portions of the sensor device that form no part of the claimed design. The dot-dashed broken lines represent boundaries of the claimed sensor device and form no part of the claimed design.

1 Claim, 24 Drawing Sheets



(58) **Field of Classification Search**
CPC G08B 13/02; G08B 13/08; G08B 13/1463; G08B 13/2491; G08B 13/16; G08B 13/18; G08B 13/1609; G08B 13/2494; G01P 1/02; G01P 1/07; G01P 3/00; G01P 3/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D342,914	S *	1/1994	Grieco	D10/106.6
D345,707	S *	4/1994	Alister	D10/81
D542,784	S *	5/2007	Franck	D14/240
D546,201	S *	7/2007	Bhavnani	D10/15
D577,206	S *	9/2008	Chang	D6/300
D612,329	S *	3/2010	Guccione	D13/108
D666,512	S *	9/2012	Gresko	D10/70
D698,072	S *	1/2014	Messisaen	D26/85
D704,578	S *	5/2014	Chen	D10/70
D726,179	S *	4/2015	Orthey	D14/358
D732,023	S *	6/2015	Asao	D14/358
D745,422	S *	12/2015	Lanini	D10/70
D757,586	S *	5/2016	Li	D10/106.6
D764,335	S *	8/2016	Thornton	D10/106.6
D788,624	S *	6/2017	Iritani	D10/106.5
D796,975	S *	9/2017	Jou	D10/70
D803,456	S *	11/2017	Yang	D26/85
D804,535	S *	12/2017	Gardner	D14/496
D817,313	S *	5/2018	Horito	D14/240
D819,254	S *	5/2018	Richardson	D26/85
D826,761	S *	8/2018	Lee	D10/106.1
D829,768	S *	10/2018	Lippitt	D14/496
D829,955	S *	10/2018	Recker	D26/85
D831,013	S *	10/2018	Jou	D14/242
D836,093	S *	12/2018	Burgess	D14/242
D836,202	S *	12/2018	Andrews	D24/167
D848,293	S *	5/2019	Laurans	D10/70
D848,294	S *	5/2019	Laurans	D10/70
D850,430	S *	6/2019	Wu	D14/240
D858,317	S *	9/2019	Hu	D10/53
D858,327	S *	9/2019	Matthews	D10/81
D861,225	S *	9/2019	Recker	D26/85
D866,551	S *	11/2019	Choi	D14/356
D882,435	S *	4/2020	Bodenstein	D10/98
D896,802	S *	9/2020	Ramones	D14/240

OTHER PUBLICATIONS

Amazon Monitron Sensors | amazon.com; no date available [online], © 1996-2021, Amazon.com, Inc [retrieved Jun. 16, 2021] from Internet: <https://www.amazon.co.uk/Amazon-Monitron-Sensors-pack-monitoring/dp/B0851JTCC1?th=1> (Year: 2021).*

Xfinity XB6 Gateway | ifworlddesignguide.com; Design Award 2018 [online]. © 2021 iF Design [retrieved Nov. 2, 2021] from Internet: <https://ifworlddesignguide.com/entry/232862-xfinity-xb6-gateway> (Year: 2018).*

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21



FIG. 22



FIG. 23



FIG. 24