

US00D941743S

(12) **United States Design Patent** (10) **Patent No.:** **US D941,743 S**
Adler (45) **Date of Patent:** **** Jan. 25, 2022**

(54) **CARRIER**
(71) Applicant: **Thule Sweden AB**, Hillerstorp (SE)
(72) Inventor: **Jan Adler**, Skillingaryd (SE)
(73) Assignee: **Thule Sweden AB**, Hillerstorp (SE)
(**) Term: **15 Years**
(21) Appl. No.: **29/739,331**
(22) Filed: **Jun. 24, 2020**
(51) **LOC (13) Cl.** **12-11**
(52) **U.S. Cl.**
USPC **D12/407**
(58) **Field of Classification Search**
USPC D12/407, 408, 406, 412, 414, 115
CPC .. B60R 9/06; B60R 9/10; B60R 9/045; B60R 9/048
See application file for complete search history.

D789,276 S 6/2017 Adler
D814,388 S * 4/2018 Salsi D12/408
D829,157 S 9/2018 Adler
D852,727 S 7/2019 Adler et al.
D855,551 S * 8/2019 Shen D12/412
D865,644 S * 11/2019 Furuya D12/408
2007/0164065 A1 * 7/2007 Davis B60R 9/10
224/324
2008/0053926 A1 * 3/2008 Foley B60R 9/048
211/17
2010/0078454 A1 * 4/2010 Sautter B60R 9/10
224/315
2017/0197557 A1 * 7/2017 Arvidsson B60R 9/10
2018/0022286 A1 * 1/2018 Settelmayer E05B 71/00
224/42.25
2019/0016270 A1 * 1/2019 Nordstrom B60R 9/10

* cited by examiner

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Clese Moore, Jr.
(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D393,241 S * 4/1998 Diotte D12/408
D460,401 S * 7/2002 Andersson D12/408
D562,217 S * 2/2008 Davis D12/408
D562,218 S * 2/2008 Foley D12/408
D566,034 S * 4/2008 Davis D12/408
D622,208 S * 8/2010 Sautter D12/408
D623,117 S * 9/2010 Farber D12/408
D635,086 S * 3/2011 Shen D12/408
D693,760 S * 11/2013 Weaver D12/408
D701,163 S * 3/2014 Kuschmeader D12/408
D703,130 S * 4/2014 Settelmayer D12/408
D703,605 S * 4/2014 Sautter D12/408
D717,723 S * 11/2014 Laverack D12/414
D731,400 S * 6/2015 Condon D12/408
D746,761 S * 1/2016 Cagampang D12/414
D759,571 S * 6/2016 Eriksson D12/408
D768,556 S * 10/2016 McFadden D12/414


(57) **CLAIM**

The ornamental design for a carrier, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a carrier showing the claimed design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a bottom perspective view thereof.
The broken lines in the figures show portions of the carrier that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8