



US00D941794S

(12) **United States Design Patent** (10) **Patent No.:** **US D941,794 S**
Meyerhoffer et al. (45) **Date of Patent:** **** Jan. 25, 2022**

(54) **INTERCOM**
(71) Applicant: **LATCH, INC.**, New York, NY (US)
(72) Inventors: **Thomas Meyerhoffer**, Montara, CA (US); **Luke Andrew Schoenfelder**, New York, NY (US); **Michael Caroselli**, Santa Cruz, CA (US); **Euan Scott Foster Abraham**, San Francisco, CA (US)
(73) Assignee: **LATCH SYSTEMS, INC.**, New York, NY (US)

D417,831 S 12/1999 Libby et al.
D429,139 S 8/2000 Ahn
D430,546 S 9/2000 Gibson
D437,771 S 2/2001 Barnes et al.
D494,841 S 8/2004 Moon et al.
D505,338 S 5/2005 Li
D508,393 S 8/2005 Gao et al.
D513,469 S 1/2006 Gao et al.
D519,100 S * 4/2006 Shioya D14/159
7,091,429 B2 8/2006 Case et al.
D561,734 S * 2/2008 Yamada D14/159
D562,306 S * 2/2008 Jeong D14/159
D620,917 S * 8/2010 Hattori D14/159
7,984,631 B2 7/2011 Case et al.
D684,490 S 6/2013 Nelson et al.
D696,569 S 12/2013 Luo
D738,186 S 9/2015 Nadgouda
D744,451 S * 12/2015 Takahata D14/142
D757,273 S 5/2016 Nelson et al.
D761,757 S * 7/2016 Michielan D14/159

(**) Term: **15 Years**

(21) Appl. No.: **29/712,722**

(22) Filed: **Nov. 11, 2019**

(51) **LOC (13) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/159**

(58) **Field of Classification Search**
USPC D14/302-307, 900-902, 159; D13/163; D20/10; D21/332, 325, 369, 370; D99/28; D6/397, 466; 194/206; 361/679.01, 679.02, 679.04, 679.21, 361/679.57, 725
CPC G06Q 20/18; G06Q 20/10; G06Q 20/123; G06Q 20/20; G06Q 30/02; G06Q 30/06; A47F 9/047

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,333 S 11/1976 Wise
D258,424 S 3/1981 Doggart
D365,976 S 1/1996 Chiu
5,564,294 A 10/1996 Chen
D380,133 S 6/1997 Rochette et al.
D408,403 S 4/1999 Solomita et al.

FOREIGN PATENT DOCUMENTS

EM 001147284-0001 8/2009

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Kacvinsky Daisak Bluni PLLC


(57) **CLAIM**

The ornamental design for an intercom, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an intercom; FIG. 2 is a front plan view thereof; FIG. 3 is a back plan view thereof; FIG. 4 is a left side plan view thereof; FIG. 5 is a right side plan view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D761,758 S *	7/2016	Michielan	D14/159
D772,692 S	11/2016	Meyerhoffer	
D773,281 S	12/2016	Meyerhoffer	
D773,428 S *	12/2016	Takahata	D14/159
D778,138 S	2/2017	Meyerhoffer	
D778,195 S	2/2017	Li	
D788,061 S *	5/2017	Siminoff	D14/159
D820,804 S *	6/2018	Nagatsuka	D14/159
D820,805 S *	6/2018	Nagatsuka	D14/159
10,083,559 B2	9/2018	Schoenfelder et al.	
D834,555 S *	11/2018	Shanes	D14/159
D839,761 S	2/2019	Schoenfelder et al.	
D842,262 S *	3/2019	Takahata	D14/159
D842,263 S *	3/2019	Takahata	D14/159
D844,582 S *	4/2019	Takahata	D14/159
D848,392 S *	5/2019	Zeng	D14/159

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7