



US00D942074S

(12) **United States Design Patent** (10) **Patent No.:** **US D942,074 S**  
**Dey et al.** (45) **Date of Patent:** **\*\* Jan. 25, 2022**

(54) **STAMPING DEVICE** D450,156 S \* 11/2001 Watanabe ..... D28/36  
D487,821 S \* 3/2004 Sugiyama ..... D28/36  
(71) Applicant: **Loxley LLC**, Henderson, CO (US) D492,066 S \* 6/2004 Cho ..... D28/36  
D559,449 S \* 1/2008 Lin ..... D28/36  
(72) Inventors: **Courtney Kathleen Dey**, Commerce D573,307 S \* 7/2008 Cho ..... D28/36  
City, CO (US); **David Noah Seis**, D607,147 S \* 12/2009 Sugawara ..... D28/36  
Commerce City, CO (US) D631,197 S \* 1/2011 Ljunggren ..... D28/36  
2004/0020505 A1 \* 2/2004 Sugiyama ..... A45D 2/48  
132/217  
(\*\*) Term: **15 Years** 2015/0083158 A1 \* 3/2015 Abraham ..... A45D 34/041  
132/317  
(21) Appl. No.: **29/652,214** 2020/0288802 A1 \* 9/2020 Lee ..... A41G 5/02  
2020/0323325 A1 \* 10/2020 Kim ..... A45D 2/48  
(22) Filed: **Jun. 12, 2020** 2021/0076795 A1 \* 3/2021 Giancaspro ..... A45D 2/48  
2021/0337949 A1 \* 11/2021 Ardin ..... A45D 2/48

**Related U.S. Application Data**

(63) Continuation of application No. 16/748,492, filed on Jan. 21, 2020.  
(51) **LOC (13) Cl.** ..... **28-03**  
(52) **U.S. Cl.**  
USPC ..... **D28/36; D28/7**  
(58) **Field of Classification Search**  
USPC ..... D28/7, 9, 10, 36  
CPC .. A45D 2/48; A45D 40/30; A45D 2200/1018;  
A45D 40/262; A41G 5/02  
See application file for complete search history.

**References Cited**

(56) **U.S. PATENT DOCUMENTS**  
5,524,649 A \* 6/1996 Suh ..... A45D 2/48  
132/216  
5,685,324 A \* 11/1997 Huang ..... A45D 2/48  
132/216  
D429,375 S \* 8/2000 Choi ..... D28/36  
D434,181 S \* 11/2000 Watanabe ..... D28/9  
D437,660 S \* 2/2001 Kim ..... D28/36

\* cited by examiner

*Primary Examiner* — Jennifer Rivard  
(74) *Attorney, Agent, or Firm* — FisherBroyles LLP; Ian R. Walsworth


(57) **CLAIM**

The ornamental design for a stamping device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the stamping device showing the new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a front elevation view thereof;  
FIG. 4 is a rear elevation view thereof;  
FIG. 5 is a right elevation view thereof;  
FIG. 6 is a left elevation view thereof;  
FIG. 7 is a top plan view thereof; and,  
FIG. 8 is a bottom plan view thereof.

**1 Claim, 8 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7






FIG.8