



US00D942225S

(12) **United States Design Patent**
Burga et al.

(10) **Patent No.:** **US D942,225 S**

(45) **Date of Patent:** **** Feb. 1, 2022**

(54) **CONTAINER BOOT**

(71) Applicant: **Helen of Troy Limited**, St. Michael (BB)

(72) Inventors: **Jeffrey Thomas Burga**, Bend, OR (US); **Benjamin Robert Hein**, Bend, OR (US); **Conor McNamara**, Montclair, NJ (US); **Justin William Taylor**, Bend, OR (US); **Jarett Alexander Volkoff**, Bend, OR (US)

(73) Assignee: **Helen of Troy Limited**, St. Michael (BB)

(**) Term: **15 Years**

(21) Appl. No.: **29/734,872**

(22) Filed: **May 15, 2020**

(51) **LOC (13) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D7/624.2**

(58) **Field of Classification Search**
USPC D3/215, 226, 229; D7/300, 316, 318, D7/503, 507, 509, 510, 511, 602, 605, D7/608, 619.1, 619.2, 624.2, 624.3, 625, D7/701, 710; D6/417; D8/388, 391, D8/392; D9/455
CPC .. A47J 41/00; A47J 43/00; A47J 47/00; A47J 47/02; A47J 47/08; A47G 19/2205; A47G 19/2272; A47G 19/2288; A47G 19/23; A47G 21/145; A47G 23/0241; A47G 23/0266; A47G 23/16; A45F 3/16; A45F 2200/0583; A45F 2003/002; A45F 2005/006; A45F 3/02; A45F 5/00; B65D 1/265; B65D 3/22; B65D 23/08; B65D 23/0885; B65D 81/3453; B65D 81/3865; B65D 81/3881; B65D 81/3883; B65D 81/3886; B65D 81/3879; F25D 3/08; F25D 3/12; F25D 3/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D267,332 S * 12/1982 Pirovano D19/85
D519,324 S * 4/2006 Martin D7/590
D618,065 S * 6/2010 Joy A47G 23/0216
D7/624.2

(Continued)

Primary Examiner — Joseph Kukella

Assistant Examiner — Darryl J Dardenne

(74) *Attorney, Agent, or Firm* — Rankin, Hill & Clark LLP


(57) **CLAIM**

The ornamental design for a container boot, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a new, original and ornamental design for a container boot according to one aspect of the present disclosure;
FIG. 2 is a front elevation of FIG. 1;
FIG. 3 is a rear elevation view of FIG. 1;
FIG. 4 is a left side elevation view of FIG. 1;
FIG. 5 is a right side elevation view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1;
FIG. 7 is a bottom plan view of FIG. 1;
FIG. 8 is a bottom perspective view of FIG. 1;
FIG. 9 is a top perspective view of a new, original and ornamental design for a container boot according to another aspect of the present disclosure;
FIG. 10 is a front elevation of FIG. 9;
FIG. 11 is a rear elevation view of FIG. 9;
FIG. 12 is a left side elevation view of FIG. 9;
FIG. 13 is a right side elevation view of FIG. 9;
FIG. 14 is a top plan view of FIG. 9;
FIG. 15 is a bottom plan view of FIG. 9; and,
FIG. 16 is a bottom perspective view of FIG. 9.
The broken lines in the drawings depict portions of the container boot that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D621,259	S *	8/2010	Joy	D9/444
D622,553	S *	8/2010	Bollenbacher	D7/624.2
D629,259	S *	12/2010	Joy	D7/624.2
8,579,133	B2	11/2013	Marcus	
D700,806	S	3/2014	Joy	
D701,091	S *	3/2014	Joy	B65D 23/001 D7/624.2
D707,087	S	6/2014	Joy	
D772,021	S *	11/2016	Joy	D7/624.2
D784,090	S *	4/2017	Mellentine	D7/624.2
D802,375	S *	11/2017	Kao	D7/624.2
D824,732	S *	8/2018	Hsiao	D7/624.2
D841,407	S *	2/2019	Hsiao	D7/624.2
D842,051	S *	3/2019	Laustsen	D7/624.2
D845,073	S	4/2019	Liu	
D848,792	S	5/2019	Duvigneau	
D875,478	S *	2/2020	Bingham	A47G 23/0216 D7/608
D885,143	S *	5/2020	Egorov	D7/624.2
D915,832	S *	4/2021	Nelson	B65D 23/001 D7/624.2
D935,630	S *	11/2021	Lane	D24/199

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16