

US00D942382S

(12) **United States Design Patent** (10) **Patent No.:** **US D942,382 S**
Alves (45) **Date of Patent:** **** Feb. 1, 2022**

(54) **DEVICE CHARGING CRADLE**

(71) Applicant: **Scosche Industries, Inc.**, Oxnard, CA (US)

(72) Inventor: **Kasidy Alves**, Oxnard, CA (US)

(73) Assignee: **Scosche Industries, Inc.**, Oxnard, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/750,420**

(22) Filed: **Sep. 14, 2020**

Related U.S. Application Data

(63) Continuation of application No. 29/688,026, filed on Apr. 17, 2019, now Pat. No. Des. 898,666.

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/107–110, 118–119, 184; D14/251, D14/253, 432, 434
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0013; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D431,250 S 9/2000 Richter
D456,024 S 4/2002 Richter
D566,118 S 4/2008 Brassard

D685,380 S * 7/2013 Richter D14/447
D705,211 S * 5/2014 Huang D14/253
D778,714 S * 2/2017 McSweyn D8/373
D792,416 S * 7/2017 Tsai D14/447
D847,800 S 5/2019 Wengreen
D848,443 S 5/2019 Yao et al.
D858,509 S 9/2019 Yao et al.
D859,393 S * 9/2019 Dang D14/253
D859,395 S 9/2019 Yao et al.
D862,454 S 10/2019 Chun
D872,014 S 1/2020 Zhang et al.
D873,260 S 1/2020 Dang et al.
D875,090 S 2/2020 Leeds-Frank et al.
D877,066 S 3/2020 Zhang
D877,741 S * 3/2020 Leeds-Frank D14/447
D877,742 S * 3/2020 Yao D14/447
D879,766 S 3/2020 Fan
D892,787 S * 8/2020 Chen D14/253
D894,829 S * 9/2020 Zhang D13/108

(Continued)

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Stetina Brunda Garred & Brucker


(57) **CLAIM**

The ornamental design for a device charging cradle, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a device charging cradle showing my new design;
FIG. 2 is a front perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a right side view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines in the figures depict portions of the device charging cradle which form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D894,891 S	*	9/2020	Zhang	D14/253
D895,601 S	*	9/2020	Liao	D14/253
D895,602 S	*	9/2020	Cheng	D14/253
D898,666 S	*	10/2020	Alves	D13/108

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8