



US00D942403S

(12) **United States Design Patent** (10) **Patent No.:** **US D942,403 S**
McPherson et al. (45) **Date of Patent:** **** Feb. 1, 2022**

(54) **POWER MODULE HAVING PIN FINS**

(71) Applicant: **Cree Fayetteville, Inc.**, Fayetteville, AR (US)
(72) Inventors: **Brice McPherson**, Fayetteville, AR (US); **Matthew Feurtado**, Fayetteville, AR (US)
(73) Assignee: **WOLFSPEED, INC.**, Durham, NC (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/710,592**
(22) Filed: **Oct. 24, 2019**
(51) **LOC (13) Cl.** **13-03**
(52) **U.S. Cl.**
USPC **D13/179**; D13/110
(58) **Field of Classification Search**
USPC D13/110, 123, 124, 158, 162, 179, 182, D13/184; D5/60
CPC H03K 3/57; H05K 5/00; H05K 5/0069; H05K 9/0037; H05K 7/1432; H01L 2223/6644; H02M 7/003; F28F 1/006
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D109,235 S * 4/1938 Smith D5/59
3,421,578 A * 1/1969 Marton H01F 27/085
165/186
3,790,859 A * 2/1974 Schraeder H01L 23/49541
361/694
4,638,858 A * 1/1987 Chu F28F 13/12
165/181
D291,845 S * 9/1987 Lamborghini D12/580
(Continued)

FOREIGN PATENT DOCUMENTS

JP D1411990 S 4/2011
JP D1495189 S 4/2014
(Continued)

OTHER PUBLICATIONS

“IGBT power semiconductor module” M & E, published by Kogyo Chosakai, vol. 33, No. 7, Jul. 1, 2006, pp. 137, Product No. KAL100, Special License Office Design Division Publicly known document No. HA1800853600 [With machine-generated translation].

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — BakerHostetler

(57) **CLAIM**


We claim the ornamental design for a power module having pin fins, as shown and described.

DESCRIPTION

FIG. 1 is a front right side perspective view of a power module having pin fins;
FIG. 2 is a bottom right side perspective view of the power module having pin fins shown in FIG. 1;
FIG. 3 is a top view of the power module having pin fins shown in FIG. 1;
FIG. 4 is a left side view of the power module having pin fins shown in FIG. 1;
FIG. 5 is a right side view of the power module having pin fins shown in FIG. 1;
FIG. 6 is a bottom view of the power module having pin fins shown in FIG. 1;
FIG. 7 is a back side view of the power module having pin fins shown in FIG. 1; and,
FIG. 8 is a front side view of the power module having pin fins shown in FIG. 1.

The subject matter shown in dashed lines, and any surfaces of the design not shown, including interior surfaces, form no part of the claimed invention.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,241,453 A * 8/1993 Bright H01L 23/4093
 174/351
 D341,944 S * 12/1993 Peter D5/53
 D364,385 S 11/1995 Shimizu et al.
 5,725,051 A * 3/1998 Veltkamp F28F 21/06
 165/164
 D398,295 S * 9/1998 Chang D13/179
 6,601,299 B2 * 8/2003 Stikeleather B21C 37/16
 29/890.048
 6,952,347 B2 * 10/2005 Baeumel H01L 23/3677
 361/710
 D511,251 S * 11/2005 Wong D5/53
 D611,255 S * 3/2010 Ko D5/56
 7,751,192 B2 * 7/2010 Abul-Haj F28F 3/02
 361/703
 D622,228 S * 8/2010 Huang D13/179
 D622,230 S * 8/2010 Yan D13/179
 D627,746 S * 11/2010 Yan D13/179
 D672,154 S * 12/2012 Huss D5/56
 D672,729 S * 12/2012 Lin D13/179
 D673,124 S * 12/2012 Lin D13/179
 8,441,275 B1 5/2013 Alladio
 D699,908 S * 2/2014 Fang D32/40
 D719,537 S 12/2014 Kawase et al.
 9,255,745 B2 * 2/2016 Bertolotti F28F 1/124
 9,291,404 B2 * 3/2016 Tamura F28F 3/048
 D757,450 S * 5/2016 Sierra D5/53
 D772,184 S 11/2016 Soyano et al.
 D775,091 S * 12/2016 Edenharter D13/182
 D810,706 S 2/2018 Soyano et al.
 D822,626 S * 7/2018 Reilly F21V 29/81
 D13/179
 10,020,237 B2 7/2018 Hoehn et al.
 10,297,525 B2 * 5/2019 Gong H01L 23/3677
 10,302,371 B2 * 5/2019 Kadijk F21V 29/81
 D903,590 S * 12/2020 McPherson D13/110
 10,957,621 B2 * 3/2021 Williams H01L 21/4871
 11,071,234 B2 * 7/2021 Huitink F28F 13/06
 11,078,847 B2 * 8/2021 Porter F02C 7/24
 2004/0150956 A1 * 8/2004 Conte H01L 23/3677
 361/709
 2007/0119568 A1 * 5/2007 Weber H01L 23/3677
 165/80.4
 2008/0066888 A1 * 3/2008 Tong H01L 23/3677
 165/80.3
 2009/0145581 A1 * 6/2009 Hoffman H01L 23/473
 165/80.3

2009/0309524 A1 12/2009 Rider et al.
 2012/0001227 A1 * 1/2012 Takahashi H02M 7/003
 257/140
 2012/0207591 A1 * 8/2012 Lee F01D 5/187
 415/191
 2013/0105961 A1 5/2013 Jones et al.
 2014/0029199 A1 * 1/2014 Dede F28F 3/048
 361/699
 2014/0091453 A1 * 4/2014 Mori F28F 13/06
 257/712
 2014/0198475 A1 7/2014 Menzies et al.
 2014/0376184 A1 * 12/2014 Gohara H01L 23/473
 361/689
 2015/0137871 A1 5/2015 Takano
 2015/0146377 A1 * 5/2015 You H05K 7/20927
 361/707
 2015/0327394 A1 * 11/2015 Davis H01L 23/3677
 361/720
 2020/0102839 A1 * 4/2020 Heneveld F01D 5/187
 2020/0144140 A1 * 5/2020 Trussel H01L 21/481
 2020/0388556 A1 * 12/2020 Tsuyuno H02M 7/5387
 2021/0285727 A1 * 9/2021 Aute F28F 9/02

FOREIGN PATENT DOCUMENTS

JP D1495703 S 4/2014
 JP D1530509 S 8/2015
 JP D1660547 S 6/2020
 JP D1660592 S 6/2020
 JP D1660593 S 6/2020
 KR 30-0236239 S 5/1999
 KR 30-0255614 S 4/2000

OTHER PUBLICATIONS

“Semiconductor devices for electric power” 2003 CVCF constant voltage, constant frequency uninterruptible power supply (UPS) catalog, 2004, Domestic Catalog No. 262, p. 3, Public Document No. HC1605031600, Design Division, Japan Patent Office; retrieved from the Internet on Mar. 1, 2005 [With machine-generated translation].

German Design Bulletin, vol. 3, Feb. 25, 1995, p. 979, Register No. M9407438, Design Nos. M9407438-0001, M9407438-0002 and M9407438-0003; Public Document No. HH08013675, Design Division, Japan Patent Office [With machine-generated translation].

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8