

US00D942406S

(12) **United States Design Patent** (10) **Patent No.:** **US D942,406 S**
Vinciarelli et al. (45) **Date of Patent:** **** Feb. 1, 2022**

(54) **ELECTRIC TERMINAL**

(56) **References Cited**

(71) Applicant: **VLT, Inc.**, Sunnyvale, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Patrizio Vinciarelli**, Boston, MA (US);
Michael LaFleur, East Hampstead, NH (US)

3,579,046 A 5/1971 Jordan
4,338,621 A 7/1982 Braun
4,698,663 A 10/1987 Sugimoto et al.
D317,300 S 6/1991 Hasegawa et al.
5,066,999 A 11/1991 Casper

(Continued)

(73) Assignee: **VICOR CORPORATION**, Andover, MA (US)

OTHER PUBLICATIONS

(**) Term: **15 Years**

Mitsubishi Electric Corporation, Release No. 2647, Mitsubishi Electric Launches 1200V/50A Large-Type Dual In-Line Package Intelligent Power Module, Jan. 26, 2012, 2 pages.

(21) Appl. No.: **29/723,349**

(Continued)

(22) Filed: **Feb. 6, 2020**

Related U.S. Application Data

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(60) Division of application No. 29/669,185, filed on Nov. 6, 2018, now Pat. No. Des. 877,708, which is a continuation of application No. 29/614,894, filed on Aug. 24, 2017, now Pat. No. Des. 834,548, which is a division of application No. 29/556,621, filed on Mar. 2, 2016, now Pat. No. Des. 798,249, which is a division of application No. 29/470,060, filed on Oct. 17, 2013, now Pat. No. Des. 754,083.

(57) **CLAIM**

The ornamental design for an electric terminal, as shown and described.

(51) **LOC (13) Cl.** **13-03**



(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182; 257/678, 690; 361/679.31, 361/719, 720, 752, 777, 820
CPC H01L 21/00; H01L 21/02; H01L 23/3675; H01L 23/3677; H01L 23/48; H01L 23/481; H01L 23/50; H01L 23/482; H01L 23/52; H01L 23/498; H01L 23/49808; H01L 23/49811; H05K 7/1422; H05K 7/1424; H05K 7/1427; H05K 7/1428
See application file for complete search history.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of an electric terminal showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
Broken lines formed by equal length dashes show unclaimed portions of the design. Broken lines formed of unequal length dashes (i.e., dash-dot) show boundaries between claimed and unclaimed portions of the design. The equal length broken lines having a jagged z-shaped element form no part of the claimed design and are shown broken away to indicate that no particular length or width of the portion between the break lines is claimed.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D363,920 S * 11/1995 Roberts D13/182
5,742,005 A 4/1998 Saka et al.
5,757,082 A 5/1998 Shibata
5,994,772 A 11/1999 Shin
6,078,505 A 6/2000 Turudic
6,348,742 B1 2/2002 Macpherson
6,391,681 B1 5/2002 Corisis
D466,093 S 11/2002 Ebihara et al.
6,476,505 B2 11/2002 Nakamura
6,483,038 B2 11/2002 Lee et al.
6,494,723 B2 12/2002 Yamane et al.
D471,167 S 3/2003 Hitoshi et al.
6,537,850 B1 3/2003 Corisis
D485,536 S 1/2004 Dang et al.
6,723,924 B2 4/2004 Yuasa et al.
6,753,482 B1 6/2004 Schoenfeld et al.
6,905,347 B2 6/2005 Kobayashi
D540,272 S 4/2007 Higashibata
D547,371 S 7/2007 Miller
D601,520 S 10/2009 Yokota et al.
D612,347 S 3/2010 Yokota et al.
7,709,292 B2 5/2010 Sadwick et al.
D633,054 S 2/2011 Fujihara et al.
D633,450 S 3/2011 Fujihara et al.
D638,809 S 5/2011 Morikawa et al.
D638,810 S 5/2011 Morikawa et al.
D684,547 S 6/2013 Kawachi et al.
D690,277 S 9/2013 Matsuhisa et al.

D690,672 S 10/2013 Yoshida et al.
D694,200 S 11/2013 Matsuhisa et al.
D699,201 S 2/2014 Petsch
D708,594 S 7/2014 Kiriara et al.
D708,595 S 7/2014 Kiriara et al.
8,966,747 B2 * 3/2015 Vinciarelli H05K 5/0247
29/832
D730,304 S 5/2015 Matsumoto et al.
D736,213 S 8/2015 Kang et al.
D736,216 S 8/2015 Kang et al.
D754,083 S 4/2016 Vinciarelli et al.
D775,092 S 12/2016 Vinciarelli et al.
D775,093 S 12/2016 Vinciarelli et al.
D798,249 S 9/2017 Vinciarelli et al.
9,936,580 B1 * 4/2018 Vinciarelli H05K 7/20409
D834,548 S * 11/2018 Vinciarelli D13/182
D877,708 S * 3/2020 Vinciarelli D13/182
10,785,871 B1 * 9/2020 Vinciarelli H05K 3/243
2006/0097374 A1 5/2006 Egawa
2009/0004776 A1 1/2009 Ye et al.
2014/0070381 A1 3/2014 Doi et al.
2014/0099805 A1 4/2014 Kutchery et al.
2014/0106621 A1 4/2014 Wu
2014/0355218 A1 * 12/2014 Vinciarelli B29C 45/14639
361/728

OTHER PUBLICATIONS

Protek Devices, Package Outline, 16 Pin Drip Package, 2000, 2 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7