

US00D942841S

(12) **United States Design Patent**
Hoch et al.

(10) **Patent No.:** **US D942,841 S**
(45) **Date of Patent:** **** Feb. 8, 2022**

- (54) **SECUREMENT DEVICE**
- (71) Applicant: **Hoch Brands, LLC.**, Wilmington, DE (US)
- (72) Inventors: **Charles V. Hoch**, Wilmington, DE (US); **Bruce A. Hoch**, Wilmington, DE (US)
- (73) Assignee: **HOCH BRANDS, LLC.**, Wilmington, DE (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/803,211**
- (22) Filed: **Aug. 11, 2021**
- (51) **LOC (13) Cl.** **09-06**
- (52) **U.S. Cl.**
USPC **D8/356**; D3/318; D3/327
- (58) **Field of Classification Search**
USPC D8/354, 356, 349, 367, 323; D3/318, D3/327, 328, 328.1, 315, 255
CPC ... A45F 3/04; A45F 5/10; A63B 55/00; A45C 13/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

312,264 A	2/1885	Freeman et al.	
363,532 A	5/1887	Miles	
3,739,961 A	6/1973	Soukeras	
4,750,652 A *	6/1988	Grant	A45F 5/00 224/579
D426,065 S *	6/2000	Deveaux	D3/327
6,152,342 A *	11/2000	Suk	A63B 55/408 224/259
6,283,350 B1 *	9/2001	Gottmeier	A45F 3/04 224/627
6,460,747 B1 *	10/2002	Tuerschmann	A45F 3/14 206/315.3

7,131,534 B2 *	11/2006	Enes	A45F 3/14 206/315.3
8,584,323 B2	11/2013	Pang	
D703,027 S *	4/2014	Vick	D8/356
D707,449 S *	6/2014	Enes	D3/318
D707,450 S *	6/2014	Enes	D3/318
9,162,604 B2	10/2015	Thurlow	
D810,443 S *	2/2018	Burgess	D3/318
D844,994 S *	4/2019	Pacha	D3/327
10,245,486 B2 *	4/2019	Burgess	A63B 55/408
D848,743 S *	5/2019	Grote	D3/327
10,610,002 B2 *	4/2020	Pacha	A44B 11/00
D890,524 S	7/2020	Pacha et al.	
10,932,545 B2 *	3/2021	Pacha	A63B 55/408

(Continued)

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Arent Fox LLP



(57) **CLAIM**

The ornamental design for a securement device, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a securement device showing our new design;
 FIG. 2 is a rear right perspective view of the design shown in FIG. 1;
 FIG. 3 is a front view of the design shown in FIG. 1;
 FIG. 4 is a rear view of the design shown in FIG. 1;
 FIG. 5 is a right side view of the design shown in FIG. 1;
 FIG. 6 is a left side view of the design shown in FIG. 1;
 FIG. 7 is a front view of the design shown in FIG. 1; and,
 FIG. 8 is a bottom view of the design shown in FIG. 1.
 The broken lines shown in the figures are included for the purpose of illustrating portions of the securement device and form no part of the claimed design. The dash-dot-dash broken lines in FIGS. 1-4 illustrate the boundary of the claimed design which forms no part thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D922,299 S 6/2021 Welsh
2020/0376354 A1 12/2020 Martell

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8