

US00D942849S

(12) **United States Design Patent** (10) **Patent No.:** **US D942,849 S**
Nishida (45) **Date of Patent:** **** Feb. 8, 2022**

(54) **PACKAGING CONTAINER**

(71) Applicant: **MITSUBISHI PENCIL COMPANY, LIMITED**, Tokyo (JP)

(72) Inventor: **Tsuyoshi Nishida**, Tokyo (JP)

(73) Assignee: **MITSUBISHI PENCIL COMPANY, LIMITED**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/685,084**

(22) Filed: **Mar. 26, 2019**

(30) **Foreign Application Priority Data**

Sep. 28, 2018 (JP) 2018-021353
Sep. 28, 2018 (JP) 2018-021354

(51) **LOC (13) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/418**

(58) **Field of Classification Search**
USPC D9/418, 414, 415, 721, 420; D3/206,
D3/273; D25/138; D23/386, 393
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,879,029 A * 9/1932 Baumgard B65D 5/5206
206/45.21
4,681,234 A * 7/1987 Wisniewski B25H 3/003
206/377

(Continued)

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Andrew F. Young, Esq.;
Nolte Lackenbach Siegel

(57) **CLAIM**

The ornamental design for a packaging container, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the first embodiment of a packaging container showing my new design;

FIG. 2 is a rear perspective view of FIG. 1;
FIG. 3 is a front elevational view of FIG. 1;
FIG. 4 is a rear elevational view of FIG. 1;
FIG. 5 is a right side elevational view of FIG. 1; the left side elevational view of FIG. 1 is a mirror image of the right side elevational view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1; the bottom plan view of FIG. 1 is a mirror image of the top plan view of FIG. 1;
FIG. 7 is a front perspective view of the lid and case of the packaging container in FIG. 1;
FIG. 8 is a rear perspective view of FIG. 7;
FIG. 9 is a front elevational view of FIG. 7;
FIG. 10 is a rear elevational view of FIG. 7;
FIG. 11 is a right side elevational view of FIG. 7; the left side elevational view of FIG. 7 is a mirror image of the right side elevational view of FIG. 7;
FIG. 12 is a top plan view of FIG. 7; the bottom plan view of FIG. 7 is a mirror image of the top plan view of FIG. 7;
FIG. 13 is a front perspective view of the lid of the packaging container of FIG. 1;
FIG. 14 is a rear perspective view of FIG. 13;
FIG. 15 is a right side elevational view of FIG. 13; the left side elevational view of FIG. 13 is a mirror image of the right side elevational view of FIG. 13;
FIG. 16 is a top plan view of FIG. 13; the bottom plan view of FIG. 13 is a mirror image of the top plan view of FIG. 13;
FIG. 17 is a front perspective view of the case of the packaging container in FIG. 1;
FIG. 18 is a rear perspective view of FIG. 17;
FIG. 19 is a front elevational view of FIG. 17;
FIG. 20 is a rear elevational view of FIG. 17;
FIG. 21 is a right side elevational view of FIG. 17; the left side elevational view of FIG. 17 is a mirror image of the right side elevational view of FIG. 17;
FIG. 22 is a top plan view of FIG. 17; the bottom plan view of FIG. 17 is a mirror image of the top plan view of FIG. 17;
FIG. 23 is a front perspective view of the second embodiment of a packaging container showing my new design;
FIG. 24 is a rear perspective view of FIG. 23;
FIG. 25 is a front elevational view of FIG. 23;
FIG. 26 is a rear elevational view of FIG. 23;

(Continued)




FIG. 27 is a right side elevational view of FIG. 23; the left side elevational view of FIG. 23 is a mirror image of the right side elevational view of FIG. 23;

FIG. 28 is a top plan view of FIG. 23; the bottom plan view of FIG. 23 is a mirror image of the top plan view of FIG. 23; FIG. 29 is a front perspective view of the lid and case of the packaging container in FIG. 23;

FIG. 30 is a rear perspective view of FIG. 29;

FIG. 31 is a front view of FIG. 29;

FIG. 32 is a rear view of FIG. 29;

FIG. 33 is a right side elevational view of FIG. 29; the left side elevational view of FIG. 29 is a mirror image of the right side elevational view of FIG. 29;

FIG. 34 is a top plan view of FIG. 29; the bottom plan view of FIG. 29 is a mirror image of the top plan view of FIG. 29; FIG. 35 is a front perspective view of the lid of the packaging container of FIG. 23;

FIG. 36 is a rear perspective view of FIG. 35;

FIG. 37 is a right side elevational view of FIG. 35; the left side elevational view of FIG. 35 is a mirror image of the right side elevational view of FIG. 35;

FIG. 38 is a top plan view of FIG. 35; the bottom plan view of FIG. 35 is a mirror image of the top plan view of FIG. 35; FIG. 39 is a front perspective view of the case of the packaging container in FIG. 23;

FIG. 40 is a rear perspective view of FIG. 39;

FIG. 41 is a front elevational view of FIG. 39;

FIG. 42 is a rear elevational view of FIG. 39;

FIG. 43 is a right side elevational view of FIG. 39; the left side elevational view of FIG. 39 is a mirror image of the right side elevational view of FIG. 39; and,

FIG. 44 is a top plan view of FIG. 39; the bottom plan view of FIG. 39 is a mirror image of the top plan view of FIG. 39.

In the drawings, the broken lines are for the purpose of illustrating portions of the packaging container which form no part of the claimed design.

1 Claim, 25 Drawing Sheets

(58) Field of Classification Search

CPC B41J 32/02; H01M 8/0213; A45C 11/34;
A45C 11/24; B01L 9/543; B25H 3/003;
B65D 5/5206

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D291,412	S *	8/1987	Chodorow		D9/721
D317,867	S *	7/1991	Platte		D9/415
5,248,030	A *	9/1993	Tarozzi		A45C 11/24 206/1.7
5,538,350	A *	7/1996	Suzuki		B41J 32/02 400/196
D400,435	S *	11/1998	Appelbaum		D9/415
D434,647	S *	12/2000	Appelbaum		D9/415
6,364,100	B1 *	4/2002	Leibeck		A45C 11/24 206/443
D654,162	S *	2/2012	Sykes		D23/393
8,900,533	B2 *	12/2014	Cohen		B01L 9/543 422/564
D720,927	S *	1/2015	Liao		D3/273
D732,155	S *	6/2015	Purnell		D23/386
D848,730	S *	5/2019	Copier		D3/206
D849,271	S *	5/2019	Power		D25/138
D907,477	S *	1/2021	Lavoro		D9/418
D918,029	S *	5/2021	Reaux		D9/415
D918,711	S *	5/2021	Noyori		D9/420
2010/0099000	A1 *	4/2010	Kanba		H01M 8/0213 429/532
2017/0245611	A1 *	8/2017	Brown, Jr.		A45C 11/34

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38



FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44

