



US00D943093S

(12) **United States Design Patent** (10) **Patent No.:** **US D943,093 S**
Doerr (45) **Date of Patent:** **** Feb. 8, 2022**

(54) **MOUNT FOR AN INDICATOR OR INSTRUMENT**

(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)

(72) Inventor: **Daniel Doerr**, Stuttgart (DE)

(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/724,413**

(22) Filed: **Feb. 14, 2020**

(30) **Foreign Application Priority Data**

Aug. 16, 2019 (EM) 006723854

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/128; D14/238**

(58) **Field of Classification Search**
USPC D24/128; D13/107; D14/434, 371, 238,
D14/217, 224, 251-253, 440, 447, 451,
D14/452; D12/415; D10/98
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------------|--------|----------|-------|------------|
| D547,863 S * | 7/2007 | Heinsch | | D24/128 |
| D569,973 S * | 5/2008 | Oren | | D24/133 |
| D609,030 S * | 2/2010 | Barabas | | D14/238 |
| D676,371 S * | 2/2013 | Son | | D12/415 |
| D749,549 S * | 2/2016 | Wengreen | | D14/238.1 |
| D796,735 S * | 9/2017 | Foleghi | | D27/107 |
| D808,021 S * | 1/2018 | Coonahan | | D24/186 |
| D845,960 S * | 4/2019 | Yao | | D14/447 |
| 10,315,585 B2 * | 6/2019 | Minn | | F16B 2/065 |
| D858,509 S * | 9/2019 | Yao | | D14/253 |
| D859,395 S * | 9/2019 | Yao | | D14/253 |
| D873,814 S * | 1/2020 | Yang | | D14/253 |

| | | | | |
|-------------------|---------|-----------|-------|---------------------------|
| D884,165 S * | 5/2020 | deBock | | D24/128 |
| D886,094 S * | 6/2020 | Xu | | D14/253 |
| D899,431 S * | 10/2020 | Burns | | D14/447 |
| D921,202 S * | 6/2021 | Al-Ali | | D24/165 |
| 2012/0223196 A1 * | 9/2012 | Musselman | | B60R 11/02 248/220.21 |
| 2013/0048811 A1 * | 2/2013 | Tseng | | F16M 13/02 248/220.21 |
| 2015/0336682 A1 * | 11/2015 | Farnes | | F16M 11/2028 248/291.1 |

(Continued)

Primary Examiner — Natasha Vujcic

Assistant Examiner — Gilbert B Ford

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck LLP


(57) **CLAIM**

The ornamental design for a mount for an indicator or instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a mount for an indicator or instrument showing my new design; FIG. 2 is a right side elevational view of the mount for an indicator or instrument of FIG. 1; FIG. 3 is a left side elevational view of the mount for an indicator or instrument of FIG. 1; FIG. 4 is a bottom plan view of the mount for an indicator or instrument of FIG. 1; FIG. 5 is a top plan view of the mount for an indicator or instrument of FIG. 1; FIG. 6 is a front side elevational view of the mount for an indicator or instrument of FIG. 1; and, FIG. 7 is a rear side elevational view of the mount for an indicator or instrument of FIG. 1. The broken lines shown in the drawings illustrate portions of the mount for an indicator or instrument that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0072872 A1* 3/2017 Balmer F16M 11/14
2018/0043840 A1* 2/2018 Minn B60R 11/02
2020/0254940 A1* 8/2020 Dang B60R 11/0252

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7