

(12)

United States Design Patent

Niles et al.

(10)

Patent No.:

US D943,413 S

(45)

Date of Patent:

** Feb. 15, 2022

(54) **BOTTLE STOPPER**

(71) Applicants: **Ruth Niles**, Newville, PA (US); **Paul Holmes**, Moscow Mills, MO (US)

(72) Inventors: **Ruth Niles**, Newville, PA (US); **Paul Holmes**, Moscow Mills, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/746,730**

(22) Filed: **Aug. 17, 2020**

(51) **LOC (13) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/439**

(58) **Field of Classification Search**
USPC D3/12, 16, 17; D7/393, 394, 396, 397, D7/398, 387, 391, 392.1, 396.1, 396.2, D7/401.1, 402, 507, 511, 538, 388; D9/434, 435, 436, 438, 439, 440, 445, D9/446, 447, 454; D23/209, 233, 238, D23/259, 260, 261; D26/22, 23; D34/7, D34/10, 11
CPC ... B01L 3/50825; B01L 9/00; B65D 81/2038; B65D 81/20; A61J 1/1418; A61J 1/14; A61J 1/1406; A61J 1/1412; A61M 1/0001; A61M 1/0003; A61M 1/0011; B65B 31/00; B65B 55/10; B67C 11/02
See application file for complete search history.

D633,753	S	*	3/2011	White		D7/398
D639,657	S	*	6/2011	Hoyt		D9/439
D644,064	S	*	8/2011	DuBois		D7/507
D658,987	S	*	5/2012	Pauser		D9/454
8,783,486	B1	*	7/2014	Hoyt		B65D 81/2038 215/364
D758,853	S	*	6/2016	Seeuwen		D9/439
D776,976	S	*	1/2017	Shin		D7/398
D780,574	S	*	3/2017	Seeuwen		D9/439
D807,114	S	*	1/2018	Niles		D7/392.1
D815,524	S	*	4/2018	Seeuwen		D9/439
D826,046	S	*	8/2018	Niles		D9/439
D844,117	S	*	3/2019	Kennison		D23/260
D859,948	S	*	9/2019	Niles		D8/33
D867,132	S	*	11/2019	Callaars		D9/439
D875,524	S	*	2/2020	Holmes		D9/439

(Continued)

OTHER PUBLICATIONS

Ruth Niles Bottle Stopper: Announced Feb. 10, 2020 [online]. Site Visited [Nov. 1, 2021]. Available from Internet URL: https://nilesbottlestoppers.com/product/ss-8000/#reviews.*

Primary Examiner — Catherine S Posthauer
(74) Attorney, Agent, or Firm — Steve O'Donnell


(57) **CLAIM**
We claim the ornamental design for a bottle stopper, as shown.

DESCRIPTION

FIG. 1 is a top view of the bottle stopper showing our design; FIG. 2 is a left side view thereof; FIG. 3 is a front view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a bottom view thereof; FIG. 6 is a rear view thereof; FIG. 7 is an exploded top perspective view thereof; FIG. 8 is a top perspective view thereof; and, FIG. 9 is a bottom perspective view thereof.

1 Claim, 2 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
D56,108 S * 8/1920 Rustant D9/439
D122,942 S * 10/1940 Grunberg D9/439
D128,167 S * 7/1941 Lorenzen D9/439
D216,386 S * 12/1969 Suggs D9/434
D451,337 S * 12/2001 Sum D7/387
D459,227 S * 6/2002 Liebmann, Jr. D9/439
D575,639 S * 8/2008 Seeuwen D9/439
D580,756 S * 11/2008 Seebold D9/439



(56) **References Cited**

U.S. PATENT DOCUMENTS

D887,206	S	*	6/2020	Giardullo	D7/398
D904,113	S	*	12/2020	Batie	D7/396.2
D907,977	S	*	1/2021	Niles	D8/40
D926,571	S	*	8/2021	Ma	D9/439
2010/0043917	A1	*	2/2010	Kitchener	F25D 23/12
					141/65
2011/0220606	A1	*	9/2011	Alipour	B65D 39/0064
					215/230

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 9




FIG. 6




FIG. 7