



US00D943523S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D943,523 S**

(45) **Date of Patent:** **** Feb. 15, 2022**

(54) **CHARGER FOR A MOBILE COMMUNICATION TERMINAL**

(71) Applicant: **Dong In Kim**, Seoul (KR)

(72) Inventor: **Dong In Kim**, Seoul (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/771,595**

(22) Filed: **Feb. 24, 2021**

(30) **Foreign Application Priority Data**

Dec. 30, 2020 (KR) 30-2020-0065775

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/103, 107–110, 118–119, 184, 199;
D14/251, 253, 432, 434, 447; D6/682
CPC H02J 7/025; H02J 7/005; H02J 7/0026;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0013; H02J 7/0003; H02J 7/02;
H02J 50/10; H02J 50/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D613,291 S *	4/2010	Carver	D14/432
D620,884 S *	8/2010	Lee	D13/108
D627,718 S *	11/2010	Houghton	D13/108
D697,027 S *	1/2014	Ho	D13/108
D733,156 S *	6/2015	Choi	D14/447
D774,455 S *	12/2016	Kim	D13/108
D777,103 S *	1/2017	Park	D13/108
D784,978 S *	4/2017	Hobbs	D14/253
D786,792 S *	5/2017	Miller	D13/110
D789,920 S *	6/2017	Zhang	D14/253
D791,775 S *	7/2017	Park	D14/447
D794,557 S *	8/2017	Kim	D13/108
D794,607 S *	8/2017	Srouf	D14/217

D795,182 S *	8/2017	Akana	D13/108
D799,468 S *	10/2017	Chen	D14/253
D807,825 S *	1/2018	Miller	D13/133
D816,608 S	5/2018	Burke et al.		
D832,276 S *	10/2018	Miles	D14/451

(Continued)

FOREIGN PATENT DOCUMENTS

KR	30-2015-0051704 S	10/2016
WO	DM/089 207	7/2015

OTHER PUBLICATIONS

“Popsocket Wireless Charger: Phone Holder Wireless Charger Pad.”
Usbtechs, www.usbtechs.com/product/popssocket-wireless-charger/.
(Date accessed: Feb. 24, 2021).

Primary Examiner — Rosemary K Tarcza
(74) *Attorney, Agent, or Firm* — Studebaker & Brackett
PC


(57) **CLAIM**

The ornamental design for a charger for a mobile communication terminal, as shown and described.

DESCRIPTION

FIG. 1 illustrates a perspective view of the charger for a mobile communication terminal;
FIG. 2 illustrates a front side of the charger for a mobile communication terminal;
FIG. 3 illustrates a rear side of the charger for a mobile communication terminal;
FIG. 4 illustrates a left side of the charger for a mobile communication terminal;
FIG. 5 illustrates a right side of the charger for a mobile communication terminal;
FIG. 6 illustrates a top side of the charger for a mobile communication terminal; and,
FIG. 7 illustrates a bottom side of the charger for a mobile communication terminal.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D832,859 S *	11/2018	Charlesworth	D14/451
D835,091 S *	12/2018	Torrance	D14/253
D841,578 S *	2/2019	Kim	D13/108
D872,015 S *	1/2020	Choi	D13/108
D875,103 S *	2/2020	Vogel	D14/447
D876,425 S *	2/2020	Moore	D14/253
D878,353 S *	3/2020	Heidrich	D14/253
D879,087 S *	3/2020	Webb	D14/253
D879,106 S *	3/2020	Mecchella	D14/447
D899,359 S *	10/2020	Zhang	D13/108
D900,027 S *	10/2020	Reilly	D13/108
D901,483 S *	11/2020	Kory et al.		
D926,195 S *	7/2021	Moore	D14/447
D928,771 S *	8/2021	Barnett	A45C 11/00
				D14/251
D929,985 S *	9/2021	Yeo	D14/251
2019/0140682 A1	5/2019	Barnett et al.		

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

