



US00D944376S

(12) **United States Design Patent**
Bermúdez et al.

(10) **Patent No.:** **US D944,376 S**
(45) **Date of Patent:** **** Feb. 22, 2022**

- (54) **CATALYTIC SAIL DESIGN FOR A DRY HYDROGEN PEROXIDE (DHP) GENERATING DEVICE**
- (71) Applicant: **Synexis LLC**, Overland Park, KS (US)
- (72) Inventors: **Pedro J. Bermúdez**, Olathe, KS (US);
Stefan Grobe, Waldenbuch (DE)
- (73) Assignee: **Synexis LLC**, Overland Park, KS (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/723,874**
- (22) Filed: **Feb. 11, 2020**
- (51) **LOC (13) Cl.** **23-04**
- (52) **U.S. Cl.**
USPC **D23/355**
- (58) **Field of Classification Search**
USPC D23/355–366, 352, 369, 332, 333, 335,
D23/336, 342, 351; 422/120, 122;
55/356, 473, 504; 96/97; 261/DIG. 17,
261/DIG. 65, DIG. 88, DIG. 31;
D12/193; 40/206
CPC ... A61L 2/208; A61L 9/16; A61L 9/22; B01D
47/00; B01D 47/027; B01D 2221/02;
B01D 2259/4508; B03C 3/155; B03C
3/368; F24F 3/16; F24F 13/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,553,992 A * 11/1985 Boissinot A61L 9/16
126/299 D
- 5,348,691 A * 9/1994 McElroy F24F 3/14
261/36.1
- 5,690,719 A * 11/1997 Hodge B01D 46/0005
96/17

- 5,824,126 A * 10/1998 Chen B01D 46/10
55/501
- 7,691,165 B1 * 4/2010 Hammes B01D 46/0002
55/495
- 8,168,122 B2 * 5/2012 Lee A61L 2/208
422/120
- 9,114,356 B2 * 8/2015 Gurman B03C 3/38
- D814,006 S * 3/2018 Bosma D23/355
- D890,898 S * 7/2020 Nibbelink D23/355
- D896,360 S * 9/2020 Guilliard D23/351
- D896,362 S * 9/2020 Riley D23/366
- 2003/0102106 A1 * 6/2003 Moilala F24F 12/001
165/4
- 2004/0172927 A1 * 9/2004 Lee F24F 13/28
55/495
- 2007/0012192 A1 * 1/2007 Pippel B01D 46/0005
96/417
- 2015/0217018 A1 * 8/2015 Sanchez Tavora F24F 8/192
422/114
- 2015/0273985 A1 * 10/2015 Luley B60H 3/0658
96/134
- 2020/0114032 A1 * 4/2020 Spencer A61B 50/00

Primary Examiner — David G Muller

(74) *Attorney, Agent, or Firm* — Arnold & Porter Kaye Scholer

(57) **CLAIM**

The ornamental design for a catalytic sail for a dry hydrogen peroxide (DHP) generating device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of catalytic sail for use in a dry hydrogen peroxide (DHP) generating device of the present application.

FIG. 2 is a front view of the catalytic sail of FIG. 1.

FIG. 3 is a back view of the catalytic sail of FIG. 1.


FIG. 4 is a left side view of the catalytic sail of FIG. 1.

FIG. 5 is a right side view of the catalytic sail of FIG. 1.

FIG. 6 is a top view of the catalytic sail of FIG. 1; and,

FIG. 7 is bottom view of the de catalytic sail vice of FIG. 1.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7