



US00D945351S

(12) **United States Design Patent** (10) **Patent No.:** **US D945,351 S**  
**DeAgro** (45) **Date of Patent:** **\*\* Mar. 8, 2022**

(54) **ACCESSORY BOAT HANDLE**  
(71) Applicant: **John E. DeAgro**, Brecksville, OH (US)  
(72) Inventor: **John E. DeAgro**, Brecksville, OH (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/668,550**  
(22) Filed: **Oct. 31, 2018**  
(51) **LOC (13) Cl.** ..... **12-06**  
(52) **U.S. Cl.**  
USPC ..... **D12/317**  
(58) **Field of Classification Search**  
USPC ..... D12/317; D8/300  
CPC ..... B63B 17/00; B63B 17/04; B63B 7/085;  
B63B 32/77; B60N 3/02  
See application file for complete search history.

2012/0048174 A1\* 3/2012 Miller ..... B63B 27/146  
114/362  
2016/0311355 A1\* 10/2016 Krajenke ..... B60R 3/00  
2017/0320419 A1\* 11/2017 Gobart ..... B60N 3/023  
2018/0057120 A1\* 3/2018 Kennemur ..... B63B 17/00  
2019/0210503 A1\* 7/2019 Donaldson ..... B60N 3/026  
2019/0246560 A1\* 8/2019 Lundgren ..... B60N 3/02

\* cited by examiner  
*Primary Examiner* — Cynthia M. Chin  
(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle & Sklar, LLP

(57) **CLAIM**


The ornamental design for an accessory boat handle, as shown and described.

**DESCRIPTION**

FIG. 1 is schematic perspective view illustrating how the accessory boat handle of the claimed design fits into its intended environment;  
FIG. 2 is an enlarged perspective view of the accessory boat handle of the claimed design;  
FIG. 3 is a top view of the accessory boat handle of FIG. 2;  
FIG. 4 is a bottom view thereof;  
FIG. 5 shows a front view thereof;  
FIG. 6 shows a rear view thereof;  
FIG. 7 shows a left side view thereof; and,  
FIG. 8 shows a right side view thereof.  
The broken lines in FIG. 1 represent the environment in which the article resides and forms no part of the claimed design. The broken lines in FIGS. 2-8 are for the purpose of illustrating portions of the article that form no part of the claimed design.  
The broken away symbols in the drawings indicate the appearance of any portion of the article between the break lines forms no part of the claimed design.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
4,074,379 A \* 2/1978 Grossman ..... B63B 17/04  
114/362  
4,626,016 A \* 12/1986 Bergsten ..... B60N 3/02  
105/354  
4,876,980 A 10/1989 Bell, III  
D332,932 S \* 2/1993 Nichols ..... D12/317  
5,269,044 A \* 12/1993 Marion ..... B25G 3/38  
114/362  
5,537,949 A \* 7/1996 Blevins ..... B63B 17/04  
114/362  
7,036,451 B1 \* 5/2006 Hutchinson ..... B63B 17/00  
114/364  
D578,442 S \* 10/2008 Oakley ..... D12/162  
8,794,660 B1 \* 8/2014 Stover ..... H05K 999/99  
280/727  
9,260,165 B1 2/2016 Springer  
9,555,862 B1 \* 1/2017 Sutherland ..... B63B 29/04  
10,569,837 B2 \* 2/2020 Kennemur ..... B63B 17/00  
2010/0194154 A1 \* 8/2010 Hicks ..... B60N 2/20  
297/183.2

**1 Claim, 5 Drawing Sheets**







Fig. 1




**Fig. 2**




**Fig. 3**



**Fig. 4**



**Fig. 5**



**Fig. 6**




Fig. 7




Fig. 8