



US00D945664S

(12) **United States Design Patent**  
**Wu et al.**

(10) **Patent No.:** **US D945,664 S**

(45) **Date of Patent:** **\*\* Mar. 8, 2022**

(54) **FLASHLIGHT**

(71) Applicant: **Race Wu**, Taichung (CN)

(72) Inventors: **Race Wu**, Taichung (TW); **Steve John Avila**, Bellingham, WA (US)

(73) Assignee: **Race Wu**

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/714,403**

(22) Filed: **Nov. 22, 2019**

(30) **Foreign Application Priority Data**

May 24, 2019 (TW) ..... 108303051

(51) **LOC (13) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/45**

(58) **Field of Classification Search**  
USPC ..... D26/24, 26, 28, 37-51; D16/202, 208,  
D16/216; D21/468, 483, 493, 532, 567,  
D21/570, 573, 574, 575; D22/104, 107,  
D22/11, 101

CPC . F21L 4/005; F21L 4/027; F21L 4/085; F21L  
4/08; F21L 4/00; F21L 4/045; F21L 4/02;  
F21L 4/022; F21L 4/025; F21L 4/04;  
F21L 13/00; F21L 14/02; F21L 2/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D147,653 S \* 10/1947 Hornung ..... D26/45  
D217,287 S \* 4/1970 Schwartz ..... D10/112  
D310,400 S \* 9/1990 Guilbeaux, Jr. .... D21/574  
D374,041 S \* 9/1996 Oikawa ..... D14/418  
D500,155 S \* 12/2004 Lee ..... D26/45

D628,326 S \* 11/2010 Ng ..... D26/45  
D646,816 S \* 10/2011 Wang ..... D26/45  
D711,574 S \* 8/2014 Shen ..... D26/45  
D771,305 S \* 11/2016 Woller ..... D26/138  
D814,086 S \* 3/2018 Cooper ..... D26/45  
D849,296 S \* 5/2019 Inskeep ..... D26/45  
D897,017 S \* 9/2020 Inskeep ..... D26/45  
10,823,381 B1 \* 11/2020 Wu ..... F21V 33/0076  
2015/0219292 A1 \* 8/2015 Ross ..... F21L 4/04  
362/191

**FOREIGN PATENT DOCUMENTS**

CN 201330581831 \* 5/2014

\* cited by examiner

*Primary Examiner* — Marissa J Cash

*Assistant Examiner* — William B Melliar

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, PC

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a flashlight showing the new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is another perspective view thereof.

In the drawings, the broken lines depict portions of the flashlight that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8