



US00D945697S

(12) **United States Design Patent**
Choe

(10) **Patent No.:** **US D945,697 S**

(45) **Date of Patent:** **** *Mar. 8, 2022**

(54) **VAPE PEN CONNECTION COLLAR**

2205/3653; A61M 2016/0024; A61M
11/005; A61M 2016/0027; A61M
2205/587; A61M

(71) Applicant: **Vessel Brand, Inc.**, Carlsbad, CA (US)

(Continued)

(72) Inventor: **James Choe**, Carlsbad, CA (US)

(56)

References Cited

(73) Assignee: **Vessel Brand, Inc.**, Carlsbad, CA (US)

U.S. PATENT DOCUMENTS

(*) Notice: This patent is subject to a terminal disclaimer.

D287,402 S * 12/1986 Orsing 433/91
D378,442 S * 3/1997 Ichikawa D27/186

(**) Term: **15 Years**

(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **29/714,489**

Wessel Vista Series. By Vessel Brand. Dated May 21, 2020. Found online [Dec. 15, 2020]. <https://www.vesselbrand.com/pages/vista-series> (Year: 2020).*

(22) Filed: **Nov. 22, 2019**

(Continued)

(51) **LOC (13) Cl.** **27-02**

(52) **U.S. Cl.**

USPC **D27/162**

(58) **Field of Classification Search**

USPC D27/100, 101, 162, 163, 164, 165, 166,
D27/167, 168, 169, 170, 171, 172, 173,
D27/174, 175, 176, 177, 178, 179, 180,
D27/181, 182, 183, 184, 185, 186, 187,
D27/188, 189, 190, 191, 192, 193;
D24/110, 110.2, 110.5, 110.6; D28/91.1;
D19/115, 116, 117, 118, 119, 120, 130,
D19/50, 170, 174, 66

CPC A24F 47/008; A24F 40/10; A24F 40/40;
A24F 40/42; A24F 40/46; A24F 47/00;
A24F 40/44; A24F 40/50; A24F 40/90;
A24F 40/485; A24F 40/70; A24F 40/60;
A24F 47/002; A24F 40/48; A24F 40/51;
A24F 40/53; A24F 40/57; A24F 40/65;
A24F 7/00; A24F 40/20; A24F 47/004;
A24F 40/05; A24F 40/30; A24F 7/02;
A24F 7/04; A24F 15/015; A24F 1/32;
A24F 40/00; A24F 40/49; A24F 40/85;
A24F 40/95; A24F 42/60; A24F 40/465;
A24F 1/00; A24F 1/02; A24F 9/16; A24F
42/20; A24F 15/01; A61M 11/042; A61M
15/06; A61M 2205/8206; A61M

Primary Examiner — Marissa J Cash

Assistant Examiner — William B Melliar

(74) *Attorney, Agent, or Firm* — Lapple Ubell IP Law,
LLP; Matthew C. Lapple

(57)


CLAIM

The ornamental design for a vape pen connection collar, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a vape pen connection collar showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view of my new design of a vape pen connection collar in use with the battery and cartridge of a vape pen.

(Continued)



The broken lines in the drawings show environmental subject matter only that form no part of the claimed design.

1 Claim, 5 Drawing Sheets

(58) Field of Classification Search

CPC 11/003; A61M 11/044; A61M 15/002; A61M 15/0085; A61M 16/0003; A61M 2205/3368; A61M 2205/8256; A61M 11/001; A61M 11/04; A61M 15/0021; A61M 2016/0018; A61M 2016/0021; A61M 2021/0016; A61M 2205/8268; A61M 2209/02; A61M 11/041; A61M 15/0025; A61M 15/008; A61M 2016/0033; A61M 2016/0039; A61M 21/00; A61M 2205/0211; A61M 2205/3331; A61M 2205/3334; A61M 2205/3379; A61M 2205/52; A61M 2205/58; A61M 2205/583; A61M 2205/6018; A61M 2205/6054; A61M 2205/75; A61M 2206/11; A61M 2206/20; A61M 2209/045; A61M 11/02; A61M 15/0001; A61M 2205/42; A61M 35/003; A61M 35/25; A61M 11/00; A61M 11/002; A61M 11/006; A61M 11/007; A61M 11/06; A61M 15/00; A61M 15/0028; A61M 15/0065; A61M 15/0066; A61M 15/0091; A61M 15/0095; A61M 16/06; A61M 2016/0036; A61M 2202/0007; A61M 2202/0468; A61M 2205/0238; A61M 2205/0288; A61M 2205/07; A61M 2205/103; A61M 2205/12; A61M 2205/18; A61M 2205/3317; A61M 2205/3327; A61M

2205/3337; A61M 2205/3372; A61M 2205/3375; A61M 2205/3569; A61M 2205/3592; A61M 2205/50; A61M 2205/581; A61M 2205/6009; A61M 2205/8243; A61M 2205/8262; A61M 2206/16; A61M 2206/18; A61M 2207/00; A61M 2209/086; A61M 2209/10; A61M 2210/04; A61M 2210/0612; A61M 2230/42; A61M 2240/00; A61M 35/30; A61M 39/24; A24B 15/167; A24B 15/16; A24B 15/18; A24B 15/303; A24B 15/308; A24B 15/34

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D726,955	S	*	4/2015	Martin	D27/172
D751,755	S	*	3/2016	Van Riper	D27/183
D790,128	S	*	6/2017	Khoury	D27/183
D802,837	S	*	11/2017	Thompson	D27/186
D807,578	S	*	1/2018	Barkowski	D27/170
D809,128	S	*	1/2018	Djupesland	D24/110
D809,647	S	*	2/2018	Jensen	D24/110
D858,871	S	*	9/2019	Concepcion	D27/172
D907,843	S	*	1/2021	Stone	D27/101

OTHER PUBLICATIONS

Angled top Pyrex Glass drip tip 510 thread. By Tenwa. Dated Jan. 2, 2019. Found online [Dec. 15, 2020]. https://www.amazon.com/Angled-Pyrex-Glass-Thread-Bronze/dp/B07ML4B967/ref=sr_1_259?dchild=1&keywords=vape+drip+tips&qid=1608047566&sr=8-259 (Year: 2019).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8