



US00D945738S

(12) **United States Design Patent**  
**Morgan**

(10) **Patent No.:** **US D945,738 S**  
(45) **Date of Patent:** **\*\* Mar. 15, 2022**

(54) **STRAP CONNECTOR SET**

(57) **CLAIM**

(71) Applicant: **Matthew A Morgan**, Sebastopol, CA (US)

The ornamental design for a strap connector set, as shown and described.

(72) Inventor: **Matthew A Morgan**, Sebastopol, CA (US)

**DESCRIPTION**

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/739,367**

(22) Filed: **Jun. 24, 2020**

(51) **LOC (13) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D2/639; D2/640**

(58) **Field of Classification Search**  
USPC .... D2/624, 625, 626, 627, 628, 639; D11/5, D11/13; D24/190; D29/101.1, 101.3  
CPC ..... A41F 11/02; A41F 11/14; A41F 11/16; A41F 19/00; A41F 3/02; A41F 5/00; A41F 9/00; A41F 9/002; A41F 9/02; A41F 9/025; B60R 2022/006  
See application file for complete search history.

FIG. 1 is a front elevation view of a first component of the strap connector set, showing my new design, in which the rear elevation view is a mirror image thereof;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a side elevation view thereof, the right and left side elevation views being mirror images of each other;  
FIG. 4 is a front elevation view of a second embodiment of the the strap connector set showing my new design, in which the rear elevation view is a mirror image thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a side elevation view thereof, the right and left side elevation views being mirror images of each other;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a front elevation view of a third component of the strap connector set, showing my new design, in which the rear elevation view is a mirror-image thereof;  
FIG. 9 is a bottom plan view thereof;  
FIG. 10 is a top plan view thereof;  
FIG. 11 is a left side elevation view thereof;  
FIG. 12 is a right side elevation view thereof;  
FIG. 13 is a front elevation view showing the strap connector set as assembled from the first, second and third components in an assembled configuration; and,  
FIG. 14 is a rear elevation view thereof.  
Broken lines are is used in the figures to represent portions of the article that are not claimed. The intermittent cross-hatched patterns are meant to represent a contrast in material.  
FIGS. 4, 6, 13 and 14 contain symbolic breaks in the length of the article in which the claimed design is embodied. The apperance of any portions of the article between the broken lines directly adjacent to the shaded regions forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,098,977	A *	11/1937	Sellen	.....	A41F 11/02 24/478
2,447,904	A *	8/1948	Falsey	.....	A41F 11/02 24/477
2,777,183	A *	1/1957	Mefford	.....	A41F 11/02 24/524
2,781,569	A *	2/1957	Eilertsen	.....	A41F 11/02 24/487
3,096,553	A *	7/1963	Gould	.....	A41F 11/02 24/487

(Continued)

*Primary Examiner* — Kevin K Rudzinski  
*Assistant Examiner* — Clare Ann Gannon  
(74) *Attorney, Agent, or Firm* — Edward S. Sherman

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

3,127,652 A \* 4/1964 Springer ..... B60R 22/30  
24/165  
3,653,100 A \* 4/1972 Dolan ..... A44B 11/22  
24/198  
D932,133 S \* 10/2021 Atkins ..... D2/625  
2007/0028369 A1 \* 2/2007 Houston ..... A41F 11/16  
2/303  
2014/0310921 A1 \* 10/2014 Mohri ..... A41F 9/002  
24/199  
2020/0323298 A1 \* 10/2020 Morgan ..... A41F 3/02

\* cited by examiner




FIG. 2




FIG. 1



FIG. 3

FIG. 5




FIG. 4

FIG. 6

FIG. 7



FIG. 10





FIG. 8

FIG. 11

FIG. 12



FIG. 9




FIG. 13




FIG. 14