US00D946019S

(12) United States Design Patent

Swango et al.

(10) Patent No.: US D946,019 S
(45) Date of Patent: ** Mar. 15, 2022

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH AN ANIMATED GRAPHICAL USER INTERFACE**

(71) Applicant: **Covestro LLC**, Pittsburgh, PA (US)

(72) Inventors: **Mylauna M. Swango**, Coraopolis, PA (US); **David D. Steppan**, Gibsonia, PA (US); **James P. Mason**, Carnegie, PA (US); **Joel Matsco**, Coraopolis, PA (US)

(73) Assignee: **Covestro LLC**, Pittsburgh, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/744,481**

(22) Filed: **Jul. 29, 2020**

Related U.S. Application Data

(62) Division of application No. 29/661,450, filed on Aug. 28, 2018, now Pat. No. Des. 894,922.

(51) **LOC (13) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**; D14/488

(58) **Field of Classification Search**
USPC D14/485–495
CPC G06T 11/206
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D445,426	S *	7/2001	Wang	D14/486
D582,426	S *	12/2008	Chen	D14/488
D727,960	S *	4/2015	Chaudhri	D14/489
D742,407	S *	11/2015	Park	D14/489
D750,125	S *	2/2016	Yang	D14/488
D794,057	S *	8/2017	Ekstrand	D14/486
D801,996	S *	11/2017	Yang	D14/486

(Continued)

Primary Examiner — Katherine A Holbrow
(74) *Attorney, Agent, or Firm* — Richard P. Bender

(57) **CLAIM**

The ornamental design for a display screen or portion thereof with an animated graphical user interface, as shown and described.

DESCRIPTION

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

FIG. **1** is a front view of a display screen or portion thereof with an animated graphical user interface, showing a first image in a sequence of a first embodiment according to the new design;

FIG. **2** is a second image thereof;

FIG. **3** is a third image thereof;

FIG. **4** is a fourth image thereof;

FIG. **5** is a front view of a display screen or portion thereof with an animated graphical user interface, showing a first image in a sequence of a second embodiment according to the new design;

FIG. **6** is a second image thereof;

FIG. **7** is a third image thereof; and,

FIG. **8** is a fourth image thereof.

The outmost broken line rectangle shows a display screen or portion thereof which forms no part of the claimed design. All other broken lines showing portions of the animated graphical user interface show environment only and form no part of the claimed design.

The appearance of the animated images sequentially transitions between FIGS. **1-4** and FIGS. **5-8**. The process or period in which one image transitions to another forms no part of the claimed design.

1 Claim, 8 Drawing Sheets





Copyright © 2018 Covestro LLC

Copyright © 2018 Covestro LLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

D819,661	S	*	6/2018	Feng	D14/485
D825,608	S	*	8/2018	Andrizzi	D14/487
D869,498	S	*	12/2019	Anno	D14/487
D879,821	S	*	3/2020	Gray	D14/486
D881,933	S	*	4/2020	Lawrence	D14/488
D894,922	S	*	9/2020	Swango	D14/486
D901,537	S	*	11/2020	Anzures	D14/489
10,884,606	B1	*	1/2021	Taylor	G06Q 20/3263
D913,299	S	*	3/2021	Sakurai	D14/485
D931,885	S	*	9/2021	Davies	D14/486

* cited by examiner

Name	Density [kg/m3]	HDT 0.45MPa [C]	Tensile Modulus@1m m/min [Mpa]	Vicat 50N 120C/hr [C]
Apec 1506				
Apec 1595				
Apec 1606	1180	151	2300	159
Apec 1695	1180	150	2400	158
Apec 1697	1180	149	2400	157
Apec 1703	1170	161	2400	171
Apec 1743	1170	160	2400	170
Apec 1795	1170	161	2400	173
Apec 1797	1170	160	2400	172
Apec 1806	1150	174	2400	185
Apec 1808	1150	174	2400	184
Apec 1895	1150	173	2400	183

FIG. 1

Copyright © 2018 Covestro LLC

Name	Density [kg/cm³]	HDT 0.45MPa [°C]	Tensile Modulus [MPa]	Vicat 50N 120°/h [°C]
Apec 1897	1180	148	2400	137
Apec 1795	1170	141	2400	131
Apec 1745	1170	136	2400	126
Apec 1785	1170	141	2400	132
Apec 1797	1170	142	2400	132
Apec 1855	1180	134	2400	128
Apec 1805	1180	134	2400	124
Apec 1895	1180	133	2400	123

Name	Apec 1795
Family	Apec
Grade	1795
Description	Medium heat temperature (HDT@ 120°C)
Regions Available for Sale	APAC EMEA
Industry	Mobility
Mobility Segments	Lighting Truck Bus Exteriors
Name	Apec 1795
Mobility Applications	Inner Lenses Fog Lamps Center Third High Post Applications
Mobility Lighting Apps	Lenses Fog Lamps
Mobility Lenses Type	Inner Lenses

FIG. 2

Copyright © 2018 Covestro LLC

Name	Density [kg/m3]	HDT 0.45MPa [C]	Tensile Modulus@1m m/min [Mpa]	Vicat 50N 120C/hr [C]
Apec 1500PG				
Apec 1595				
Apec 1600	1180	151	2300	159
Apec 1695	1180	150	2400	158
Apec 1697	1180	149	2400	157
Apec 1703	1170	161	2400	171
Apec 1745	1170	160	2400	170
Apec 1795	1170	161	2400	173
Apec 1797	1170	160	2400	172
Apec 1800	1150	171	2400	185
Apec 1803	1150	174	2400	184
Apec 1895	1150	173	2450	183

Name	Apec 1703	Apec 1795
Family	Apec	Bayblend
Grade	1703	2953
Description	UV-stabilized, softening temperature (VSTB 120) = 171°C	High-flow, release-grade, high-heat polycarbonate with Vicat temperature of 338°F
Regions Available for Sale	APAC EMEA	APAC NAFTA EMEA
Industry	Mobility	Mobility
Mobility Segments	Lighting Truck Bus Exteriors	Lighting Truck Bus Exteriors
Mobility Applications	Inner Lenses Fog Lamps Electro Plated High Heat Applications	Bezels Electro Plated High Heat Applications Metallization
Name	Apec 1703	Apec 1795
Mobility Lighting Apps	Lamp Covers/Lenses Fog Lamps	Bezels Metallization
Mobility Lenses Type	Inner Lenses	

FIG. 3

Copyright © 2018 Covestro LLC

Name	Density [kg/m3]	HDT 0.45MPa [C]	Tensile Modulus@1m m/min [Mpa]	Vicat 50N 120C/hr [C]
Apec 1503PC				
Apec 1595				
Apec 1603	1180	151	2300	159
Apec 1695	1180	150	2400	158
Apec 1697	1180	149	2400	157
Apec 1703	1170	161	2400	171
Apec 1745	1170	160	2400	170
Apec 1795	1170	161	2400	173
Apec 1797	1170	160	2400	172
Apec 1800	1150	174	2400	185
Apec 1803	1150	174	2400	184
Apec 1895	1150	173	2450	183

Name	Apec 1703	Apec 1795	Apec 1803
Family	Apec	Apec	Apec
Grade	1703	1795	1803
Description	UV-stabilized, softening temperature (VST/B 120) = 171-C	High-flow, release-grade, high-heat polycarbonate with Vicat temperature of 338 F	UV-stabilized, softening temperature (VST/B 120) = 184-C
Regions Available for Sale	APAC EMEA	APAC NAFTA EMEA	APAC NAFTA EMEA
Industry	Mobility	Mobility	Mobility Electrical
Mobility Segments	Lighting Truck Bus Exteriors	Lighting Truck Bus Exteriors	Lighting Truck Bus Exteriors
Mobility Applications	Inner Lenses Fog Lamps Electro Plated High Heat Applications	Bezels Electro Plated High Heat Applications Metallization	Inner Lenses Fog Lamps Electro Plated High Heat Applications
Name	Apec 1703	Apec 1795	Apec 1803
Mobility Lighting Apps	Lamp Covers/Lenses Fog Lamps	Bezels Metallization	Lamp Covers/Lenses Fog Lamps
Mobility Lense Type	Inner Lenses		Inner Lenses

FIG. 4

Copyright © 2018 Covestro LLC



FIG. 5

Copyright © 2018 Covestro LLC



FIG. 6

Copyright © 2018 Covestro LLC



FIG. 7

Copyright © 2018 Covestro LLC



FIG. 8

Copyright © 2018 Covestro LLC