



US00D946179S

(12) **United States Design Patent** (10) **Patent No.:** **US D946,179 S**
Ide (45) **Date of Patent:** **** Mar. 15, 2022**

(54) **FRONT COMBINATION LAMP FOR AN AUTOMOBILE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa (JP)

JP D1483052 S 11/2013
JP D1480991 S 1/2014

(Continued)

(72) Inventor: **Naomichi Ide**, Tokyo (JP)

Primary Examiner — Marcus A Jackson

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a front combination lamp for an automobile, as shown and described.

(21) Appl. No.: **29/731,427**

DESCRIPTION

(22) Filed: **Apr. 15, 2020**

FIG. 1 is a front side perspective view of a front combination lamp for an automobile in accordance with a first embodiment of my new design.

(30) **Foreign Application Priority Data**

Oct. 16, 2019 (JP) 2019-023108

FIG. 2 is a front elevational view thereof;

(51) **LOC (13) Cl.** **26-06**

FIG. 3 is a rear elevational view top plan view thereof;

(52) **U.S. Cl.**

USPC **D26/28**

FIG. 4 is a top plan view thereof;

(58) **Field of Classification Search**

USPC D26/28-36, 139

CPC F21S 48/00; F21S 48/10; F21S 48/115;

F21S 48/225; F21S 48/1233; F21S

48/1266; F21S 48/1388; F21S 48/2268;

F21V 21/04; F21V 29/004; B60Q 9/13;

B60Q 9/135; B60Q 9/1375

See application file for complete search history.

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a left side elevational view thereof.

The front combination lamp is configured to be mounted to an automobile. The mounting structure and support structure of the front combination lamp, enclosed by broken lines in FIGS. 1 to 6, form no part of the claimed design since the mounting structure and support structure are hidden when the front combination lamp is mounted to the automobile.

In addition, the appearance of the rear side and inside structures of the front combination lamp as shown in broken lines in FIGS. 1 to 6 is for purpose of illustrating the boundaries of the exterior surface of the front combination lamp, and forms no part of the claimed design. The front combination lamp has a front lens that is transparent such that features behind the lens are at least partially visible as illustrated.

A second embodiment of my new design includes the mirror image of the front combination lamp shown in FIGS. 1 to 6.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D474,290 S * 5/2003 Sawai D26/28


D549,858 S * 8/2007 Pfeiffer D26/28

D552,772 S * 10/2007 Davidson D26/28

D586,010 S * 2/2009 Saracoglu D26/28

(Continued)

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | |
|----------|---|---|---------|-----------|-------|--------|
| D592,332 | S | * | 5/2009 | Hsu | | D26/28 |
| D592,336 | S | * | 5/2009 | Hsu | | D26/28 |
| D637,746 | S | * | 5/2011 | Kong | | D26/28 |
| D822,243 | S | * | 7/2018 | Lee | | D26/28 |
| D859,710 | S | * | 9/2019 | Choo | | D26/28 |
| D870,931 | S | * | 12/2019 | Woodhouse | | D26/28 |
| D875,280 | S | * | 2/2020 | Lucas | | D26/28 |
| D893,778 | S | * | 8/2020 | Kim | | D26/28 |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|----------|---|---------|
| JP | D1555748 | S | 8/2016 |
| JP | D1632802 | S | 6/2019 |
| JP | D1648855 | S | 12/2020 |
| JP | D1648858 | S | 12/2020 |
| JP | D1682525 | S | 4/2021 |
| JP | D1682526 | S | 4/2021 |
| JP | D1682593 | S | 4/2021 |
| JP | D1682594 | S | 4/2021 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6