



US00D946244S

(12) **United States Design Patent** (10) **Patent No.:** **US D946,244 S**
Brace (45) **Date of Patent:** **** *Mar. 22, 2022**

- (54) **HEADSET ACCOMMODATING CAP** 6,065,159 A * 5/2000 Hirsh A42B 1/08
2/413
- (71) Applicant: **Neal John Brace**, Ada, MI (US) D426,371 S * 6/2000 Mandzick D2/878
- (72) Inventor: **Neal John Brace**, Ada, MI (US) D599,085 S * 9/2009 Booker D2/867
- (*) Notice: This patent is subject to a terminal disclaimer. D736,937 S * 8/2015 Cumming D24/191
- (**) Term: **15 Years** D837,492 S * 1/2019 Durango de la Rosa D2/882
- (21) Appl. No.: **29/772,328** D892,446 S * 8/2020 Yeomans D2/867
- (22) Filed: **Mar. 1, 2021** D914,334 S * 3/2021 Brace D2/865

Related U.S. Application Data

(62) Division of application No. 29/703,123, filed on Aug. 23, 2019, now Pat. No. Des. 914,334.

(51) **LOC (13) Cl.** **02-03**

(52) **U.S. Cl.**
USPC **D2/865**

(58) **Field of Classification Search**

USPC D2/865, 866, 867, 868, 869, 870, 871,
D2/872, 873, 874, 875, 876, 877, 878,
D2/879, 880, 881, 882, 883, 884, 885,
D2/886, 887, 888, 889, 890, 891, 892,
D2/893, 894, 895; D24/191; D28/92;
D29/102, 106

CPC A41G 3/00; A41G 3/0041; A41G 3/005;
A41G 3/0058; A42B 1/00; A42B 1/002;
A42B 1/008; A42B 1/02; A42B 1/04;
A42B 1/041; A42B 1/043; A42B 1/046;
A42B 1/066; A42B 5/00; A45D 8/00;
A45D 8/40; A45D 20/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,375,845 A * 4/1921 Horan A42B 1/08
2/412
- D369,900 S * 5/1996 Doleva D2/869

- 2013/0219593 A1 * 8/2013 Snyder A42B 3/125
2/411
- 2014/0101827 A1 * 4/2014 Dennis A42B 1/041
2/410
- 2017/0164677 A1 * 6/2017 Olivares Velasco ... A42B 1/203
- 2017/0303617 A1 * 10/2017 Mackesy F41H 1/04

* cited by examiner

Primary Examiner — Jasmine Mlinarcik

(74) *Attorney, Agent, or Firm* — Lany E. Henneman, Jr.;
Henneman & Associates, PLC


(57) **CLAIM**

I claim the ornamental design for a headset accommodating cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headset accommodating cap according to the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a first side view thereof; and,
FIG. 7 is a second, opposite side view thereof.
The broken lines along the surface of the headset accommodating cap depict stitching that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7