



US00D946253S

(12) **United States Design Patent**
Weeks

(10) **Patent No.:** **US D946,253 S**
(45) **Date of Patent:** **** Mar. 22, 2022**

- (54) **SHOE MIDSOLE PERIPHERY**
- (71) Applicant: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)
- (72) Inventor: **John Maxwell Weeks**, Playa Del Rey, CA (US)
- (73) Assignee: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/776,811**
- (22) Filed: **Apr. 1, 2021**
- (51) **LOC (13) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/947**
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
1,594,965 A * 8/1926 Kaplan A43B 21/06
36/59 C
5,628,128 A * 5/1997 Miller A43B 7/1495
36/114

- D522,231 S * 6/2006 Dojan D2/977
- D523,233 S * 6/2006 Dojan D2/977
- D524,033 S * 7/2006 Morris
- D532,599 S * 11/2006 Dojan D2/977
- D532,600 S * 11/2006 Dojan D2/977
- D534,346 S * 1/2007 Dojan D2/977
- D553,837 S * 10/2007 Hubbard
- D556,433 S * 12/2007 Le D2/957
- D597,295 S * 8/2009 Duffy D2/977
- D609,894 S * 2/2010 Andersen D2/956
- D634,524 S * 3/2011 Pauk D2/947
- D655,487 S * 3/2012 Blakeslee D2/946
- D669,254 S * 10/2012 Vestuti D2/947
- D671,301 S * 11/2012 Dombrow A43B 13/125
D2/951
- D677,451 S * 3/2013 Amphyon D2/947
- D690,918 S * 10/2013 Dombrow A43B 13/223
D2/957

(Continued)

FOREIGN PATENT DOCUMENTS

- CN 303333241 8/2015
- CN 303760315 8/2016

(Continued)

Primary Examiner — T Chase Nelson
(74) *Attorney, Agent, or Firm* — Marshall A. Lerner;
Kleinberg & Lerner, LLP


(57) **CLAIM**

The ornamental design for a shoe midsole periphery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoe midsole periphery in accordance with my new design; and, FIG. 2 is a side elevation view thereof. The broken lines shown in the drawings represent portions of the shoe midsole periphery and sole that form no part of the claimed design. The surfaces devoid of shading lines are not claimed.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D693,101 S * 11/2013 Dombrow D2/953
 D702,430 S * 4/2014 Nascimento D2/959
 D722,427 S * 2/2015 Glancy, Jr. A43C 11/1493
 D733,411 S * 7/2015 Lonigan D2/947
 D734,006 S * 7/2015 Portzline D2/947
 D754,956 S * 5/2016 McCourt D2/947
 D764,786 S * 8/2016 Nascimento D2/977
 D767,862 S * 10/2016 Hurayt D2/947
 D770,152 S * 11/2016 Fogg D2/951
 D779,174 S 2/2017 de Montgolfier
 D779,185 S 2/2017 Abe et al.
 D782,789 S * 4/2017 O'Connor D2/947
 D783,972 S * 4/2017 O'Connor D2/960
 D858,066 S 9/2019 Hatfield
 D876,768 S * 3/2020 Aden D2/947
 D876,770 S * 3/2020 Aden D2/947
 D876,771 S * 3/2020 Aden D2/947
 D887,689 S * 6/2020 Bove D2/947
 D913,661 S * 3/2021 Klemetsrud D2/947
 D917,845 S * 5/2021 Huang D2/947
 D919,943 S * 5/2021 Zhang A43B 7/1495
 D936,345 S * 11/2021 Chang D2/947
 2005/0132608 A1 * 6/2005 Dojan A43B 13/20
 36/29

2005/0132610 A1 * 6/2005 Foxen A43B 21/28
 36/29
 2008/0201984 A1 * 8/2008 Dojan A43B 13/20
 36/29
 2010/0180469 A1 * 7/2010 Baucom A43C 11/1493
 36/100
 2014/0259787 A1 * 9/2014 Guyan A43B 13/125
 36/103
 2015/0040425 A1 * 2/2015 Adams A43B 13/026
 36/29
 2015/0128455 A1 * 5/2015 Lubart A43B 13/223
 36/25 R
 2016/0021972 A1 * 1/2016 Grelle A43B 7/141
 36/140
 2016/0157554 A1 * 6/2016 Adams A43B 13/189
 36/28
 2016/0183632 A1 * 6/2016 Scofield A43B 13/125
 36/28
 2016/0324260 A1 * 11/2016 Guyan A43B 13/16
 2021/0120913 A1 * 4/2021 Blanche A43B 13/187

FOREIGN PATENT DOCUMENTS

CN 306088479 10/2020
 CN 306096144 10/2020
 EM 005296316 0003 8/2018
 JP D1664779 7/2020
 WO WO D091338 007 12/2016

* cited by examiner




FIG. 1




FIG. 2