

US00D946564S

(12) **United States Design Patent** (10) **Patent No.:** **US D946,564 S**
Cyr et al. (45) **Date of Patent:** **** Mar. 22, 2022**

(54) **STAND FOR A MOBILE COMMUNICATION DEVICE**

(71) Applicant: **dTOOR Inc. SPC**, Bellevue, WA (US)

(72) Inventors: **Christina Cyr**, Bellevue, WA (US);
Kristen Faiferlick, Seattle, WA (US);
Marjan Zamani, Kenmore, WA (US);
Julia Cheng, Long Island City, NY (US)

(73) Assignee: **dTOOR Inc. SPC**, Bellevue, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/724,430**

(22) Filed: **Feb. 14, 2020**

(51) **LOC (13) Cl.** **14-99**

(52) **U.S. Cl.**
USPC **D14/253**; D13/108

(58) **Field of Classification Search**
USPC D14/251–253, 224, 224.1, 432–434, 447,
D14/451, 452; D12/415, 426.1, 223, 406,
D12/407; D16/242, 244, 245; D3/218;
D13/108

CPC B60R 11/00; B60R 11/02; B60R 11/0241;
B60R 11/0252; B60R 2011/0003; B60R
2011/0005; B60R 2011/0008; H04M
1/04; F16M 11/00; F16M 11/04; F16M
11/041; F16M 11/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D215,536 S * 10/1969 Larsen D6/601
D657,741 S * 4/2012 Fahrendorff D13/108
D661,309 S * 6/2012 Murrer D14/447
D668,662 S * 10/2012 Suiter D14/447

D681,625 S * 5/2013 Zehner D14/253
D681,626 S * 5/2013 Zehner D14/253
D704,633 S * 5/2014 Ryu D13/108
D748,616 S * 2/2016 Noble D14/253
D757,730 S * 5/2016 Fletcher D14/434
D769,878 S * 10/2016 Fletcher D14/434
D781,841 S * 3/2017 Salathe D14/253
D797,668 S * 9/2017 Park D13/108
D841,578 S * 2/2019 Kim D13/108
D861,599 S * 10/2019 Choi D13/108
D861,600 S * 10/2019 Choi D13/108
D892,129 S * 8/2020 Bankov D14/447
D912,065 S * 3/2021 Swantek D14/447
D920,905 S * 6/2021 Huang D13/107
2021/0333958 A1 * 10/2021 Cyr G06F 3/0484

* cited by examiner

Primary Examiner — Rebekah A Caruso

(74) *Attorney, Agent, or Firm* — Christopher Mayle; Bold IP, PLLC

(57) **CLAIM**

The ornamental design for a stand for a mobile communication device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a stand holding a mobile communication device, in accordance with the present invention;

FIG. 2 is a perspective view of the stand of FIG. 1;

FIG. 3 is a front view thereof

FIG. 4 is a back view thereof;

FIG. 5 is a left-side view thereof;



FIG. 6 is a right-side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines represent environmental elements, which form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8